

# SAFETY DATA SHEET



## Car Brite™ QUICK COVER DETAILSPRAY Aerosol Dressing

Version 3.0      Revision Date: 09/06/2018      SDS Number: 600000000828      Date of last issue: 05/05/2018  
Date of first issue: 05/23/2016

---

### SECTION 1. IDENTIFICATION

Product name : QUICK COVER DETAIL SP 13.5 FOZ UN  
Product code : CBO1G008D21

#### Manufacturer or supplier's details

Company name of supplier : Niteo Products, LLC  
Address : Dallas TX 75225  
Email Address : EHS@niteoproducts.com  
Telephone : 1-844-696-4836  
Emergency telephone number : 1-800-424-9300 / 1-703-741-5970

#### Recommended use of the chemical and restrictions on use

Recommended use : CLEANER  
Restrictions on use : Use only outdoors or in a well-ventilated area.



---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with 29 CFR 1910.1200

Flammable aerosols : Category 1  
Aspiration hazard : Category 1

#### GHS label elements

Hazard pictograms :  

Signal word : Danger

Hazard statements : Extremely flammable aerosol.  
May be fatal if swallowed and enters airways.

Precautionary statements : **Prevention:**  
Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
Do not spray on an open flame or other ignition source.

## Car Brite™ QUICK COVER DETAILSPRAY Aerosol Dressing

Version 3.0      Revision Date: 09/06/2018      SDS Number: 600000000828      Date of last issue: 05/05/2018  
Date of first issue: 05/23/2016

Pressurized container: Do not pierce or burn, even after use.

**Response:**

IF SWALLOWED: Immediately call a POISON CENTER/doctor.  
Do NOT induce vomiting.

**Storage:**

Store locked up.  
Protect from sunlight. Do not expose to temperatures exceeding  
50 °C/ 122 °F.

**Disposal:**

Dispose of contents/ container to an approved waste disposal  
plant.

**Other hazards**

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

**Hazardous components**

Chemical name	CAS-No.	Concentration (% w/w)
Naphtha (petroleum)	64741-66-8	>= 40 - <= 60
Butane	106-97-8	>= 20 - <= 40
Propane	74-98-6	>= 2.5 - <= 10

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

### SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Symptoms of poisoning may appear several hours later.  
Do not leave the victim unattended.
- If inhaled : If breathed in, move person into fresh air.  
If unconscious, place in recovery position and seek medical  
advice.  
If symptoms persist, call a physician.
- In case of skin contact : If on skin, rinse well with water.
- In case of eye contact : Flush eyes with water as a precaution.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.
- If swallowed : Obtain medical attention.  
Do NOT induce vomiting.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.

# SAFETY DATA SHEET



## Car Brite™ QUICK COVER DETAILSPRAY Aerosol Dressing

Version 3.0      Revision Date: 09/06/2018      SDS Number: 600000000828      Date of last issue: 05/05/2018  
Date of first issue: 05/23/2016

---

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed : Inhalation of high concentrations of this material, as could occur in enclosed spaces or during deliberate abuse, may be associated with cardiac arrhythmias. Sympathomimetic drugs may initiate cardiac arrhythmias in persons exposed to this material.  
May be fatal if swallowed and enters airways.

---

### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical  
Alcohol-resistant foam

Unsuitable extinguishing media : High volume water jet

Hazardous combustion products : Carbon oxides

Specific extinguishing methods : Product is compatible with standard fire-fighting agents.

Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use a water spray to cool fully closed containers.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Remove all sources of ignition.  
Ensure adequate ventilation.  
Avoid breathing dust.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.  
Evacuate personnel to safe areas.  
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.

Environmental precautions : Prevent further leakage or spillage if safe to do so.  
Prevent product from entering drains.  
Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.

---

### SECTION 7. HANDLING AND STORAGE

## Car Brite™ QUICK COVER DETAILSPRAY Aerosol Dressing

Version 3.0      Revision Date: 09/06/2018      SDS Number: 600000000828      Date of last issue: 05/05/2018  
Date of first issue: 05/23/2016

- Advice on protection against fire and explosion : Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours).  
Keep away from open flames, hot surfaces and sources of ignition.  
Use only explosion-proof equipment.  
Do not spray on a naked flame or any incandescent material.
- Advice on safe handling : Open drum carefully as content may be under pressure.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Do not breathe vapours/dust.  
Do not smoke.  
Take precautionary measures against static discharges.  
Dispose of rinse water in accordance with local and national regulations.  
Container hazardous when empty.  
Smoking, eating and drinking should be prohibited in the application area.  
For personal protection see section 8.
- Conditions for safe storage : BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.  
Keep container tightly closed in a dry and well-ventilated place.  
Observe label precautions.  
No smoking.
- Further information on storage stability : No decomposition if stored and applied as directed.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Naphtha (petroleum)	64741-66-8	TWA	500 ppm 2,000 mg/m <sup>3</sup>	OSHA Z-1
		TWA	400 ppm 1,600 mg/m <sup>3</sup>	OSHA P0
Butane	106-97-8	TWA	800 ppm 1,900 mg/m <sup>3</sup>	NIOSH REL
		TWA	800 ppm 1,900 mg/m <sup>3</sup>	OSHA P0
		STEL	1,000 ppm	ACGIH
Propane	74-98-6	TWA	1,000 ppm 1,800 mg/m <sup>3</sup>	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m <sup>3</sup>	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m <sup>3</sup>	OSHA P0

# SAFETY DATA SHEET



## Car Brite™ QUICK COVER DETAILSPRAY Aerosol Dressing

Version 3.0      Revision Date: 09/06/2018      SDS Number: 600000000828      Date of last issue: 05/05/2018  
Date of first issue: 05/23/2016

---

**Engineering measures** : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

### Personal protective equipment

Hand protection

Remarks : Wear resistant gloves (consult your safety equipment supplier). The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Not required under normal conditions of use. Wear splash-proof safety goggles if material could be misted or splashed into eyes.

Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.  
Wear as appropriate:  
Impervious clothing  
Flame-resistant clothing  
Safety shoes

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.  
When using do not smoke.  
When using do not eat or drink.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : aerosol

Odour : No data available

pH : No data available

Melting point/freezing point : No data available

Boiling point/boiling range : No data available

Flash point : estimated -104.4 °C  
Value for Component

Evaporation rate : No data available

Flammability (solid, gas) : Extremely flammable aerosol.

Self-ignition : estimated  
395 °C

Upper explosion limit / Upper flammability limit : No data available

# SAFETY DATA SHEET



## Car Brite™ QUICK COVER DETAILSPRAY Aerosol Dressing

Version 3.0      Revision Date: 09/06/2018      SDS Number: 600000000828      Date of last issue: 05/05/2018  
Date of first issue: 05/23/2016

---

Lower explosion limit / Lower flammability limit : 0.9 %(V)

Vapour pressure : No data available

Density : estimated 0.3 g/cm3

Solubility(ies)  
Water solubility : No data available

Partition coefficient: n-octanol/water : No data available

Viscosity  
Viscosity, dynamic : No data available  
Viscosity, kinematic : No data available

Oxidizing properties : No data available

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.  
No decomposition if stored and applied as directed.

Chemical stability : Stable under normal conditions.  
No decomposition if stored and applied as directed.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.  
Vapours may form explosive mixture with air.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Strong oxidizing agents

Hazardous decomposition products : Carbon oxides

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Eye contact  
Skin contact  
Ingestion

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

---

# SAFETY DATA SHEET



## Car Brite™ QUICK COVER DETAILSPRAY Aerosol Dressing

Version 3.0      Revision Date: 09/06/2018      SDS Number: 600000000828      Date of last issue: 05/05/2018  
Date of first issue: 05/23/2016

---

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

### Components:

#### **Naphtha (petroleum):**

Acute oral toxicity : LD50 (Rat): 4,820 mg/kg

#### **Butane:**

Acute oral toxicity : LD50 (Rat): > 5 g/kg

Acute inhalation toxicity : LC50 (Rat): 520400 ppm  
Exposure time: 2 h  
Test atmosphere: gas

Acute dermal toxicity : LD50 (Rabbit): > 3.16 g/kg

#### **Skin corrosion/irritation**

Not classified based on available information.

### Components:

#### **Butane:**

Result: Possibly irritating to skin

#### **Serious eye damage/eye irritation**

Not classified based on available information.

### Product:

Remarks: Unlikely to cause eye irritation or injury.

### Components:

#### **Butane:**

Result: Possibly irritating to eyes

#### **Respiratory or skin sensitisation**

##### **Skin sensitisation**

Not classified based on available information.

##### **Respiratory sensitisation**

Not classified based on available information.

##### **Germ cell mutagenicity**

Not classified based on available information.

### Components:

#### **Propane:**

Genotoxicity in vitro : Test Type: Ames test  
Test system: Salmonella typhimurium

# SAFETY DATA SHEET



## Car Brite™ QUICK COVER DETAILSPRAY Aerosol Dressing

Version 3.0      Revision Date: 09/06/2018      SDS Number: 600000000828      Date of last issue: 05/05/2018  
Date of first issue: 05/23/2016

---

Metabolic activation: with and without metabolic activation  
Result: negative

### Carcinogenicity

Not classified based on available information.

#### IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

#### OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

#### NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

Not classified based on available information.

#### STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

Not classified based on available information.

### Aspiration toxicity

May be fatal if swallowed and enters airways.

### Components:

#### Naphtha (petroleum):

May be fatal if swallowed and enters airways.

### Further information

#### Product:

Remarks: No data available

---

## SECTION 12. ECOLOGICAL INFORMATION

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.



# SAFETY DATA SHEET



## Car Brite™ QUICK COVER DETAILSPRAY Aerosol Dressing

Version 3.0      Revision Date: 09/06/2018      SDS Number: 600000000828      Date of last issue: 05/05/2018  
Date of first issue: 05/23/2016

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Flammable (gases, aerosols, liquids, or solids)  
Aspiration hazard

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.


### California Prop. 65

WARNING: This product can expose you to chemicals including Ethylbenzene, which is/are known to the State of California to cause cancer, and Toluene, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## SECTION 16. OTHER INFORMATION

### Further information

#### NFPA:



Special hazard.

Revision Date : 09/06/2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN