Ozium® AIR SANITIZER SPRAY NEW CAR

| Version 1.7 | Revision Date: 04/10/2024 | | DS Number: 00000001340 | Date of last issue: 04/09/2024 Date of first issue: 10/03/2019 | | | | | |
|--------------------------------|--|--|---|---|--|--|--|--|--|
| SECTION | SECTION 1. IDENTIFICATION | | | | | | | | |
| Produ | Product name | | AC OZIUM 3.502 | Z NEW CAR 48/4 | | | | | |
| Produ | Product code | | OZM-22 | | | | | | |
| Comp Addre Emai Telep | Manufacturer or supplier's of Company name of supplier Address Email Address Telephone Emergency telephone num- | | OZIUM Holdings, 5949 Sherry Land EHS@niteoprodu 1-800-678-1910 | e, Suite 540, Dallas TX 75225 icts.com | | | | | |
| | mmended use of the ommended use | | nical and restriction SANITIZER EPA Reg. No. 51 | | | | | | |

SECTION 2. HAZARDS IDENTIFICATION

| GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200) | | | | | | | |
|---|---|---|--|--|--|--|--|
| Flammable aerosols | : | Category 2 | | | | | |
| Eye irritation | : | Category 2A | | | | | |
| Specific target organ toxicity - single exposure | : | Category 3 (Central nervous system) | | | | | |
| GHS label elements | | | | | | | |
| Hazard pictograms | : | | | | | | |
| Signal word | : | Warning | | | | | |
| Hazard statements | : | Flammable aerosol. Causes serious eye irritation. May cause drowsiness or dizziness. | | | | | |
| Precautionary statements | : | Prevention: Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. Do not spray on an open flame or other ignition source. | | | | | |

| Version 1.7 | Revision Date: 04/10/2024 | SDS Number: 600000001340 | Date of last issue: 04/09/2024 Date of first issue: 10/03/2019 | | |
|----------------|------------------------------|--|--|--|--|
| | | Avoid breathi Wash skin the Use only outo | container: Do not pierce or burn, even after use. ng dust/ fume/ gas/ mist/ vapours/ spray. oroughly after handling. doors or in a well-ventilated area. otection/ face protection. | | |
| | | for breathing. well. IF IN EYES: I Remove cont rinsing. | Remove person to fresh air and keep comfortable Call a POISON CENTER/ doctor if you feel un- Rinse cautiously with water for several minutes. act lenses, if present and easy to do. Continue n persists: Get medical advice/ attention. | | |
| | | Store in a well-ventilated place. Keep container tightly clo Store locked up. Protect from sunlight. Do not expose to temperatures exo 50 °C/ 122 °F. | | | |
| | | Disposal: Dispose of co plant. | ontents/ container to an approved waste disposal | | |
| Othe | r hazards | | | | |
| None | e known. | | | | |
| SECTION | 3. COMPOSITION/I | NFORMATION ON IN | GREDIENTS | | |
| Subs | tance / Mixture | : Mixture | | | |

Hazardous components

| Chemical name | CAS-No. | Concentration (% w/w) |
|---------------------------------------|------------|-----------------------|
| Isopropanol | 67-63-0 | >= 30 - < 50 |
| Petroleum gases, liquefied, sweetened | 68476-86-8 | >= 20 - < 30 |
| 1,1-Difluoroethane | 75-37-6 | >= 5 - < 10 |
| Propylene glycol | 57-55-6 | >= 1 - < 5 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4. FIRST AID MEASURES

| General advice | : | Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. |
|-------------------------|---|---|
| If inhaled | : | Move to fresh air. Consult a physician after significant exposure. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician. |
| In case of skin contact | : | If on skin, rinse well with water. |

Ozium® AIR SANITIZER SPRAY NEW CAR

| Version 1.7 | Revision Date: 04/10/2024 | | DS Number: 00000001340 | Date of last issue: 04/09/2024 Date of first issue: 10/03/2019 | |
|----------------|--|---|--|---|--|
| In cas | e of eye contact | : | Remove contact Protect unharmer Keep eye wide op | | |
| lf swa | vallowed : | | Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious per If symptoms persist, call a physician. | | |
| | important symptoms ffects, both acute and ed | : | Causes serious e May cause drows | eye irritation. siness or dizziness. | |

SECTION 5. FIREFIGHTING MEASURES

| Suitable extinguishing media | : | Water spray Carbon dioxide (CO2) Dry chemical Alcohol-resistant foam |
|---|---|--|
| Unsuitable extinguishing media | : | High volume water jet |
| Specific hazards during fire- fighting | : | Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion prod- ucts | : | Carbon oxides Halogenated compounds |
| Specific extinguishing meth- ods | : | Product is compatible with standard fire-fighting agents. |
| Further information | : | Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Use a water spray to cool fully closed containers. |
| Special protective equipment for firefighters | : | In the event of fire, wear self-contained breathing apparatus. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

| Personal precautions, protec- tive equipment and emer- gency procedures | Use personal protective equipment. Remove all sources of ignition. Ensure adequate ventilation. Avoid breathing dust. Beware of vapours accumulating to form explosive concentra- tions. Vapours can accumulate in low areas. Evacuate personnel to safe areas. Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed. |
|---|---|
| | |

Ozium® AIR SANITIZER SPRAY NEW CAR

| Version 1.7 | Revision Date: 04/10/2024 | SDS Number: 600000001340 | Date of last issue: 04/09/2024 Date of first issue: 10/03/2019 | | | | | | | |
|---|--------------------------------------|---|--|--|--|--|--|--|--|--|
| Environmental precautions | | Prevent produ Do not flush i | er leakage or spillage if safe to do so. uct from entering drains. nto surface water or sanitary sewer system. contaminates rivers and lakes or drains inform thorities. | | | | | | | |
| SECTION | SECTION 7. HANDLING AND STORAGE | | | | | | | | | |
| Advice on protection against fire and explosion | | (which might Keep away fr ignition. Use only expl | ary action to avoid static electricity discharge cause ignition of organic vapours). om open flames, hot surfaces and sources of osion-proof equipment. on a naked flame or any incandescent material. | | | | | | | |
| Advid | ce on safe handling | Provide suffic Do not breath Do not smoke Take precaut Avoid contact Dispose of rir regulations. Container has Smoking, eat plication area | onary measures against static discharges. with skin and eyes. use water in accordance with local and national zardous when empty. ang and drinking should be prohibited in the ap- | | | | | | | |
| Conditions for safe storage | | exposure and or throw into f red-hot objec Keep contain place. Containers w | er tightly closed in a dry and well-ventilated hich are opened must be carefully resealed and o prevent leakage. | | | | | | | |
| | er information on stor- stability | : No decompos | sition if stored and applied as directed. | | | | | | | |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

| Components | CAS-No. | Value type (Form of exposure) | Control parame- ters / Permissible concentration | Basis |
|-------------|---------|-------------------------------------|--|-----------|
| Isopropanol | 67-63-0 | TWA | 200 ppm | ACGIH |
| | | STEL | 400 ppm | ACGIH |
| | | TWA | 400 ppm 980 mg/m3 | NIOSH REL |
| | | ST | 500 ppm 1,225 mg/m3 | NIOSH REL |

Components with workplace control parameters

Ozium® AIR SANITIZER SPRAY NEW CAR

| | Revision Date: 04/10/2024 | | | umber:)001340 | | Date of las Date of firs | | | | |
|-------------|---|-------------|---|--|---|---|---|---|--------------------------|-------------------------------------|
| | | | | | Т٧ | VA | 400 ppm 980 mg/n | n3 | 05 | SHA Z-1 |
| | | | | | | VA | 400 ppm 980 mg/n | | | SHA PO |
| | | | | | | ΓEL | 500 ppm 1,225 mg | | | SHA PO |
| | ifluoroethane | | 75-3 | | | VA | 1,000 pp | | | S WEEL |
| | /lene glycol | Avnos | 57-5 ura li | | TV | VA | 10 mg/m3 | 3 | 05 | S WEEL |
| | ponents | CAS-I | | Control paramete | rs | Biological specimen | Sam- pling time | Permissil concentra tion | | Basis |
| Isopro | opanol | 67-63 | -0 | Acetone | | Urine | End of shift at end of work- week | 40 mg/l | | ACGIH BEI |
| | onal protective equ iratory protection | iipmen : | In ti pro | he case of ved filter. | vap | our formatio | on use a res | spirator wit | h ar | |
| | | | | | | st or aerosol | | use respira | | |
| Hand | protection | | | he case of | | at or aerosol | | use respira | | |
| | protection emarks | : | app We er). | he case of proved filter ar resistan The suitat | r. t glo pility | oves (consul oves (consul ofor a specif roducers of t | formation u t your safe ic workplac | ty equipme | ator v ent s be di | with an |
| Re | | : | app We er). cus We | he case of proved filter ar resistan The suitat sed with th ar chemica | r. t glo pility ne p al sp | oves (consul / for a specif | formation u t your safe ic workplac the protecti s when the | ty equipme se should b ve gloves. re is the po | ent s be di | with an uppli- s- |
| Re Eye p | emarks | : | We er). cus We exp Cho cen We Imp Flat | he case of proved filter ar resistan The suitat sed with th ar chemica posure of th pose body | r. t glo pility ne p al sp ne e prot he c opria | oves (consul for a specif roducers of t plash goggle yes to liquid tection accor dangerous st ate: | formation u t your safe ic workplac the protecti s when the , vapor or r rding to the | ty equipme te should b ive gloves. re is the po nist. amount a | ent s be di oten | with an uppli- s- tial for |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

: aerosol

Ozium® AIR SANITIZER SPRAY NEW CAR

| Vers 1.7 | ion | Revision Date: 04/10/2024 | | S Number: 0000001340 | Date of last issue: 04/09/2024 Date of first issue: 10/03/2019 |
|-------------|------------------------------|---|---|-----------------------------|---|
| | Colour | | : | colourless | |
| | Odour | | : | pleasant | |
| | Odour ⁻ | Threshold | : | not determined | |
| | рН | | : | not determined | |
| | Melting | point/freezing point | : | not determined | |
| | Boiling | point/boiling range | : | not determined | |
| | Flash p | oint | : | < 23 °C Method: closed c | up |
| | Evapor | ation rate | : | not determined | |
| | Flamma | ability (solid, gas) | : | Flammable aeros | sol. |
| | Self-ig | nition | : | not determined | |
| | | explosion limit / Upper bility limit | : | not determined | |
| | | explosion limit / Lower bility limit | : | not determined | |
| | Vapour | pressure | : | not determined | |
| | Density | , | : | not determined | |
| | Solubili Wat | ty(ies) er solubility | : | completely miscil | ble |
| | Partition octanol | n coefficient: n- /water | : | not determined | |
| | Decom | position temperature | : | not determined | |
| | Viscosi [.] Visc | ty cosity, dynamic | : | not determined | |
| | Visc | osity, kinematic | : | not determined | |
| | Molecu | lar weight | : | No data available | 9 |
| | VOC % | By Weight | : | 69.28 % | |

SECTION 10. STABILITY AND REACTIVITY

| Reactivity | : | No decomposition if stored and applied as directed. |
|---|---|---|
| Chemical stability | : | No decomposition if stored and applied as directed. |
| Possibility of hazardous reac- tions | : | No decomposition if stored and applied as directed. Vapours may form explosive mixture with air. |

| Version | Revision Date: | SE | OS Number: | Date of last issue: 04/09/2024 | | |
|---------------|-----------------------------|-------|--|--|--|--|
| .7 | 04/10/2024 | 60 | 0000001340 | Date of first issue: 10/03/2019 | | |
| Cond | itions to avoid | | Heat, flames ar | nd snarks | | |
| | | | | | | |
| Incom | patible materials | : | Strong oxidizing | g agents | | |
| Haza produ | rdous decomposition icts | : | : Carbon oxides Halogenated compounds | | | |
| ECTION | 11. TOXICOLOGICAL | . INF | ORMATION | | | |
| Infori | nation on likely route | s of | exposure | | | |
| Inhala | ation | | • | | | |
| - | ontact contact | | | | | |
| Inges | | | | | | |
| | e toxicity | | | | | |
| | assified based on avai | lable | information. | | | |
| Produ | | | | timoto: $\Sigma = 0.00 \text{ mm}^{4/2}$ | | |
| Acute | oral toxicity | : | Method: Calcula | timate: > 5,000 mg/kg tion method | | |
| Acute | Acute dermal toxicity | | Acute toxicity es Method: Calcula | timate: > 5,000 mg/kg tion method | | |
| | | | | absorption of this material (or a component) ad through injured skin. | | |
| <u>Com</u> | oonents: | | | | | |
| lsopr | opanol: | | | | | |
| Acute | oral toxicity | : | LD50 (Rat): 5.84 | 1 g/kg | | |
| Acute | inhalation toxicity | : | LC50 (Rat): 16000 ppm Exposure time: 4 h Test atmosphere: vapour | | | |
| Acute | e dermal toxicity | : | LD50 (Rabbit): 12,800 mg/kg | | | |
| 1,1-D | ifluoroethane: | | | | | |
| | inhalation toxicity | : | LC50 (Rat): 437500 ppm Exposure time: 4 h Test atmosphere: gas | | | |
| | ylene glycol: | | | | | |
| Acute | oral toxicity | : | LD50 (Rat): 21.0 |) - 33.7 g/kg | | |
| Acute | e dermal toxicity | : | LD50 (Rabbit): 2 | 28 g/kg | | |
| 0 1 · | | | | | | |

Skin corrosion/irritation

Not classified based on available information.

Ozium® AIR SANITIZER SPRAY NEW CAR

| Version | Revision Date: | SDS Number: | Date of last issue: 04/09/2024 |
|---------|----------------|-------------|---------------------------------|
| 1.7 | 04/10/2024 | 60000001340 | Date of first issue: 10/03/2019 |

Product:

Remarks: May cause skin irritation in susceptible persons.

Components:

Isopropanol:

Result: Possibly irritating to skin

Propylene glycol:

Assessment: No skin irritation Result: No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

Components:

Isopropanol: Result: Irritating to eyes.

Propylene glycol:

Result: Possibly irritating to eyes

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Components:

1,1-Difluoroethane:

Genotoxicity in vitro

Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Result: negative

Carcinogenicity

| Not classified based on availal | ble information. |
|---------------------------------|---|
| IARC | No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. |
| OSHA | No component of this product present at levels greater than or |

| rsion | Revision Date: 04/10/2024 | SDS Number: 600000001340 | Date of last issue: 04/09/2024 Date of first issue: 10/03/2019 | | |
|---|---|-----------------------------|---|--|--|
| | | equal to 0.1% is c | on OSHA's list of regulated carcinogens. | | |
| NTP No component of this product present at levels greater that equal to 0.1% is identified as a known or anticipated carcin by NTP. | | | | | |
| • | oductive toxicity | | | | |
| Not cl | assified based on ava | ailable information. | | | |
| STOT | - single exposure | | | | |
| May c | ause drowsiness or c | lizziness. | | | |
| Comp | oonents: | | | | |
| | opanol: ssment: May cause dr | owsiness or dizziness. | | | |
| | - repeated exposur | | | | |
| - | ation toxicity assified based on ava | ailable information. | | | |
| Furth | er information | | | | |
| Produ Rema iting. | | erexposure may be hea | adache, dizziness, tiredness, nausea and von | | |
| CTION | 12. ECOLOGICAL IN | IFORMATION | | | |
| | | | | | |
| Toxic | ity | | | | |

SECTION 13. DISPOSAL CONSIDERATIONS

| Disposal | methods |
|----------|---------|
|----------|---------|

| Waste from residues | : | Dispose of in accordance with all applicable local, state and federal regulations. |
|------------------------|---|--|
| Contaminated packaging | : | Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum. |

SECTION 14. TRANSPORT INFORMATION

Dangerous goods descriptions (if indicated below) may not reflect quantity, end-use, or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

| Version | Revision Date: | SDS Number: | Date of last issue: 04/09/2024 |
|---------|----------------|-------------|---------------------------------|
| 1.7 | 04/10/2024 | 60000001340 | Date of first issue: 10/03/2019 |

International Regulations

| IATA-DGR UN/ID No. Proper shipping name Class Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passenger aircraft) | : | UN 1950 Aerosols, flammable 2.1 Not assigned by regulation 2.1 203 203 |
|---|---|--|
| IMDG-Code UN number Proper shipping name Class Packing group Labels EmS Code Marine pollutant | | UN 1950 AEROSOLS 2.1 Not assigned by regulation 2.1 F-D, S-U no |

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

| 49 CFR UN/ID/NA number Proper shipping name | - | UN 1950 Aerosols |
|--|---|---|
| Class Packing group Labels ERG Code Marine pollutant | : | 2.1 Not assigned by regulation 2.1 126 no |

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

| CAS-No. | Component RQ | Calculated product RQ |
|-----------|--------------|-----------------------|
| | (lbs) | (lbs) |
| 7647-01-0 | 5000 | * |
| | | (lbs) |

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

| Components | CAS-No. | Component RQ (lbs) | Calculated product RQ (lbs) |
|-------------------|-----------|-----------------------|--------------------------------|
| Hydrochloric acid | 7647-01-0 | 5000 | * |

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.


| Version 1.7 | Revision Date: 04/10/2024 | SDS Number: 60000001340 | Date of last issue: 04/0 Date of first issue: 10/0 | | |
|----------------------|------------------------------|---|---|----------------|--|
| SARA 311/312 Hazards | | : Flammable (gases, aerosols, liquids, or solids) Serious eye damage or eye irritation Specific target organ toxicity (single or repeated exposure) | | | |
| SARA 313 | | 0 | The following components are subject to reporting levels es- tablished by SARA Title III, Section 313: | | |
| | | Isopropanol | 67-63-0 | >= 30 - < 50 % | |

California Prop. 65

This product contains a chemical that is at or below California Propositions 65's "safe harbor level" as determined via a risk assessment. Therefore, the chemical is not required to be listed as a Prop 65 chemical on the SDS or label.

Proposition 65 warnings are not required for this product based on the results of a risk assessment.

SECTION 16. OTHER INFORMATION



Revision Date : 04/10/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN