

SAFETY DATA SHEET



Car Brite™ CB SELECT CERAMIC ALL-IN-ONE SEALANT POLISH

Version 1.1 Revision Date: 04/23/2025 SDS Number: 600000002783 Date of last issue: 03/21/2025
Date of first issue: 03/21/2025

SECTION 1. IDENTIFICATION

Product name : CB SELECT CERAMIC ALL-IN-ONE 6/32OZ

Product code : CBOOB108-02

Manufacturer or supplier's details

Company name of supplier : Niteo Products, LLC

Address : 720 Vaiden Drive, Hernando, MS 38632

Email Address : EHS@niteoproducts.com

Telephone : 1-844-696-4836

Emergency telephone number : 1-800-424-9300 / 1-703-741-5970

Recommended use of the chemical and restrictions on use

Recommended use : POLISH

Restrictions on use : Use only outdoors or in a well-ventilated area.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Naphtha (petroleum), hydrotreated heavy	64742-48-9	≥ 10 - < 20
Distillates (petroleum)	64742-46-7	≥ 5 - < 10
Distillates (pet), hydrotreated light (CAS 64742-47-8) AND/OR Solvent naphtha (pet), med aliph (CAS 64742-88-7)	Not Assigned	≥ 5 - < 10

SAFETY DATA SHEET



Car Brite™ CB SELECT CERAMIC ALL-IN-ONE SEALANT POLISH

Version	Revision Date:	SDS Number:	Date of last issue: 03/21/2025
1.1	04/23/2025	600000002783	Date of first issue: 03/21/2025

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4. FIRST AID MEASURES

General advice	: Do not leave the victim unattended.
If inhaled	: Consult a physician after significant exposure. If unconscious, place in recovery position and seek medical advice.
In case of skin contact	: If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	: Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
Most important symptoms and effects, both acute and delayed	: None known.
Notes to physician	: Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Unsuitable extinguishing media	: High volume water jet
Specific hazards during fire-fighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: Carbon oxides
Further information	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Ensure adequate ventilation.
Environmental precautions	: Prevent product from entering drains.

SAFETY DATA SHEET



Car Brite™ CB SELECT CERAMIC ALL-IN-ONE SEALANT POLISH

Version 1.1 Revision Date: 04/23/2025 SDS Number: 600000002783 Date of last issue: 03/21/2025
Date of first issue: 03/21/2025

Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Avoid formation of aerosol.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Naphtha (petroleum), hydrotreated heavy	64742-48-9	TWA	500 ppm 2,000 mg/m ³	OSHA Z-1
		TWA	400 ppm 1,600 mg/m ³	OSHA P0
Distillates (petroleum)	64742-46-7	TWA (Mist)	5 mg/m ³	OSHA Z-1
		TWA (Mist)	5 mg/m ³	OSHA P0
		TWA (Mist)	5 mg/m ³	NIOSH REL
		ST (Mist)	10 mg/m ³	NIOSH REL
		TWA (Mist)	5 mg/m ³	OSHA Z-1
		TWA (Mist)	5 mg/m ³	OSHA P0
		TWA (Mist)	5 mg/m ³	NIOSH REL
		ST (Mist)	10 mg/m ³	NIOSH REL
Distillates (pet), hydrotreated light (CAS 64742-47-8) AND/OR Solvent naphtha	Not Assigned	TWA (Mist)	5 mg/m ³	OSHA Z-1

SAFETY DATA SHEET



Car Brite™ CB SELECT CERAMIC ALL-IN-ONE SEALANT POLISH

Version 1.1 Revision Date: 04/23/2025 SDS Number: 600000002783 Date of last issue: 03/21/2025
Date of first issue: 03/21/2025

(pet), med aliph (CAS 64742-88-7)				
		TWA	200 mg/m3 (total hydrocarbon vapor)	ACGIH
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL

Personal protective equipment

Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : beige

Odour : woody

Odour Threshold : not determined

pH : not determined

Melting point/freezing point : > 93 °C

Boiling point/boiling range : 100 - 280 °C

Flash point : > 100 °C

Evaporation rate : not determined

Flammability (solid, gas) : No data available

Self-ignition : not determined

Upper explosion limit / Upper flammability limit : 6 %(V)

Lower explosion limit / Lower : 0.5 %(V)

SAFETY DATA SHEET



Car Brite™ CB SELECT CERAMIC ALL-IN-ONE SEALANT POLISH

Version	Revision Date:	SDS Number:	Date of last issue: 03/21/2025
1.1	04/23/2025	600000002783	Date of first issue: 03/21/2025

flammability limit

Vapour pressure : not determined

Relative vapour density : not determined

Density : 0.91 g/cm³

Solubility(ies)

Water solubility : not determined

Partition coefficient: n-octanol/water : not determined

Decomposition temperature : not determined

Viscosity

Viscosity, dynamic : not determined

Viscosity, kinematic : > 20.5 mm²/s (40 °C)
not determined

Molecular weight : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.

Conditions to avoid : No data available

Incompatible materials : Not applicable

Hazardous decomposition products : Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation

Eye contact

Skin contact

Ingestion

Acute toxicity

Not classified due to lack of data.

Product:

Acute inhalation toxicity : Acute toxicity estimate: 7.5 mg/l
Exposure time: 4 h

**Car Brite™ CB SELECT CERAMIC ALL-IN-ONE
SEALANT POLISH**

Version	Revision Date:	SDS Number:	Date of last issue: 03/21/2025
1.1	04/23/2025	600000002783	Date of first issue: 03/21/2025

Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:**Naphtha (petroleum), hydrotreated heavy:**

Acute inhalation toxicity : Assessment: The component/mixture is moderately toxic after short term inhalation.

Distillates (petroleum):

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): 4.6 - 7.64 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Skin corrosion/irritation

Not classified due to lack of data.

Product:

Remarks: May cause skin irritation and/or dermatitis.

Components:**Distillates (pet), hydrotreated light (CAS 64742-47-8) AND/OR Solvent naphtha (pet), med aliph (CAS 64742-88-7):**

Species: Rabbit
Exposure time: 24 h
Result: Irritating to skin.

Result: Repeated exposure may cause skin dryness or cracking.

Serious eye damage/eye irritation

Not classified due to lack of data.

Product:

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

Components:**Distillates (pet), hydrotreated light (CAS 64742-47-8) AND/OR Solvent naphtha (pet), med aliph (CAS 64742-88-7):**

Species: Rabbit
Result: Irritating to eyes.

**Car Brite™ CB SELECT CERAMIC ALL-IN-ONE
SEALANT POLISH**

Version	Revision Date:	SDS Number:	Date of last issue: 03/21/2025
1.1	04/23/2025	600000002783	Date of first issue: 03/21/2025

Respiratory or skin sensitisation**Skin sensitisation**

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Components:**Distillates (pet), hydrotreated light (CAS 64742-47-8) AND/OR Solvent naphtha (pet), med aliph (CAS 64742-88-7):**

Test Type: Buehler Test

Species: Guinea pig

Result: Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Not classified due to lack of data.

Components:**Distillates (pet), hydrotreated light (CAS 64742-47-8) AND/OR Solvent naphtha (pet), med aliph (CAS 64742-88-7):**

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Carcinogenicity

Not classified due to lack of data.

Components:**Distillates (pet), hydrotreated light (CAS 64742-47-8) AND/OR Solvent naphtha (pet), med aliph (CAS 64742-88-7):**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified due to lack of data.

Components:**Distillates (pet), hydrotreated light (CAS 64742-47-8) AND/OR Solvent naphtha (pet), med aliph (CAS 64742-88-7):**

Reproductive toxicity - As- : Animal testing did not show any effects on fertility.

SAFETY DATA SHEET



Car Brite™ CB SELECT CERAMIC ALL-IN-ONE SEALANT POLISH

Version	Revision Date:	SDS Number:	Date of last issue: 03/21/2025
1.1	04/23/2025	600000002783	Date of first issue: 03/21/2025

essment Embryotoxicity classification not possible from current data.

STOT - single exposure

Not classified due to lack of data.

Components:

Distillates (pet), hydrotreated light (CAS 64742-47-8) AND/OR Solvent naphtha (pet), med aliph (CAS 64742-88-7):

Exposure routes: Inhalation

Target Organs: Central nervous system

Assessment: May cause drowsiness or dizziness.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

Components:

Naphtha (petroleum), hydrotreated heavy:

May be fatal if swallowed and enters airways.

Distillates (petroleum):

May be fatal if swallowed and enters airways.

Distillates (pet), hydrotreated light (CAS 64742-47-8) AND/OR Solvent naphtha (pet), med aliph (CAS 64742-88-7):

May be fatal if swallowed and enters airways.

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Toxicity

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemi-

SAFETY DATA SHEET



Car Brite™ CB SELECT CERAMIC ALL-IN-ONE SEALANT POLISH

Version	Revision Date:	SDS Number:	Date of last issue: 03/21/2025
1.1	04/23/2025	600000002783	Date of first issue: 03/21/2025

cal or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

Dangerous goods descriptions (if indicated below) may not reflect quantity, end-use, or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

Not regulated as a dangerous good

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SAFETY DATA SHEET



Car Brite™ CB SELECT CERAMIC ALL-IN-ONE SEALANT POLISH

Version	Revision Date:	SDS Number:	Date of last issue: 03/21/2025
1.1	04/23/2025	600000002783	Date of first issue: 03/21/2025


California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16. OTHER INFORMATION

Further information

NFPA:



Revision Date : 04/23/2025

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN