

SAFETY DATA SHEET



Car Brite™ BLUE MAX™ General Purpose Cleaner/Degreaser

Version 2.0 Revision Date: 09/06/2018 SDS Number: 600000000737 Date of last issue: 04/29/2018
Date of first issue: 05/23/2016

SECTION 1. IDENTIFICATION

Product name : BLUE MAX 1 GA UN

Product code : CBO1E004-03

Manufacturer or supplier's details

Company name of supplier : Niteo Products, LLC

Address : Dallas TX 75225

Email Address : EHS@niteoproducts.com

Telephone : 1-844-696-4836

Emergency telephone number : 1-800-424-9300 / 1-703-741-5970

Recommended use of the chemical and restrictions on use

Recommended use : CLEANER

Restrictions on use : Use only outdoors or in a well-ventilated area.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Skin corrosion : Category 1

Skin corrosion : Category 1B

Serious eye damage : Category 1

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : Causes severe skin burns and eye damage.

Precautionary statements : **Prevention:**
Wash skin thoroughly after handling.
Wear protective gloves/ protective clothing/ eye protection/ face

SAFETY DATA SHEET



Car Brite™ BLUE MAX™ General Purpose Cleaner/Degreaser

Version 2.0 Revision Date: 09/06/2018 SDS Number: 600000000737 Date of last issue: 04/29/2018
Date of first issue: 05/23/2016

protection.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
Wash contaminated clothing before reuse.

Storage:

Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Potassium dodecyl benzene sulphonate	27177-77-1	>= 1 - < 5
Trisodium Phosphate	7601-54-9	>= 1 - < 5
Ethylene glycol monobutyl ether	111-76-2	>= 1 - < 5
Sodium Xylene Sulfonate	1300-72-7	>= 1 - < 5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : If breathed in, move person into fresh air.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.
If on skin, rinse well with water.
Wash contaminated clothing before re-use.
If skin irritation persists, call a physician.

SAFETY DATA SHEET



Car Brite™ BLUE MAX™ General Purpose Cleaner/Degreaser

Version 2.0 Revision Date: 09/06/2018 SDS Number: 600000000737 Date of last issue: 04/29/2018
Date of first issue: 05/23/2016

- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
- If swallowed : Get medical attention immediately.
Do NOT induce vomiting.
Rinse mouth with water.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Causes serious eye damage.
Causes severe burns.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
Carbon dioxide (CO₂)
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon oxides
Sulphur oxides
Sodium oxides
Oxides of phosphorus
- Specific extinguishing methods : Product is compatible with standard fire-fighting agents.
- Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Avoid breathing dust.
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.

SAFETY DATA SHEET



Car Brite™ BLUE MAX™ General Purpose Cleaner/Degreaser

Version 2.0 Revision Date: 09/06/2018 SDS Number: 600000000737 Date of last issue: 04/29/2018
Date of first issue: 05/23/2016

Prevent product from entering drains.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapours/dust.
Avoid contact with skin and eyes.
Dispose of rinse water in accordance with local and national regulations.
Container hazardous when empty.
Smoking, eating and drinking should be prohibited in the application area.
For personal protection see section 8.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Trisodium Phosphate	7601-54-9	STEL	5 mg/m ³	US WEEL
Ethylene glycol monobutyl ether	111-76-2	TWA	20 ppm	ACGIH
		TWA	5 ppm 24 mg/m ³	NIOSH REL
		TWA	50 ppm 240 mg/m ³	OSHA Z-1
		TWA	25 ppm 120 mg/m ³	OSHA P0

Hazardous components without workplace control parameters

Components	CAS-No.
Potassium dodecyl benzene sulphonate	27177-77-1
Sodium Xylene Sulfonate	1300-72-7

SAFETY DATA SHEET



Car Brite™ BLUE MAX™ General Purpose Cleaner/Degreaser

Version 2.0 Revision Date: 09/06/2018 SDS Number: 600000000737 Date of last issue: 04/29/2018
Date of first issue: 05/23/2016

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Ethylene glycol mono-butyl ether	111-76-2	Butoxyacetic acid (BAA)	Urine	End of shift (As soon as possible after exposure ceases)	200 mg/g Creatinine	ACGIH BEI

Engineering measures : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Respiratory protection : In the case of vapour formation use a respirator with an approved filter.

Hand protection

Remarks : Wear resistant gloves (consult your safety equipment supplier). The suitability for a specific workplace should be discussed with the producers of the protective gloves. Discard gloves that show tears, pinholes, or signs of wear.

Eye protection : Wear chemical splash goggles and face shield when there is potential for exposure of the eyes or face to liquid, vapor or mist.

Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place. Wear as appropriate:
Impervious clothing
Safety shoes
Remove and wash contaminated clothing before re-use.

Protective measures : When using do not eat, drink or smoke.
Wear suitable gloves and eye/face protection.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.
When using do not smoke.
When using do not eat or drink.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : blue

SAFETY DATA SHEET



Car Brite™ BLUE MAX™ General Purpose Cleaner/Degreaser

Version 2.0 Revision Date: 09/06/2018 SDS Number: 600000000737 Date of last issue: 04/29/2018
Date of first issue: 05/23/2016

Odour : No data available

pH : ≥ 13

Melting point/freezing point : No data available

Boiling point/boiling range : 100 °C
(1,013 hPa)
The value is calculated

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Self-ignition : No data available

Upper explosion limit / Upper flammability limit : 10.6 %(V)
The value is calculated

Lower explosion limit / Lower flammability limit : 1.1 %(V)
The value is calculated

Vapour pressure : 23.33 hPa (20 °C)
The value is calculated

Density : 1.055 g/cm³

Solubility(ies)
Water solubility : No data available

Partition coefficient: n-octanol/water : No data available

Viscosity
Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : Hazardous polymerisation does not occur.
No decomposition if stored and applied as directed.

Conditions to avoid : No data available

Incompatible materials : Acids
Aluminium

SAFETY DATA SHEET



Car Brite™ BLUE MAX™ General Purpose Cleaner/Degreaser

Version 2.0 Revision Date: 09/06/2018 SDS Number: 600000000737 Date of last issue: 04/29/2018
Date of first issue: 05/23/2016

Amines
Ammonia
Bases
chlorates
Chlorine
Organic materials
Oxidizing agents
Reducing agents
salts of strong bases

Hazardous decomposition products : Carbon oxides
Oxides of phosphorus
Sodium oxides
Sulphur oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Skin contact
Eye contact
Ingestion

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Remarks: Causes digestive tract burns.

Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 200 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:

Potassium dodecyl benzene sulphonate:

Acute oral toxicity : LD50 (Rat): 1,080 - 1,980 mg/kg
Remarks: Information given is based on data obtained from similar substances.

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Remarks: Information given is based on data obtained from similar substances.

Trisodium Phosphate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

**Car Brite™ BLUE MAX™ General Purpose
Cleaner/Degreaser**

Version 2.0 Revision Date: 09/06/2018 SDS Number: 600000000737 Date of last issue: 04/29/2018
Date of first issue: 05/23/2016

Method: OECD Test Guideline 420

Acute inhalation toxicity : LC50 (Rat): > 0.83 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: No adverse effect has been observed in acute inhalation toxicity tests.
Remarks: Information given is based on data obtained from similar substances.

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: No adverse effect has been observed in acute dermal toxicity tests.
Remarks: Information given is based on data obtained from similar substances.

Ethylene glycol monobutyl ether:

Acute oral toxicity : LD50 (Guinea pig): 1,200 mg/kg

Acute inhalation toxicity : LC50 (Guinea pig): > 633 ppm
Exposure time: 1 h
Test atmosphere: dust/mist
Assessment: The component/mixture is moderately toxic after short term inhalation.

Acute dermal toxicity : LD50 (Guinea pig): > 2,000 mg/kg
Assessment: The component/mixture is moderately toxic after single contact with skin.

Sodium Xylene Sulfonate:

Acute oral toxicity : LD50 (Rat): > 7,000 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male and female): > 6.41 mg/l
Exposure time: 232 min
Test atmosphere: dust/mist
Remarks: Information given is based on data obtained from similar substances.

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: No adverse effect has been observed in acute dermal toxicity tests.

Skin corrosion/irritation

Causes severe burns.

Product:

Remarks: Causes severe skin burns and eye damage.

**Car Brite™ BLUE MAX™ General Purpose
Cleaner/Degreaser**

Version	Revision Date:	SDS Number:	Date of last issue: 04/29/2018
2.0	09/06/2018	600000000737	Date of first issue: 05/23/2016

Components:

Potassium dodecyl benzene sulphonate:

Result: Irritating to skin.

Remarks: Information given is based on data obtained from similar substances.

Trisodium Phosphate:

Result: Irritating to skin.

Ethylene glycol monobutyl ether:

Result: Irritating to skin.

Sodium Xylene Sulfonate:

Species: Rabbit

Method: OECD Test Guideline 404

Result: Mild skin irritation

Remarks: Information given is based on data obtained from similar substances.

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Remarks: May cause irreversible eye damage.

Components:

Potassium dodecyl benzene sulphonate:

Result: Irritating to eyes.

Trisodium Phosphate:

Result: Irritating to eyes.

Ethylene glycol monobutyl ether:

Result: Irritating to eyes.

Assessment: Irritating to eyes.

Sodium Xylene Sulfonate:

Species: Rabbit

Result: Irritation to eyes, reversing within 7 days

Method: OECD Test Guideline 405

GLP: yes

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

**Car Brite™ BLUE MAX™ General Purpose
Cleaner/Degreaser**

Version	Revision Date:	SDS Number:	Date of last issue: 04/29/2018
2.0	09/06/2018	600000000737	Date of first issue: 05/23/2016

Components:**Potassium dodecyl benzene sulphonate:**

Exposure routes: Dermal

Species: Humans

Assessment: Does not cause skin sensitisation.

Remarks: Information given is based on data obtained from similar substances.

Trisodium Phosphate:

Species: Mouse

Assessment: Did not cause sensitisation on laboratory animals.

Method: OECD Test Guideline 429

Remarks: Information given is based on data obtained from similar substances.

Sodium Xylene Sulfonate:

Test Type: Buehler Test

Exposure routes: Dermal

Species: Guinea pig

Method: OECD Test Guideline 406

Result: Does not cause skin sensitisation.

GLP: yes

Germ cell mutagenicity

Not classified based on available information.

Components:**Potassium dodecyl benzene sulphonate:**

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Result: negative
Remarks: Information given is based on data obtained from similar substances.

Trisodium Phosphate:

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)
Result: negative
Remarks: Information given is based on data obtained from similar substances.

Ethylene glycol monobutyl ether:

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Result: negative

SAFETY DATA SHEET



Car Brite™ BLUE MAX™ General Purpose Cleaner/Degreaser

Version 2.0 Revision Date: 09/06/2018 SDS Number: 600000000737 Date of last issue: 04/29/2018
Date of first issue: 05/23/2016

Carcinogenicity

Not classified based on available information.

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

Components:

Trisodium Phosphate:

Exposure routes: Inhalation
Target Organs: Respiratory Tract
Assessment: May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

- Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.
- Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SAFETY DATA SHEET



Car Brite™ BLUE MAX™ General Purpose Cleaner/Degreaser

Version 2.0 Revision Date: 09/06/2018 SDS Number: 600000000737 Date of last issue: 04/29/2018
Date of first issue: 05/23/2016

SECTION 14. TRANSPORT INFORMATION

Dangerous goods descriptions (if indicated below) may not reflect quantity, end-use, or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

International Regulations

IATA-DGR

UN/ID No. : UN 1719
Proper shipping name : CAUSTIC ALKALI LIQUID, N.O.S.
(POTASSIUM HYDROXIDE, SODIUM METASILICATE)
Class : 8
Packing group : II
Labels : 8
Packing instruction (cargo aircraft) : 855
Packing instruction (passenger aircraft) : 851

IMDG-Code

UN number : UN 1719
Proper shipping name : CAUSTIC ALKALI LIQUID, N.O.S.
(POTASSIUM HYDROXIDE, SODIUM METASILICATE)
Class : 8
Packing group : II
Labels : 8
EmS Code : F-A, S-B
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

UN/ID/NA number : UN 1719
Proper shipping name : CAUSTIC ALKALI LIQUID, N.O.S.
(POTASSIUM HYDROXIDE, SODIUM METASILICATE)
Class : 8
Packing group : II
Labels : 8
ERG Code : 154
Marine pollutant : no

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SAFETY DATA SHEET



Car Brite™ BLUE MAX™ General Purpose Cleaner/Degreaser

Version: 2.0 Revision Date: 09/06/2018 SDS Number: 600000000737 Date of last issue: 04/29/2018
Date of first issue: 05/23/2016

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Skin corrosion or irritation
Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.


California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16. OTHER INFORMATION

Further information

NFPA:



Special hazard.

Revision Date : 09/06/2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN