

Versio 3.0	on	Revision Date: 02/05/2019		DS Number: 0000000077	Date of last issue: 09/06/2018 Date of first issue: 05/23/2016			
SECT	SECTION 1. IDENTIFICATION							
Р	roduc	t name	:	WAX AS-U-DRY	4/1 GA			
Р	roduc	t code	:	CBOOA096-03				
		acturer or supplier's on name of supplier			LC			
Address		:	Dallas TX 75225					
Email Address		:	EHS@niteoproducts.com					
т	elepho	one	:	1-844-696-4836				
	Emergency telephone num- ber		:	1-800-424-9300 / 1-703-741-5970				
Recommended use of the			hen	nical and restriction	ons on use			
R	Recom	mended use	:	WAX				
R	Restrictions on use		:	Use only outdoors	s or in a well-ventilated area.			

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Distillates (petroleum)	64742-47-8	>= 1 - < 5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4. FIRST AID MEASURES



Versi 3.0	on	Revision Date: 02/05/2019		S Number: 0000000077	Date of last issue: 09/06/2018 Date of first issue: 05/23/2016	
(General advice		:	No hazards which	require special first aid measures.	
If inhaled		:	If breathed in, move person into fresh air. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.			
I	In case of skin contact		:	If on skin, rinse well with water.		
In case of eye contact		:	Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing.			
If swallowed		:	Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.			
Most important symptoms and effects, both acute and delayed		:	None known.			

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray Carbon dioxide (CO2)
Specific hazards during fire- fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion prod- ucts	:	Carbon oxides Silicon oxides
Specific extinguishing meth- ods	:	Product is compatible with standard fire-fighting agents.
Further information	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Avoid breathing dust. Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
Environmental precautions	:	Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.



Vers 3.0	sion	Revision Date: 02/05/2019		DS Number: 0000000077	Date of last issue: 09/06/2018 Date of first issue: 05/23/2016
	Methods and materials for containment and cleaning up		:	Keep in suitable, closed containers for disposal.	
SEC	TION 7	HANDLING AND ST	OR	AGE	
	Advice on protection against fire and explosion		:	Normal measures	for preventive fire protection.
	Advice on safe handling		:	Smoking, eating and drinking should be prohibited in the application area. For personal protection see section 8.	
	Conditi	ons for safe storage	:	Containers which kept upright to pre	are opened must be carefully resealed and event leakage.
	Materials to avoid		:	No materials to be	e especially mentioned.
	Further age sta	information on stor- bility	:	No decomposition	if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Distillates (petroleum)	64742-47-8	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA	200 mg/m3 (total hydrocarbon vapor)	ACGIH
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL

Personal protective equipment

Respiratory protection	:	No personal respiratory protective equipment normally re- quired.
Hand protection		
Remarks	:	Wear resistant gloves (consult your safety equipment supplier).
Eye protection	:	Not required under normal conditions of use. Wear splash- proof safety goggles if material could be misted or splashed into eyes.
Skin and body protection	:	Wear as appropriate: Safety shoes
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety



Version 3.0	Revision Date: 02/05/2019		S Number: 0000000077	Date of last issue: 09/06/2018 Date of first issue: 05/23/2016
			practice.	
SECTION	9. PHYSICAL AND CH	EMIC		6
Appea	arance	:	liquid	
Colou	ır	:	white	
Odou	r	:	No data available	9
Odou	r Threshold	:	No data available	9
pН		:	7 - 8	
Meltir	ng point/freezing point	:	No data available	9
	g point/boiling range	:	100 °C (1,013.3 hPa) The value is calc	ulated
	point	•	Not applicable	
	oration rate	•	No data available	
	mability (solid, gas)	-	No data available	
	ignition	:	No data available)
	r explosion limit / Upper nability limit	:	7 %(V) The value is calc	ulated
	r explosion limit / Lower nability limit	:	0.6 %(V) The value is calc	ulated
Vapo	ur pressure	:	23.3 hPa (20 °C) The value is calc	ulated
Relati	ive vapour density	:	No data available	9
Densi	ity	:	No data available	2
	ility(ies) ater solubility	:	No data available	9
	ion coefficient: n- ol/water	:	No data available	9
Deco	mposition temperature	:	No data available	9
Visco Vis	sity scosity, dynamic	:	No data available	
Vis	scosity, kinematic	:	No data available	2
Oxidiz	zing properties	:	No data available	9



Version	Revision Date:	SDS Number:	Date of last issue: 09/06/2018
3.0	02/05/2019	60000000077	Date of first issue: 05/23/2016

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reac- tions	:	Hazardous polymerisation does not occur. Stable under recommended storage conditions. No hazards to be specially mentioned.
Conditions to avoid	:	No data available
Incompatible materials	:	Strong oxidizing agents Strong reducing agents
Hazardous decomposition products	:	Carbon oxides Silicon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Eye contact Skin contact Ingestion

Acute toxicity

Not classified based on available information.

Product:

Acute dermal toxicity

: Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method

Skin corrosion/irritation

Not classified based on available information.

Components:

Distillates (petroleum):

Result: Repeated exposure may cause skin dryness or cracking.

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks: Unlikely to cause eye irritation or injury.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.



Version 3.0	Revision Date: 02/05/2019	SDS Number: 600000000077	Date of last issue: 09/06/2018 Date of first issue: 05/23/2016
•	biratory sensitisation classified based on avai	lable information.	
	n cell mutagenicity classified based on avai	lable information.	
	i nogenicity classified based on avai C	No component of t	his product present at levels greater than or entified as probable, possible or confirmed by IARC.
OSH	A	•	his product present at levels greater than or OSHA's list of regulated carcinogens.
NTF			his product present at levels greater than or entified as a known or anticipated carcinogen

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

Components:

Distillates (petroleum):

Target Organs: Central nervous system Assessment: May cause drowsiness or dizziness.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Components:

Distillates (petroleum):

May be fatal if swallowed and enters airways.

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Toxicity

Additional ecological	:	An environmental hazard cannot be excluded in the event of
information		unprofessional handling or disposal.
		Harmful to aquatic life with long lasting effects.



Version	Revision Date:	SDS Number:	Date of last iss
3.0	02/05/2019	60000000077	Date of first iss

Date of last issue: 09/06/2018 Date of first issue: 05/23/2016

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues

Dispose of in accordance with all applicable local, state and federal regulations.

SECTION 14. TRANSPORT INFORMATION

Dangerous goods descriptions (if indicated below) may not reflect quantity, end-use, or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

International Regulations

IATA-DGR Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

Not regulated as a dangerous good

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Diethanolamine	111-42-2	100	*
Benzene	71-43-2	10	10 (D018)*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards



Version	Revision Date:	SDS Number:	Date of last issue: 09/06/2018
3.0	02/05/2019	60000000077	Date of first issue: 05/23/2016
SARA	313	known CAS nu	oes not contain any chemical components with mbers that exceed the threshold (De Minimis) s established by SARA Title III, Section 313.

California Prop. 65

WARNING: This product can expose you to chemicals including Diethanolamine, Benzene, Ethylbenzene, Acetaldehyde, which is/are known to the State of California to cause cancer, and Benzene, Ethylene Glycol, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

SECTION 16. OTHER INFORMATION



Revision Date : 02/05/2019

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN