

Version 2.0	Revision Date: 09/06/2018		DS Number:)0000000182	Date of last issue: 05/05/2018 Date of first issue: 05/23/2016	
SECTION	I 1. IDENTIFICATION				
Prod	uct name	:	XTR WHEEL & TIRE CLNR 1 GA UN		
Prod	uct code	:	780589		
Manufacturer or supplier's Company name of supplier				LC	
Addr	Address		Dallas TX 75225		
Ema	Email Address		EHS@niteoproducts.com		
Tele	Telephone		1-844-696-4836		
Eme ber			1-800-424-9300 / 1-703-741-5970		
Recommended use of the chemica				ons on use	
Reco	ommended use	:	CLEANER		
Rest	Restrictions on use		Use only outdoors	s or in a well-ventilated area.	

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accor Skin corrosion	rdan :	ce with 29 CFR 1910.1200 Category 1
Serious eye damage	:	Category 1
GHS label elements		
Hazard pictograms	:	A CONTRACT OF A
Signal word	:	Danger
Hazard statements	:	Causes severe skin burns and eye damage.
Precautionary statements	:	Prevention: Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection. Response:



ersion)	Revision Date: 09/06/2018	SDS Number: 600000000182	Date of last issue: 05/05/2018 Date of first issue: 05/23/2016
		IF ON SKIN (o clothing. Rinse IF INHALED: F for breathing. I IF IN EYES: R Remove conta rinsing. Immed	ED: Rinse mouth. Do NOT induce vomiting. r hair): Take off immediately all contaminated skin with water/shower. Remove person to fresh air and keep comfortable mmediately call a POISON CENTER/doctor. inse cautiously with water for several minutes. ct lenses, if present and easy to do. Continue liately call a POISON CENTER/doctor. nated clothing before reuse.
		Storage:	
		Store locked u	р.
		Disposal:	
		Dispose of con plant.	itents/ container to an approved waste disposal
Othe	r hazards		
Nissa	known.		

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Mixture
---------------------	---	---------

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Sodium metasilicate	6834-92-0	>= 1 - < 3
Alcohols, C9-11, ethoxylated	68439-46-3	>= 1 - < 3

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	:	If breathed in, move person into fresh air. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. If on skin, rinse well with water. Wash contaminated clothing before re-use. If skin irritation persists, call a physician.
In case of eye contact	:	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Protect unharmed eye.



Version 2.0	Revision Date: 09/06/2018	SDS Number 60000000018	
		Keep eye	wide open while rinsing.
lf swa	allowed	Do NOT i Rinse mo Do not giv Never giv	cal attention immediately. Induce vomiting. Induce vomiting. Induce vomiting. Induce vommed and the severages. Induce anything by mouth to an unconscious person. Ins persist, call a physician.
	important symptoms effects, both acute and /ed		erious eye damage. evere burns.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray Carbon dioxide (CO2)
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire- fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion prod- ucts	:	Carbon oxides
Specific extinguishing meth- ods	:	Product is compatible with standard fire-fighting agents.
Further information	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Avoid breathing dust. Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
Environmental precautions	:	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Keep in suitable, closed containers for disposal.



Version	Revision Date:	SDS Number:	Date of last issue: 05/05/2018
2.0	09/06/2018	60000000182	Date of first issue: 05/23/2016

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	Do not breathe vapours/dust. Avoid contact with skin and eyes. Dispose of rinse water in accordance with local and national regulations. Container hazardous when empty. Smoking, eating and drinking should be prohibited in the ap- plication area. For personal protection see section 8.
Conditions for safe storage	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Hazardous components	without workplace	e control parameters
----------------------	-------------------	----------------------

-		-	
Components	(CAS-No.	
Sodium metasilicate	6	6834-92-0	
Alcohols, C9-11, ethoxylated	6	68439-46-3	
Engineering measures	:	Provide suffici	

Engineering measures	:	Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.
Personal protective equipme Hand protection	ent	
Remarks	:	Wear resistant gloves (consult your safety equipment suppli- er). The suitability for a specific workplace should be dis- cussed with the producers of the protective gloves. Discard gloves that show tears, pinholes, or signs of wear.
Eye protection	:	Wear chemical splash goggles and face shield when there is potential for exposure of the eyes or face to liquid, vapor or mist.



Version 2.0	Revision Date: 09/06/2018	SDS Number: 600000000182	Date of last issue: 05/05/2018 Date of first issue: 05/23/2016
		Wear as appro Impervious clot Safety shoes	
Hygie	ne measures	practice. When using do	rdance with good industrial hygiene and safety not smoke. not eat or drink.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	green
Odour	:	No data available
рН	:	ca. 12.5
Melting point/freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Self-ignition	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Density	:	1.025 g/cm3 (20 °C)
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Viscosity Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available



Car Brite[™] XTR[™] WHEEL & TIRE CLEANER Heavy Duty Acid-Free Wheel & Tire Cleaner

Version 2.0	Revision Date: 09/06/2018		S Number: 0000000182	Date of last issue: 05/05/2018 Date of first issue: 05/23/2016	
Oxidi	zing properties	:	No data availab	e	
SECTION	10. STABILITY AND RE	EAC	ΤΙVITY		
Reac	tivity	:	No decomposition	on if stored and applied as directed.	
Cherr	nical stability	:	No decomposition if stored and applied as directed.		
Possi tions	bility of hazardous reac-	:	No decomposition if stored and applied as directed. Hazardous polymerisation does not occur.		
Cond	itions to avoid	:	No data available		
Incom	npatible materials	:	Acids Aluminium aluminum salts Lead Strong oxidizing agents Tin Zinc		
Haza produ	rdous decomposition	:	Carbon oxides		

Information on likely routes of exposure

•
information.
Remarks: Causes digestive tract burns.
Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
LD50 (Rat): 1,153 mg/kg
LD50 (Rat): 1,153 mg/kg
LD50 (Rat): 1,153 mg/kg LD50 (Rat): 500 - 2,000 mg/kg



Car Brite[™] XTR[™] WHEEL & TIRE CLEANER Heavy Duty Acid-Free Wheel & Tire Cleaner

Version	Revisio
2.0	09/06/2

on Date: 2018 SDS Number: 60000000182

Date of last issue: 05/05/2018 Date of first issue: 05/23/2016

Skin corrosion/irritation

Causes severe burns.

Product:

Remarks: Causes severe skin burns and eye damage.

Components:

Sodium metasilicate:

Result: Causes burns.

Alcohols, C9-11, ethoxylated:

Result: Mild skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Remarks: May cause irreversible eye damage.

Components:

Sodium metasilicate:

Result: Irreversible effects on the eye Assessment: Corrosive

Alcohols, C9-11, ethoxylated:

Result: Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.



Car Brite[™] XTR[™] WHEEL & TIRE CLEANER Heavy Duty Acid-Free Wheel & Tire Cleaner

Version	Revision Date:
2.0	09/06/2018

SDS Number: 60000000182 Date of last issue: 05/05/2018 Date of first issue: 05/23/2016

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

Components:

Sodium metasilicate:

Assessment: May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods Waste from residues	:	Dispose of in accordance with all applicable local, state and federal regulations.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

Dangerous goods descriptions (if indicated below) may not reflect quantity, end-use, or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

International Regulations

IATA-DGR UN/ID No. Proper shipping name Class Packing group	-	UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM METASILICATE) 8 III
Packing group	:	
Labels	:	8



Version 2.0	Revision Date: 09/06/2018		9S Number: 0000000182	Date of last issue: 05/05/2018 Date of first issue: 05/23/2016	
aircra Packi	ng instruction (cargo ft) ng instruction enger aircraft)	-	856 852		
IMDG UN n Prope Class Packi Label EmS	G-Code umber er shipping name ng group	:	UN 1719 CAUSTIC ALKAL (SODIUM METAS 8 III 8 F-A, S-B no		
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied. National Regulations					
0.4.5	D/NA number er shipping name	:	UN 1719 CAUSTIC ALKAL (SODIUM META) 8		

ERG Code	: 154
Marine pollutant	: no

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

: 111

: 8

CERCLA Reportable Quantity

Packing group

Labels

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	Skin corrosion or irritation Serious eye damage or eye irritation
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.




Car Brite[™] XTR[™] WHEEL & TIRE CLEANER Heavy Duty Acid-Free Wheel & Tire Cleaner

Version	Rev
2.0	09/

vision Date: /06/2018 SDS Number: 60000000182

Date of last issue: 05/05/2018 Date of first issue: 05/23/2016

SECTION 16. OTHER INFORMATION



Revision Date : 09/06/2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN