		Page: 1
<b>SAFETY DATA SHEET</b>		Revision Date: 07/30/2015
		Print Date: 10/29/2015
		SDS Number: R0405910
Car Brite™ KLEARLY ORANGE™ Glass Cleaner with Smoke & Traffic Film Remover		Version: 1.1
CBOOE008F03		

29 CFR 1910.1200 (OSHA HazCom 2012)

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

### Product identifier

Trade name : Car Brite™ KLEARLY ORANGE™  
Glass Cleaner with Smoke & Traffic Film Remover

### Recommended use of the chemical and restrictions on use


<b>Details of the supplier of the safety data sheet</b> Niteo Products, LLC P.O. Box 191629 Dallas TX 75219 United States of America	<b>Emergency telephone number</b> CHEMTREC DIRECT 1-800-424-9300  <b>Product Information</b> 1-844-696-4836
--------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------

## SECTION 2. HAZARDS IDENTIFICATION

### GHS Classification

Skin irritation : Category 2  
Eye irritation : Category 2A

### GHS Label element

Hazard pictograms : 

Signal Word : Warning

Hazard Statements : Causes skin irritation.  
Causes serious eye irritation.

Precautionary Statements : **Prevention:**  
Wash skin thoroughly after handling.  
Wear eye protection/ face protection.  
Wear protective gloves.  
**Response:**  
IF ON SKIN: Wash with plenty of soap and water.  
IF IN EYES: Rinse cautiously with water for several minutes.

**SAFETY DATA SHEET**

Revision Date: 07/30/2015

Print Date: 10/29/2015

SDS Number: R0405910

Version: 1.1

 Car Brite™ KLEARLY ORANGE™ Glass Cleaner  
with Smoke & Traffic Film Remover

CBOOE008F03

Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation occurs: Get medical advice/ attention.

If eye irritation persists: Get medical advice/ attention.

Take off contaminated clothing and wash before reuse.

**Other hazards**

None known.


**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

Chemical nature : Defatter

**Hazardous components**

Chemical Name	CAS-No.	Classification	Concentration (%)
ETHYLENE GLYCOL MONOBUTYL ETHER	111-76-2	Flam. Liq. 4; H227 Acute Tox. 4; H302 Acute Tox. 4; H332 Acute Tox. 3; H311 Skin Irrit. 2; H315 Eye Irrit. 2A; H319	13.45
1-METHOXY-2-PROPANOL	107-98-2	Flam. Liq. 3; H226 STOT SE 3; H336	7.29
ISOPROPANOL	67-63-0	Flam. Liq. 2; H225 Eye Irrit. 2A; H319 STOT SE 3; H336	3.63

		Page: 3
<b>SAFETY DATA SHEET</b>		Revision Date: 07/30/2015
		Print Date: 10/29/2015
		SDS Number: R0405910
Car Brite™ KLEARLY ORANGE™ Glass Cleaner with Smoke & Traffic Film Remover		Version: 1.1
CBOOE008F03		

---


#### SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.
- If inhaled : Move to fresh air.  
IF INHALED: Call a POISON CENTER or doctor/ physician if you feel unwell.  
Keep patient warm and at rest.  
If unconscious place in recovery position and seek medical advice.
- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.  
If on skin, rinse well with water.  
Wash contaminated clothing before re-use.
- In case of eye contact : Immediately flush eye(s) with plenty of water.  
Remove contact lenses.  
Protect unharmed eye.
- If swallowed : Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Administration of high doses of isopropanol in combination with known hepatotoxic chemicals resulted in enhanced liver toxicity in experimental animals.  
Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include:  
stomach or intestinal upset (nausea, vomiting, diarrhea)  
irritation (nose, throat, airways)  
Lung irritation  
confusion  
Bloody urine  
lung edema (fluid buildup in the lung tissue)  
Difficulty in breathing  
Causes skin irritation.  
Causes serious eye irritation.
- Notes to physician : No hazards which require special first aid measures.

---

#### SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Water spray

		Page: 4
<b>SAFETY DATA SHEET</b>		Revision Date: 07/30/2015
		Print Date: 10/29/2015
		SDS Number: R0405910
Car Brite™ KLEARLY ORANGE™ Glass Cleaner with Smoke & Traffic Film Remover		Version: 1.1
CBOOE008F03		

Foam  
Carbon dioxide (CO2)  
Dry chemical

- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : carbon dioxide and carbon monoxide  
Aldehydes  
Ketones  
Organic acids  
Hydrocarbons
- Specific extinguishing methods :
- Product is compatible with standard fire-fighting agents.
- Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Ensure adequate ventilation.  
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.
- Other information : Comply with all applicable federal, state, and local regulations.

---

## SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Avoid formation of aerosol.

**SAFETY DATA SHEET**

Revision Date: 07/30/2015

Print Date: 10/29/2015

SDS Number: R0405910

 Car Brite™ KLEARLY ORANGE™ Glass Cleaner  
with Smoke & Traffic Film Remover

Version: 1.1

CBOOE008F03

Provide sufficient air exchange and/or exhaust in work rooms.  
 Do not breathe vapours/dust.  
 Do not smoke.  
 Container hazardous when empty.  
 Avoid contact with skin and eyes.  
 Smoking, eating and drinking should be prohibited in the application area.  
 For personal protection see section 8.  
 Dispose of rinse water in accordance with local and national regulations.  
 Container may be opened only under exhaust ventilation hood.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
 Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
 Electrical installations / working materials must comply with the technological safety standards.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**
**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ETHYLENE GLYCOL MONOBUTYL ETHER	111-76-2	TWA	20 ppm	ACGIH
		REL	5 ppm 24 mg/m <sup>3</sup>	NIOSH/GUIDE
		PEL	50 ppm 240 mg/m <sup>3</sup>	OSHA_TRANS
1-METHOXY-2-PROPANOL	107-98-2	TWA	50 ppm	ACGIH
		STEL	100 ppm	ACGIH
		REL	100 ppm 360 mg/m <sup>3</sup>	NIOSH/GUIDE
		STEL	150 ppm 540 mg/m <sup>3</sup>	NIOSH/GUIDE
ISOPROPANOL	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		REL	400 ppm 980 mg/m <sup>3</sup>	NIOSH/GUIDE
		STEL	500 ppm 1,225 mg/m <sup>3</sup>	NIOSH/GUIDE
		PEL	400 ppm 980 mg/m <sup>3</sup>	OSHA_TRANS
		TWA	400 ppm 980 mg/m <sup>3</sup>	TN OEL

**SAFETY DATA SHEET**

Revision Date: 07/30/2015

Print Date: 10/29/2015

SDS Number: R0405910

Car Brite™ KLEARLY ORANGE™ Glass Cleaner with Smoke & Traffic Film Remover

Version: 1.1

CBOOE008F03

		STEL	500 ppm 1,225 mg/m3	TN OEL
--	--	------	------------------------	--------

**Biological occupational exposure limits**

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
ETHYLENE GLYCOL MONOBUTYL ETHER	111-76-2	Butoxyacetic acid (BAA), with hydrolysis	Creatinine in urine	Sampling time: End of shift.	200 mg/g	
ISOPROPANOL	67-63-0	acetone	Urine	Sampling time: End of shift at end of work week.	40 mg/l	
Remarks:	Nonspecific, Background					

**Engineering measures** : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

**Personal protective equipment**

Respiratory protection : In the case of vapour formation use a respirator with an approved filter.

A NIOSH-approved air-purifying respirator with an appropriate cartridge and/or filter may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits (if applicable) or if overexposure has otherwise been determined. Protection provided by air-purifying respirators is limited. Use a positive pressure, air-supplied respirator if there is any potential for uncontrolled release, exposure levels are not known or any other circumstances where an air-purifying respirator may not provide adequate protection.

Hand protection  
Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Wear chemical splash goggles when there is the potential for exposure of the eyes to liquid, vapor or mist.

Skin and body protection : Wear as appropriate:  
impervious clothing  
Safety shoes  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.  
Discard gloves that show tears, pinholes, or signs of wear.  
Wear resistant gloves (consult your safety equipment)

**SAFETY DATA SHEET**

Revision Date: 07/30/2015

Print Date: 10/29/2015

SDS Number: R0405910

Version: 1.1

 Car Brite™ KLEARLY ORANGE™ Glass Cleaner  
 with Smoke & Traffic Film Remover

CBOOE008F03

supplier).

Hygiene measures : Wash hands before breaks and at the end of workday.  
 When using do not eat or drink.  
 When using do not smoke.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical state : liquid

Colour : orange

Odour : like fruit

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Boiling point/boiling range : 180.5 °F / 82.5 °C  
 (1,013.232 hPa)  
 Calculated Phase Transition Liquid/Gas

Flash point : > 210.0 °F / > 98.9 °C  
 Method: Tag closed cup  
 GLP: see user defined free text

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit : 12 %(V)  
 GLP: Calculated Explosive Limit

Lower explosion limit : 1.1 %(V)  
 GLP: Calculated Explosive Limit

Vapour pressure : 60.52728 hPa (25 °C)  
 Calculated Vapor Pressure

Relative vapour density : No data available

Relative density : No data available

Density : 0.985 g/cm<sup>3</sup>

Solubility(ies)  
 Water solubility : soluble

Solubility in other solvents : No data available

**SAFETY DATA SHEET**

Revision Date: 07/30/2015

Print Date: 10/29/2015

SDS Number: R0405910

Version: 1.1

Car Brite™ KLEARLY ORANGE™ Glass Cleaner  
with Smoke & Traffic Film Remover

CBOOE008F03

Partition coefficient: n-octanol/water : No data available

Thermal decomposition : No data available

Viscosity  
Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Oxidizing properties : No data available

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.


Possibility of hazardous reactions : Product will not undergo hazardous polymerization.

Conditions to avoid : Do not allow evaporation to dryness.  
Exposure to air or moisture over prolonged periods.

Incompatible materials : Acids  
Aldehydes  
aluminum  
Amines  
Ammonia  
Bases  
chlorates  
Chlorine  
Ethylene oxide  
halogenated hydrocarbons  
halogens  
isocyanates  
salts of strong bases  
strong bases  
Strong oxidizing agents  
Do not use with aluminum equipment at temperatures above 49C or 120 degrees F.

Hazardous decomposition products : Aldehydes  
carbon dioxide and carbon monoxide  
Hydrocarbons  
Organic acids  
ketones



		Page: 9
	<b>SAFETY DATA SHEET</b>	Revision Date: 07/30/2015
		Print Date: 10/29/2015
		SDS Number: R0405910
Car Brite™ KLEARLY ORANGE™ Glass Cleaner with Smoke & Traffic Film Remover		Version: 1.1
CBOOE008F03		

## SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation  
Skin contact  
Eye Contact  
Ingestion

### Acute toxicity

Not classified based on available information.

#### Components:

ETHYLENE GLYCOL MONOBUTYL ETHER:

Acute oral toxicity : LD 50 (Guinea pig): 1.2 g/kg

Acute inhalation toxicity : LC 50 (Guinea pig): > 633 ppm  
Exposure time: 1 h  
Assessment: The component/mixture is classified as acute inhalation toxicity, category 4.

Acute dermal toxicity : LD 50 (Rabbit): 400 - 500 mg/kg  
LD 50 (Guinea pig): > 2,000 mg/kg

1-METHOXY-2-PROPANOL:

Acute oral toxicity : LD 50 (Rat): 4,016 mg/kg

Acute inhalation toxicity : LC 50 (Rat): > 10000 ppm  
Exposure time: 4 h

Acute dermal toxicity : LD 50 (Rabbit): 13,000 mg/kg

ISOPROPANOL:

Acute oral toxicity : LD 50 (Rat): 5.84 g/kg

Acute inhalation toxicity : LC 50 (Rat): 16000 ppm  
Exposure time: 4 h  
Test atmosphere: vapour

Acute dermal toxicity : LD 50 (Rabbit): 12,800 mg/kg

### Skin corrosion/irritation

Causes skin irritation.

#### Product:


Result: Repeated exposure may cause skin dryness or cracking.

Remarks: May cause skin irritation and/or dermatitis.

#### Components:

ETHYLENE GLYCOL MONOBUTYL ETHER:

Result: Irritating to skin

	Page: 10
<b>SAFETY DATA SHEET</b>	Revision Date: 07/30/2015
	Print Date: 10/29/2015
	SDS Number: R0405910
Car Brite™ KLEARLY ORANGE™ Glass Cleaner with Smoke & Traffic Film Remover  CBOOE008F03	Version: 1.1

1-METHOXY-2-PROPANOL:  
Result: Not irritating to skin

ISOPROPANOL:  
Result: Slightly irritating to skin

**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Product:**

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin., Causes serious eye irritation.

**Components:**

ETHYLENE GLYCOL MONOBUTYL ETHER:

Result: Irritating to eyes

1-METHOXY-2-PROPANOL:  
Result: Mildly irritating to eyes

ISOPROPANOL:  
Result: Irritating to eyes

**Respiratory or skin sensitisation**

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

**Components:**

1-METHOXY-2-PROPANOL:

Assessment: Did not cause sensitisation on laboratory animals.

**Germ cell mutagenicity**

Not classified based on available information.

**Components:**

1-METHOXY-2-PROPANOL:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Result: negative

**Carcinogenicity**

Not classified based on available information.

**Reproductive toxicity**

Not classified based on available information.

**STOT - single exposure**

Not classified based on available information.

**Components:**

1-METHOXY-2-PROPANOL:


Assessment: May cause drowsiness or dizziness.

ISOPROPANOL:

Assessment: May cause drowsiness or dizziness.

**STOT - repeated exposure**

Not classified based on available information.

		Page: 11
<b>SAFETY DATA SHEET</b>		Revision Date: 07/30/2015
		Print Date: 10/29/2015
		SDS Number: R0405910
Car Brite™ KLEARLY ORANGE™ Glass Cleaner with Smoke & Traffic Film Remover		Version: 1.1
CBOOE008F03		

**Aspiration toxicity**

Not classified based on available information.

**Further information**

**Product:**

Remarks: No data available

**Components:**

ETHYLENE GLYCOL MONOBUTYL ETHER:

Remarks: Central nervous system

ISOPROPANOL:

Remarks: Central nervous system

**Carcinogenicity:**

**IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**NTP**

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

**Components:**

ETHYLENE GLYCOL MONOBUTYL ETHER:

- Toxicity to fish : LC 50 (Oncorhynchus mykiss (rainbow trout)): 1,474 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203
- LC 50 (Lepomis macrochirus (Bluegill sunfish)): 1,490 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC 50 (Water flea (Daphnia magna)): 1,550 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202
- Toxicity to algae : EC 50 (Pseudokirchneriella subcapitata (green algae)): 911 mg/l

**SAFETY DATA SHEET**

Revision Date: 07/30/2015

Print Date: 10/29/2015

SDS Number: R0405910

Version: 1.1

Car Brite™ KLEARLY ORANGE™ Glass Cleaner  
with Smoke & Traffic Film Remover

CBOOE008F03

End point: Growth inhibition  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Danio rerio (zebra fish)): > 100 mg/l  
Exposure time: 21 d  
Test Type: semi-static test  
Method: OECD Test Guideline 204

**1-METHOXY-2-PROPANOL:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h  
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Water flea (Daphnia magna)): > 100 mg/l  
Exposure time: 48 h  
Test Type: static test

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): > 1,000 mg/l  
End point: Growth inhibition  
Exposure time: 7 d  
Test Type: static test

**ISOPROPANOL:**

Toxicity to fish : LC 50 (Fathead minnow (Pimephales promelas)): 5,770 - 7,450 mg/l  
Exposure time: 96 h  
Test Type: flow-through test

Toxicity to daphnia and other aquatic invertebrates : LC 50 (Water flea (Daphnia magna)): > 10,000 mg/l  
Exposure time: 24 h  
Test Type: static test

**Persistence and degradability**

**Components:**

**1-METHOXY-2-PROPANOL:**

Biodegradability : Result: Readily biodegradable  
Biodegradation: 96 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301E

**Bioaccumulative potential**

**Components:**

**ETHYLENE GLYCOL MONOBUTYL ETHER:**

Partition coefficient: n-octanol/water : log Pow: 0.83

**SAFETY DATA SHEET**

Revision Date: 07/30/2015

Print Date: 10/29/2015

SDS Number: R0405910

Version: 1.1

Car Brite™ KLEARLY ORANGE™ Glass Cleaner with Smoke & Traffic Film Remover

CBOOE008F03

**ISOPROPANOL:**  
 Partition coefficient: n-octanol/water : log Pow: 0.05

**Mobility in soil**

**Components:**

No data available

**Other adverse effects**

No data available

**Product:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Harmful to aquatic life with long lasting effects.

**Components:**

**SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods**

General advice : The product should not be allowed to enter drains, water courses or the soil.  
 Do not contaminate ponds, waterways or ditches with chemical or used container.  
 Send to a licensed waste management company.

Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Empty remaining contents.  
 Dispose of as unused product.  
 Empty containers should be taken to an approved waste handling site for recycling or disposal.  
 Do not re-use empty containers.

**SECTION 14. TRANSPORT INFORMATION**

**International transport regulations**

**REGULATION**

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT / LTD. QTY.

**U.S. DOT - ROAD**

Not dangerous goods
---------------------

**U.S. DOT - RAIL**



**SAFETY DATA SHEET**

Revision Date: 07/30/2015

Print Date: 10/29/2015

SDS Number: R0405910

Version: 1.1

Car Brite™ KLEARLY ORANGE™ Glass Cleaner with Smoke & Traffic Film Remover

CBOOE008F03

Not dangerous goods

**U.S. DOT - INLAND WATERWAYS**

Not dangerous goods

**TRANSPORT CANADA - ROAD**

Not dangerous goods

**TRANSPORT CANADA - RAIL**

Not dangerous goods

**TRANSPORT CANADA - INLAND WATERWAYS**

Not dangerous goods

**INTERNATIONAL MARITIME DANGEROUS GOODS**

Not dangerous goods

**INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO**

Not dangerous goods

**INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER**

Not dangerous goods

**MEXICAN REGULATION FOR THE LAND TRANSPORT OF HAZARDOUS MATERIALS AND WASTES**

Not dangerous goods

**\*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID**

Marine pollutant	no
------------------	----

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

**SECTION 15. REGULATORY INFORMATION**

SARA 311/312 Hazards : Acute Health Hazard

**SAFETY DATA SHEET**

Revision Date: 07/30/2015

Print Date: 10/29/2015

SDS Number: R0405910

Car Brite™ KLEARLY ORANGE™ Glass Cleaner  
with Smoke & Traffic Film Remover

Version: 1.1

CBOOE008F03

**SARA 313 Component(s)**

ETHYLENE GLYCOL MONOBUTYL ETHER	111-76-2	13.45 %
------------------------------------	----------	---------

**Pennsylvania Right To Know**

WATER	7732-18-5	70.00 - 90.00 %
ETHYLENE GLYCOL MONOBUTYL ETHER	111-76-2	10.00 - 20.00 %
1-METHOXY-2-PROPANOL	107-98-2	5.00 - 10.00 %
ISOPROPANOL	67-63-0	1.00 - 5.00 %

**New Jersey Right To Know**

WATER	7732-18-5	70.00 - 90.00 %
ETHYLENE GLYCOL MONOBUTYL ETHER	111-76-2	10.00 - 20.00 %
1-METHOXY-2-PROPANOL	107-98-2	5.00 - 10.00 %
ISOPROPANOL	67-63-0	1.00 - 5.00 %

**California Prop 65**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

**The components of this product are reported in the following inventories:**

- TSCA : On TSCA Inventory
- DSL : All components of this product are on the Canadian DSL.
- AICS : On the inventory, or in compliance with the inventory
- NZIOC : On the inventory, or in compliance with the inventory
- ENCS : On the inventory, or in compliance with the inventory
- KECI : On the inventory, or in compliance with the inventory
- PICCS : On the inventory, or in compliance with the inventory
- IECSC : On the inventory, or in compliance with the inventory

**Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

<b>NITEO</b> PRODUCTS		Page: 16
<b>SAFETY DATA SHEET</b>		Revision Date: 07/30/2015
		Print Date: 10/29/2015
		SDS Number: R0405910
Car Brite™ KLEARLY ORANGE™ Glass Cleaner with Smoke & Traffic Film Remover		Version: 1.1
CBOOE008F03		

## SECTION 16. OTHER INFORMATION

### Further information

Revision Date: 07/30/2015

<b>NFPA:</b>	<b>HMIS III:</b>						
<p>Flammability</p> <p>Health</p> <p>Instability</p> <p>Special hazard.</p>	<table border="1"> <tr> <td><b>HEALTH</b></td> <td><b>1</b></td> </tr> <tr> <td><b>FLAMMABILITY</b></td> <td><b>1</b></td> </tr> <tr> <td><b>PHYSICAL HAZARD</b></td> <td><b>0</b></td> </tr> </table> <p>0 = not significant, 1 = Slight, 2 = Moderate, 3 = High 4 = Extreme, * = Chronic</p>	<b>HEALTH</b>	<b>1</b>	<b>FLAMMABILITY</b>	<b>1</b>	<b>PHYSICAL HAZARD</b>	<b>0</b>
<b>HEALTH</b>	<b>1</b>						
<b>FLAMMABILITY</b>	<b>1</b>						
<b>PHYSICAL HAZARD</b>	<b>0</b>						

### NFPA Flammable and Combustible Liquids Classification

Combustible Liquid Class IIIB

### Full text of H-Statements referred to under sections 2 and 3.

H225	Highly flammable liquid and vapor.
H226	Flammable liquid and vapor.
H227	Combustible liquid.
H302	Harmful if swallowed.
H303	May be harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.

Sources of key data used to compile the Safety Data Sheet

Internal data including own and sponsored test reports


The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

Cefic, the European Chemical Industry Council.

ESIS European Chemical Substances Information System

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the



		Page: 17
<b>SAFETY DATA SHEET</b>		Revision Date: 07/30/2015
		Print Date: 10/29/2015
		SDS Number: R0405910
Car Brite™ KLEARLY ORANGE™ Glass Cleaner with Smoke & Traffic Film Remover		Version: 1.1
CBOOE008F03		

information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Niteo's Environmental Health and Safety Department (1-844-696-4836).

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH : American Conference of Industrial Hygienists  
 BEI : Biological Exposure Index  
 CAS : Chemical Abstracts Service (Division of the American Chemical Society).  
 CMR : Carcinogenic, Mutagenic or Toxic for Reproduction  
 FG : Food grade  
 GHS : Globally Harmonized System of Classification and Labeling of Chemicals.  
 H-statement : Hazard Statement  
 IATA : International Air Transport Association.  
 IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO : International Civil Aviation Organization  
 ICAO-TI (ICAO) : Technical Instructions by the "International Civil Aviation Organization"  
 IMDG : International Maritime Code for Dangerous Goods  
 ISO : International Organization for Standardization  
 logPow : octanol-water partition coefficient  
 LCxx : Lethal Concentration, for xx percent of test population  
 LDxx : Lethal Dose, for xx percent of test population.  
 ICxx : Inhibitory Concentration for xx of a substance  
 Ecxx : Effective Concentration of xx  
 N.O.S.: Not Otherwise Specified  
 OECD : Organization for Economic Co-operation and Development  
 OEL : Occupational Exposure Limit  
 P-Statement : Precautionary Statement  
 PBT : Persistent , Bioaccumulative and Toxic  
 PPE : Personal Protective Equipment  
 STEL : Short-term exposure limit  
 STOT : Specific Target Organ Toxicity  
 TLV : Threshold Limit Value  
 TWA : Time-weighted average  
 vPvB : Very Persistent and Very Bioaccumulative  
 WEL : Workplace Exposure Level

CERCLA : Comprehensive Environmental Response, Compensation, and Liability Act  
 DOT : Department of Transportation  
 FIFRA : Federal Insecticide, Fungicide, and Rodenticide Act  
 HMIRC : Hazardous Materials Information Review Commission  
 HMIS : Hazardous Materials Identification System  
 NFPA : National Fire Protection Association  
 NIOSH : National Institute for Occupational Safety and Health  
 OSHA : Occupational Safety and Health Administration  
 PMRA : Health Canada Pest Management Regulatory Agency  
 RTK : Right to Know  
**WHMIS : Workplace Hazardous Materials Information System**