

Version Revision Date: SDS Number: Date of last issue: -

1.0 06/27/2017 600000001071 Date of first issue: 06/27/2017

#### **SECTION 1. IDENTIFICATION**

Product name : Car Brite™ SUPER CHERRY SPEED WAX Liquid Wax

Product code : CBOOA037I03

Manufacturer or supplier's details

Company name of supplier : Niteo Products, LLC

Address : Dallas TX 19162

Telephone : 1-844-696-4836

Emergency telephone num-

ber

1-800-424-9300

Recommended use of the chemical and restrictions on use

:

Recommended use : WAX

Restrictions on use : Use only outdoors or in a well-ventilated area.

### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Flammable liquids : Category 4

Eye irritation : Category 2B

**GHS** label elements

Signal word : Warning

Hazard statements : H227 Combustible liquid.

H320 Causes eye irritation.

Precautionary statements : **Prevention:** 

P210 Keep away from heat/sparks/open flames/hot surfaces.

No smoking.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ atten-

tion.

P370 + P378 In case of fire: Use dry sand, dry chemical or alco-

hol-resistant foam to extinguish.

Storage:



Version Revision Date: SDS Number: Date of last issue: -

1.0 06/27/2017 600000001071 Date of first issue: 06/27/2017

P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

## **Hazardous components**

Chemical name	CAS-No.	Concentration (% w/w)
NAPHTHA (PETROLEUM), HYDROTREATED	64742-48-9	>= 10 - < 20
HEAVY		
SOLVENT NAPHTHA (PETROLEUM), HEAVY	64742-96-7	>= 5 - < 10
ALIPHATIC		

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

#### **SECTION 4. FIRST AID MEASURES**

General advice : No hazards which require special first aid measures.

If inhaled : If breathed in, move person into fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If on clothes, remove clothes.

Remove contaminated clothing. If irritation develops, get med-

ical attention.

If on skin, rinse well with water.

Wash contaminated clothing before re-use. If skin irritation persists, call a physician.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

: Causes eye irritation.



Version Revision Date: SDS Number: Date of last issue: -

1.0 06/27/2017 60000001071 Date of first issue: 06/27/2017

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Water spray

Carbon dioxide (CO2)

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during fire-

fighting

: If product is heated above its flash point it will produce vapors sufficient to support combustion. Vapors are heavier than air

and may travel along the ground and be ignited by heat, pilot lights, other flames and ignition sources at locations near the

point of release.

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod-

ucts

: Aldehydes

Specific extinguishing meth-

ods

: Product is compatible with standard fire-fighting agents.

Further information : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations. Use a water spray to cool fully closed containers.

Special protective equipment

for firefighters

: In the event of fire, wear self-contained breathing apparatus.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec-

tive equipment and emer-

gency procedures

: Use personal protective equipment.

Remove all sources of ignition.

Avoid breathing dust.

Persons not wearing protective equipment should be excluded

from area of spill until clean-up has been completed.

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Prevent product from entering drains.

Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local

/ national regulations (see section 13).

Keep in suitable, closed containers for disposal.



Version Revision Date: SDS Number: Date of last issue: -

1.0 06/27/2017 600000001071 Date of first issue: 06/27/2017

#### **SECTION 7. HANDLING AND STORAGE**

Advice on protection against fire and explosion

: Electrically bond and ground all containers, personnel and equipment before transfer or use of material. Special precautions may be necessary to dissipate static electricity for non-conductive containers. Use proper bonding and grounding during product transfer as described in National Fire Protection Association document NFPA 77. Keep away from open flames, hot surfaces and sources of ignition. Do not spray on a naked flame or any incandescent material.

Advice on safe handling : Avoid formation of aerosol.

Provide sufficient air exchange and/or exhaust in work rooms.

Avoid contact with skin and eyes.

Dispose of rinse water in accordance with local and national

regulations.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

For personal protection see section 8.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Observe label precautions.

No smoking.

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## Components with workplace control parameters

Contains no substances with occupational exposure limit values.

## Hazardous components without workplace control parameters

Components	CAS-No.
NAPHTHA (PETROLEUM),	64742-48-9
HYDROTREATED HEAVY	
SOLVENT NAPHTHA	64742-96-7
(PETROLEUM), HEAVY	
ALIPHATIC	

**Engineering measures** : Provide sufficient mechanical (general and/or local exhaust)

ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or

apparent adverse effects.

Personal protective equipment

Respiratory protection : In the case of vapour formation use a respirator with an ap-

proved filter.

Hand protection

Eye protection



# Car Brite™ SUPER CHERRY SPEED WAX Liquid Wax

Version Revision Date: SDS Number: Date of last issue: -

1.0 06/27/2017 60000001071 Date of first issue: 06/27/2017

Remarks : Wear resistant gloves (consult your safety equipment suppli-

er). The suitability for a specific workplace should be discussed with the producers of the protective gloves.

: Wear chemical splash goggles when there is the potential for

exposure of the eyes to liquid, vapor or mist.

Skin and body protection : Choose body protection according to the amount and con-

centration of the dangerous substance at the work place.

Wear as appropriate: Impervious clothing Safety shoes

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

When using do not smoke. When using do not eat or drink.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Colour : pink

Odour : like fruit

pH : 8-9

Boiling point/boiling range : 100 °C

Flash point : 64 °C

Relative density : 0.983 (25 °C)

Viscosity

Viscosity, kinematic : > 21 mm2/s (estimated 40 °C)

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

: No decomposition if stored and applied as directed.

Vapours may form explosive mixture with air.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Strong oxidizing agents



Version Revision Date: SDS Number: Date of last issue: -

1.0 06/27/2017 600000001071 Date of first issue: 06/27/2017

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Skin contact Eye contact

### **Acute toxicity**

Not classified based on available information.

#### **Components:**

## NAPHTHA (PETROLEUM), HYDROTREATED HEAVY:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 3,000 mg/kg

Assessment: No adverse effect has been observed in acute

dermal toxicity tests.

## **SOLVENT NAPHTHA (PETROLEUM), HEAVY ALIPHATIC:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.28 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Assessment: No adverse effect has been observed in acute

inhalation toxicity tests.

Remarks: No mortality observed at this dose.

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: No adverse effect has been observed in acute

dermal toxicity tests.

Remarks: No mortality observed at this dose.

#### Skin corrosion/irritation

Not classified based on available information.

#### **Product:**

Remarks: May irritate skin.

#### Components:

## NAPHTHA (PETROLEUM), HYDROTREATED HEAVY:

Result: Mild skin irritation

#### **SOLVENT NAPHTHA (PETROLEUM), HEAVY ALIPHATIC:**

Species: Rabbit

Result: Irritating to skin.

#### Serious eye damage/eye irritation

Causes eye irritation.

## **Product:**

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.



Version Revision Date: SDS Number: Date of last issue: -

1.0 06/27/2017 600000001071 Date of first issue: 06/27/2017

## **Components:**

## NAPHTHA (PETROLEUM), HYDROTREATED HEAVY:

Result: Mild eye irritation

## **SOLVENT NAPHTHA (PETROLEUM), HEAVY ALIPHATIC:**

Species: Rabbit

Result: Possibly irritating to eyes

## Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

### **Components:**

## **SOLVENT NAPHTHA (PETROLEUM), HEAVY ALIPHATIC:**

Test Type: Buehler Test Species: Guinea pig

Assessment: Does not cause skin sensitisation.

## Germ cell mutagenicity

Not classified based on available information.

## Components:

#### **SOLVENT NAPHTHA (PETROLEUM), HEAVY ALIPHATIC:**

Genotoxicity in vitro : Test Type: Ames test

Species: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Rat

Cell type: Bone marrow

Method: OECD Test Guideline 475

Result: negative

#### Carcinogenicity

Not classified based on available information.

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential carcino-

gen by OSHA.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

# Reproductive toxicity

Not classified based on available information.



Version Revision Date: SDS Number: Date of last issue: -

1.0 06/27/2017 600000001071 Date of first issue: 06/27/2017

### STOT - single exposure

Not classified based on available information.

#### **Components:**

## **SOLVENT NAPHTHA (PETROLEUM), HEAVY ALIPHATIC:**

Assessment: May cause drowsiness or dizziness.

### STOT - repeated exposure

Not classified based on available information.

#### **Aspiration toxicity**

Not classified based on available information.

#### **Components:**

## NAPHTHA (PETROLEUM), HYDROTREATED HEAVY:

May be fatal if swallowed and enters airways.

## **SOLVENT NAPHTHA (PETROLEUM), HEAVY ALIPHATIC:**

May be fatal if swallowed and enters airways.

#### **Further information**

**Product:** 

Remarks: No data available

## **SECTION 12. ECOLOGICAL INFORMATION**

## **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Dispose of in accordance with all applicable local, state and

federal regulations.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

#### **SECTION 14. TRANSPORT INFORMATION**

## International Regulations

IATA-DGR

Not regulated as a dangerous good

**IMDG-Code** 

Not regulated as a dangerous good



Version Revision Date: SDS Number: Date of last issue: -

1.0 06/27/2017 60000001071 Date of first issue: 06/27/2017

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## **National Regulations**

**49 CFR** 

UN/ID/NA number : UN NA 1993

Proper shipping name : COMBUSTIBLE LIQUID, N.O.S.

(SOLVENT NAPHTHA (PETROLEUM), HEAVY

ALIPHATIC, )

Class : CBL
Packing group : III
Labels : NONE
ERG Code : 128
Marine pollutant : no

#### **SECTION 15. REGULATORY INFORMATION**

## **EPCRA - Emergency Planning and Community Right-to-Know Act**

## **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

## SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Acute Health Hazard

Fire Hazard

SARA 302 : This material does not contain any components with a section

302 EHS TPQ.

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

## **US State Regulations**

**Massachusetts Right To Know** 

SILICA AMORPHOUS (SIO2) 7631-86-9

Pennsylvania Right To Know

NAPHTHA (PETROLEUM), 64742-48-9

HYDROTREATED HEAVY

SOLVENT NAPHTHA (PETROLEUM), 64742-96-7

**HEAVY ALIPHATIC** 

SILICA AMORPHOUS (SIO2) 7631-86-9

California Prop. 65 This product does not contain any chemicals known to State

of California to cause cancer, birth defects, or any other re-

productive harm.

**TSCA list** 



Version Revision Date: SDS Number: Date of last issue: -

1.0 06/27/2017 600000001071 Date of first issue: 06/27/2017


No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

## **SECTION 16. OTHER INFORMATION**

#### **Further information**





Special hazard.

#### HMIS III:

HEALTH	1
FLAMMABILITY	2
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,

2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

Revision Date : 06/27/2017

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN