

# SAFETY DATA SHEET



## Car Brite™ HEAVY METAL Brake Dust and Fallout Remover

Version 2.0      Revision Date: 02/02/2021      SDS Number: 600000002369      Date of last issue: 09/22/2020  
Date of first issue: 09/22/2020

---

### SECTION 1. IDENTIFICATION

Product name : CB HEAVY METAL 4/1 GA  
Product code : CBOOE040-03

#### Manufacturer or supplier's details

Company name of supplier : Niteo Products, LLC  
Address : Dallas TX 75225  
Email Address : EHS@niteoproducts.com  
Telephone : 1-844-696-4836  
Emergency telephone number : 1-800-424-9300 / 1-703-741-5970

#### Recommended use of the chemical and restrictions on use

Recommended use : BRAKE DUST REMOVER  
Restrictions on use : Use only outdoors or in a well-ventilated area.

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with 29 CFR 1910.1200

Corrosive to metals : Category 1  
Acute toxicity (Oral) : Category 4  
Serious eye damage : Category 1  
Skin sensitisation : Category 1

#### GHS label elements

Hazard pictograms :

Signal word : Danger

Hazard statements : May be corrosive to metals.  
Harmful if swallowed.  
May cause an allergic skin reaction.  
Causes serious eye damage.

# SAFETY DATA SHEET



## Car Brite™ HEAVY METAL Brake Dust and Fallout Remover

Version 2.0      Revision Date: 02/02/2021      SDS Number: 600000002369      Date of last issue: 09/22/2020  
Date of first issue: 09/22/2020

Precautionary statements : **Prevention:**  
Keep only in original container.  
Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
Wash skin thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Contaminated work clothing should not be allowed out of the workplace.  
Wear protective gloves/ eye protection/ face protection.

**Response:**  
IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.  
IF ON SKIN: Wash with plenty of soap and water.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.  
If skin irritation or rash occurs: Get medical advice/ attention.  
Wash contaminated clothing before reuse.  
Absorb spillage to prevent material damage.

**Storage:**  
Store in corrosive resistant container with a resistant inner liner.

**Disposal:**  
Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**  
None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Sodium thioglycolate	367-51-1	>= 10 - < 20
Alkyl (C10-16) Ether Sulfate, Sodium Salt	68585-34-2	>= 5 - < 10
Ethanol	64-17-5	>= 1 - < 5
Sodium Xylene Sulfonate	1300-72-7	>= 1 - < 5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

### SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.  
Consult a physician.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.

If inhaled : If breathed in, move person into fresh air.

# SAFETY DATA SHEET



## Car Brite™ HEAVY METAL Brake Dust and Fallout Remover

Version 2.0      Revision Date: 02/02/2021      SDS Number: 600000002369      Date of last issue: 09/22/2020  
Date of first issue: 09/22/2020

---

- If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : If on clothes, remove clothes.  
Remove contaminated clothing. If irritation develops, get medical attention.  
If on skin, rinse well with water.  
Wash contaminated clothing before re-use.  
If skin irritation persists, call a physician.
- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Continue rinsing eyes during transport to hospital.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.
- If swallowed : Obtain medical attention.  
Do NOT induce vomiting.  
Rinse mouth with water.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed.  
May cause an allergic skin reaction.  
Causes serious eye damage.
- 

### SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Carbon dioxide (CO<sub>2</sub>)
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon oxides  
Sulphur oxides  
Sodium oxides
- Specific extinguishing methods : Product is compatible with standard fire-fighting agents.
- Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
-

## Car Brite™ HEAVY METAL Brake Dust and Fallout Remover

Version 2.0      Revision Date: 02/02/2021      SDS Number: 600000002369      Date of last issue: 09/22/2020  
Date of first issue: 09/22/2020

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Avoid breathing dust.  
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.  
Prevent product from entering drains.  
Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

### SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Do not breathe vapours/dust.  
Do not smoke.  
Avoid contact with skin and eyes.  
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.  
Dispose of rinse water in accordance with local and national regulations.  
Container hazardous when empty.  
Smoking, eating and drinking should be prohibited in the application area.  
For personal protection see section 8.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
- Further information on storage stability : No decomposition if stored and applied as directed.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis

# SAFETY DATA SHEET



## Car Brite™ HEAVY METAL Brake Dust and Fallout Remover

Version 2.0      Revision Date: 02/02/2021      SDS Number: 600000002369      Date of last issue: 09/22/2020  
Date of first issue: 09/22/2020

Sodium thioglycolate	367-51-1	TWA	1 ppm	ACGIH
Ethanol	64-17-5	STEL	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,900 mg/m3	OSHA P0

### Hazardous components without workplace control parameters

Components	CAS-No.
Alkyl (C10-16) Ether Sulfate, Sodium Salt	68585-34-2
Sodium Xylene Sulfonate	1300-72-7

**Engineering measures** : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

### Personal protective equipment

Hand protection

Remarks : Wear resistant gloves (consult your safety equipment supplier). The suitability for a specific workplace should be discussed with the producers of the protective gloves. Discard gloves that show tears, pinholes, or signs of wear.

Eye protection : Wear chemical splash goggles and face shield when there is potential for exposure of the eyes or face to liquid, vapor or mist.

Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.  
Wear as appropriate:  
Impervious clothing  
Safety shoes

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.  
When using do not smoke.  
When using do not eat or drink.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid  
Colour : not determined  
Odour : not determined  
Odour Threshold : not determined  
pH : not determined

# SAFETY DATA SHEET



## Car Brite™ HEAVY METAL Brake Dust and Fallout Remover

Version 2.0      Revision Date: 02/02/2021      SDS Number: 600000002369      Date of last issue: 09/22/2020  
Date of first issue: 09/22/2020

---

Melting point/freezing point : not determined  
Boiling point/boiling range : not determined  
Flash point : > 100 °C  
Method: closed cup  
Evaporation rate : not determined  
Flammability (solid, gas) : No data available  
Self-ignition : not determined  
Upper explosion limit / Upper flammability limit : not determined  
Lower explosion limit / Lower flammability limit : not determined  
Vapour pressure : not determined  
Relative vapour density : not determined  
Density : 1.0706 g/cm<sup>3</sup>  
Solubility(ies)  
Water solubility : not determined  
Partition coefficient: n-octanol/water : not determined  
Decomposition temperature : not determined  
Viscosity  
Viscosity, dynamic : not determined  
Viscosity, kinematic : not determined  
Molecular weight : No data available

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.  
Chemical stability : No decomposition if stored and applied as directed.  
Possibility of hazardous reactions : No decomposition if stored and applied as directed.  
Hazardous polymerisation does not occur.  
Conditions to avoid : No data available  
Incompatible materials : Strong oxidizing agents

**Car Brite™ HEAVY METAL Brake Dust and  
Fallout Remover**

Version	Revision Date:	SDS Number:	Date of last issue: 09/22/2020
2.0	02/02/2021	600000002369	Date of first issue: 09/22/2020

Hazardous decomposition products : Carbon oxides  
Sodium oxides

Hazardous decomposition products : Sulphur oxides

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Inhalation  
Eye contact  
Skin contact  
Ingestion

**Acute toxicity**

Harmful if swallowed.

**Product:**

Acute oral toxicity : Acute toxicity estimate: 836.62 mg/kg  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

**Components:****Sodium thioglycolate:**

Acute oral toxicity : LD50 (Rat): > 50 - 200 mg/kg  
Method: OECD Test Guideline 423

Acute inhalation toxicity : LC50 (Rat): > 2.729 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The component/mixture is minimally toxic after short term inhalation.

Acute dermal toxicity : LD50 (Rat, female): > 1,000 - 2,000 mg/kg  
Method: OECD Test Guideline 402

**Alkyl (C10-16) Ether Sulfate, Sodium Salt:**

Acute oral toxicity : LD50 (Rat): 4,100 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

**Ethanol:**

Acute oral toxicity : LD50 (Rat): 7,060 mg/kg

Acute inhalation toxicity : LC50 (Rat): 117 - 125 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour

# SAFETY DATA SHEET



## Car Brite™ HEAVY METAL Brake Dust and Fallout Remover

Version 2.0      Revision Date: 02/02/2021      SDS Number: 600000002369      Date of last issue: 09/22/2020  
Date of first issue: 09/22/2020

---

Acute dermal toxicity : LDLo (Rabbit): 20 g/kg

### **Sodium Xylene Sulfonate:**

Acute oral toxicity : LD50 (Rat): > 7,000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: No adverse effect has been observed in acute dermal toxicity tests.

### **Skin corrosion/irritation**

Not classified based on available information.

### **Product:**

Remarks: May irritate skin.

### **Components:**

#### **Sodium thioglycolate:**

Species: Rabbit  
Method: OECD Test Guideline 404  
Result: Mild skin irritation

#### **Alkyl (C10-16) Ether Sulfate, Sodium Salt:**

Result: Irritating to skin.

#### **Ethanol:**

Result: Possibly irritating to skin

#### **Sodium Xylene Sulfonate:**

Species: Rabbit  
Method: OECD Test Guideline 404  
Result: Mild skin irritation  
Remarks: Information given is based on data obtained from similar substances.

### **Serious eye damage/eye irritation**

Causes serious eye damage.

### **Product:**

Remarks: May cause irreversible eye damage.

### **Components:**

#### **Sodium thioglycolate:**

Species: Rabbit  
Result: Possibly irritating to eyes  
Method: OECD Test Guideline 405



**Car Brite™ HEAVY METAL Brake Dust and  
Fallout Remover**

Version 2.0      Revision Date: 02/02/2021      SDS Number: 600000002369      Date of last issue: 09/22/2020  
Date of first issue: 09/22/2020

---

**Alkyl (C10-16) Ether Sulfate, Sodium Salt:**

Result: Corrosive

**Ethanol:**

Result: Irritating to eyes.

**Sodium Xylene Sulfonate:**

Species: Rabbit  
Result: Irritation to eyes, reversing within 7 days  
Method: OECD Test Guideline 405  
GLP: yes

**Respiratory or skin sensitisation**

**Skin sensitisation**

May cause an allergic skin reaction.

**Respiratory sensitisation**

Not classified based on available information.

**Product:**

Remarks: May cause allergic skin reaction.

**Components:**

**Sodium thioglycolate:**

Species: Mouse  
Method: OECD Test Guideline 429  
Result: May cause sensitisation by skin contact.

**Sodium Xylene Sulfonate:**

Test Type: Buehler Test  
Exposure routes: Dermal  
Species: Guinea pig  
Method: OECD Test Guideline 406  
Result: Does not cause skin sensitisation.  
GLP: yes

**Germ cell mutagenicity**

Not classified based on available information.

**Carcinogenicity**

Not classified based on available information.

**IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP**

No component of this product present at levels greater than or

# SAFETY DATA SHEET



## Car Brite™ HEAVY METAL Brake Dust and Fallout Remover

Version: 2.0      Revision Date: 02/02/2021      SDS Number: 600000002369      Date of last issue: 09/22/2020  
Date of first issue: 09/22/2020

---

equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

Not classified based on available information.

### STOT - single exposure

Not classified based on available information.

### Components:

#### Ethanol:

Assessment: May cause drowsiness or dizziness.

### STOT - repeated exposure

Not classified based on available information.

### Aspiration toxicity

Not classified based on available information.

### Further information

### Product:

Remarks: No data available

---

## SECTION 12. ECOLOGICAL INFORMATION

### Toxicity

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life.

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

---

## SECTION 14. TRANSPORT INFORMATION

Dangerous goods descriptions (if indicated below) may not reflect quantity, end-use, or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

### International Regulations

# SAFETY DATA SHEET



## Car Brite™ HEAVY METAL Brake Dust and Fallout Remover

Version 2.0      Revision Date: 02/02/2021      SDS Number: 600000002369      Date of last issue: 09/22/2020  
Date of first issue: 09/22/2020

### IATA-DGR

UN/ID No. : UN 1760  
Proper shipping name : Corrosive liquid, n.o.s.  
(Sodium thioglycollate)  
Class : 8  
Packing group : II  
Labels : 8  
Packing instruction (cargo aircraft) : 855  
Packing instruction (passenger aircraft) : 851

### IMDG-Code

UN number : UN 1760  
Proper shipping name : CORROSIVE LIQUID, N.O.S.  
(Sodium thioglycollate)  
Class : 8  
Packing group : II  
Labels : 8  
EmS Code : F-A, S-B  
Marine pollutant : no

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### 49 CFR

UN/ID/NA number : UN 1760  
Proper shipping name : Corrosive liquids, n.o.s.  
(Sodium thioglycollate)  
Class : 8  
Packing group : II  
Labels : 8  
ERG Code : 154  
Marine pollutant : no

## SECTION 15. REGULATORY INFORMATION

### EPCRA - Emergency Planning and Community Right-to-Know Act

#### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Ethyl acetate	141-78-6	100	100 (F003)
Diethyl phthalate	84-66-2	1000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Corrosive to metals

# SAFETY DATA SHEET



## Car Brite™ HEAVY METAL Brake Dust and Fallout Remover

Version 2.0      Revision Date: 02/02/2021      SDS Number: 600000002369      Date of last issue: 09/22/2020  
Date of first issue: 09/22/2020

---

Acute toxicity (any route of exposure)  
Serious eye damage or eye irritation  
Respiratory or skin sensitisation

### SARA 313

: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### California Prop. 65


WARNING: This product can expose you to chemicals including Diethanolamine, 1,4-Dioxane, beta-Myrcene, Ethyl Acrylate, Safrole, Methyl Eugenol, which is/are known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

---

## SECTION 16. OTHER INFORMATION

### Further information

#### NFPA:



Special hazard.

Revision Date : 02/02/2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN