



Version 4.0	Revision Date: 09/13/2018		DS Number: 0000000807	Date of last issue: 09/13/2018 Date of first issue: 05/23/2016
SECTION	1. IDENTIFICATION			
Produ	uct name	:	EASIOFF BLUE I	PASTE WAX 12/16 OC
Produ	uct code	:	CBOOA009-01	
	ufacturer or supplier's			
Addre	pany name of supplier	•	Dallas TX 75225	
		•		
Emai	l Address	:	EHS@niteoprodu	icts.com
Telep	phone	:	1-844-696-4836	
Emer ber	rgency telephone num-	:	1-800-424-9300 /	1-703-741-5970
Reco	ommended use of the c	her	nical and restriction	ons on use
Reco	mmended use	:	WAX	
Restr	rictions on use	:	Use only outdoors	s or in a well-ventilated area.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordation Skin irritation	GHS classification in accordance with 29 CFR 1910.1200Skin irritation: Category 2				
Specific target organ toxicity - single exposure	:	Category 3 (Central nervous system)			
GHS label elements Hazard pictograms	:				
Signal word	:	Warning			
Hazard statements	:	Causes skin irritation. May cause drowsiness or dizziness.			
Precautionary statements	:	Prevention: Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves.			



Version	Revision Date:	SDS Number:	Date of last issue: 09/13/2018
4.0	09/13/2018	60000000807	Date of first issue: 05/23/2016

Response:

IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. If skin irritation occurs: Get medical advice/ attention. Take off contaminated clothing and wash before reuse.

Storage:

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Solvent naphtha (petroleum)	64742-88-7	>= 0 - <= 80
Raffinates (petroleum), sorption process	64741-85-1	>= 0 - <= 80

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	If on clothes, remove clothes. Seek medical advice. Remove contaminated clothing. If irritation develops, get med- ical attention. If on skin, rinse well with water. Wash contaminated clothing before re-use. If skin irritation persists, call a physician.
In case of eye contact	:	Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing.
If swallowed	:	Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.



Version 4.0	Revision Date: 09/13/2018	SDS Number: 60000000807	Date of last issue: 09/13/2018 Date of first issue: 05/23/2016	
		If symptoms pe	ersist, call a physician.	
	important symptoms iffects, both acute and ed	: Causes skin in May cause dro	itation. wsiness or dizziness.	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire- fighting	:	If product is heated above its flash point it will produce vapors sufficient to support combustion. Vapors are heavier than air and may travel along the ground and be ignited by heat, pilot lights, other flames and ignition sources at locations near the point of release. Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion prod- ucts	:	Carbon oxides Silicon oxides
Specific extinguishing meth- ods	:	Product is compatible with standard fire-fighting agents.
Further information	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Avoid dust formation. Avoid breathing dust. Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
Environmental precautions	:	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE



Vers 4.0	sion	Revision Date: 09/13/2018		S Number: 0000000807	Date of last issue: 09/13/2018 Date of first issue: 05/23/2016
		on protection against l explosion	:	Avoid dust format	prevent the build up of electrostatic charge. ion. te exhaust ventilation at places where dust
	Advice on safe handling		:	Avoid creating dust. Provide sufficient air exchange and/or exhaust in work room Do not breathe vapours/dust. Do not smoke. Avoid contact with skin and eyes. Dispose of rinse water in accordance with local and nationaregulations. Container hazardous when empty. Smoking, eating and drinking should be prohibited in the a plication area. For personal protection see section 8.	
	Conditi	ons for safe storage	:	place.	•
	Further age sta	information on stor- bility	:	No decomposition	if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Solvent naphtha (petroleum)	64742-88-7	TWA	200 mg/m3 (total hydrocarbon vapor)	ACGIH

Hazardous components without workplace control parameters

•	•	•
Components	CAS-No.	
Raffinates (petroleum), sorp-	64741-85-1	
tion process		
Engineering measures :	ventilation to r applicable) or apparent adve	ent mechanical (general and/or local exhaust) naintain exposure below exposure guidelines (if below levels that cause known, suspected or erse effects. priate exhaust ventilation at places where dust
Personal protective equipment	t	

Respiratory protection	:	In the case of dust or aerosol formation use respirator with an
		approved filter.

Hand protection



Version 4.0	Revision Date: 09/13/2018	SDS Numb 600000000		Date of last issue: 09/13/2018 Date of first issue: 05/23/2016		
Remarks		er). The cussed	Wear resistant gloves (consult your safety equipment suppli- er). The suitability for a specific workplace should be dis- cussed with the producers of the protective gloves. Discard gloves that show tears, pinholes, or signs of wear.			
Eye protection		: Safety	glasses			
Skin and body protection		centrati Wear a	on of the d s appropria pervious p	ection according to the amount and con- langerous substance at the work place. ate: protective suit		
Hyg	iene measures	practice Avoid b When u	e. reathing d ising do no			

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

:	solid
:	blue
:	No data available
:	neutral
:	63.9 - 68.3 °C
:	171 °C
:	73.9 °C Method: Tag closed cup
:	No data available
:	< 5 mmHg (20 °C)
:	> 1 (Air = 1.0)
:	0.871 g/cm3 (20 °C)



Car Brite™ EASI-OFF BLUE Paste Wax

Version 4.0	Revision Date: 09/13/2018	SDS Number: 60000000807	Date of last issue: 09/13/2018 Date of first issue: 05/23/2016	
Water solubility		: slightly solubl	e	
Partition coefficient: n- octanol/water		: No data avail	able	
Visco Vi	osity scosity, dynamic	: No data avail	able	
Vi	scosity, kinematic	: No data avail	able	
Oxidi	zing properties	: No data avail	able	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reac- tions	:	No decomposition if stored and applied as directed. Hazardous polymerisation does not occur.
Conditions to avoid	:	Heat, flames and sparks.
		No data available
Incompatible materials	:	Strong oxidizing agents
Hazardous decomposition products	:	Carbon oxides Silicon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure Inhalation Skin contact Eye contact Ingestion						
Acute toxicity						
Not classified based on availa	able	information.				
Product:						
Acute oral toxicity	:	Acute toxicity estimate: 3,125 mg/kg Method: Calculation method				
Acute dermal toxicity	:	Acute toxicity estimate: 2,778 mg/kg Method: Calculation method				
<u>Components:</u>						
Solvent naphtha (petroleum):						
Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg				
Acute inhalation toxicity	:	LC50 (Rat): > 5.28 mg/l				



Car Brite™ EASI-OFF BLUE Paste Wax

	Revision Date: 09/13/2018	SDS Number: 60000000807	Date of last issue: 09/13/2018 Date of first issue: 05/23/2016			
			ere: vapour D Test Guideline 403 No adverse effect has been observed in acut			
Acute dermal toxicity		Method: OEC Assessment:	 LD50 (Rabbit): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: No adverse effect has been observed in acute dermal toxicity tests. 			
Raffir	nates (petroleum), so	orption process:				
Acute	oral toxicity	: LD50 (Rat): >	2,000 mg/kg			
Acute	inhalation toxicity	: LC50 (Rat): > Exposure time Test atmosph Assessment: inhalation toxi	e: 4 h ere: dust/mist No adverse effect has been observed in acut			
Acute	dermal toxicity	: LD50 (Rabbit)): > 2,000 mg/kg			
	corrosion/irritation es skin irritation.					
<u>Produ</u>	uct:					
	irks: May cause skin i	rritation and/or derma	atitis.			
Rema		rritation and/or derma	atitis.			
Rema Comp Solve Speci	irks: May cause skin i		atitis.			
Rema Comp Solve Speci- Resul Raffir	urks: May cause skin in <u>ponents:</u> ent naphtha (petroleu es: Rabbit t: Skin irritation nates (petroleum), so	ım): prption process:				
Rema Comp Solve Speci- Resul Raffir	urks: May cause skin in <u>ponents:</u> ent naphtha (petroleu es: Rabbit t: Skin irritation	ım): prption process:				
Rema Comp Solve Speci Resul Raffir Resul	urks: May cause skin in ponents: ent naphtha (petroleu es: Rabbit t: Skin irritation nates (petroleum), so	ım): prption process:				
Rema Comp Solve Speci Resul Raffir Resul Resul Serio	urks: May cause skin in <u>conents:</u> ent naphtha (petroleu es: Rabbit t: Skin irritation nates (petroleum), so t: Repeated exposure	Im): prption process: may cause skin dryn irritation				
Rema Comp Solve Speci Resul Raffir Resul Resul Serio	urks: May cause skin in <u>ponents:</u> ent naphtha (petroleu es: Rabbit t: Skin irritation nates (petroleum), so t: Repeated exposure t: No skin irritation us eye damage/eye i assified based on ava	Im): prption process: may cause skin dryn irritation				
Rema Comp Solve Speci Resul Resul Resul Resul Serio Not cl Produ	urks: May cause skin in <u>conents:</u> ent naphtha (petroleu es: Rabbit t: Skin irritation hates (petroleum), so t: Repeated exposure t: No skin irritation us eye damage/eye i assified based on ava <u>uct:</u>	Im): prption process: may cause skin dryn irritation ilable information.				
Rema Comp Solve Speci Resul Raffir Resul Resul Serio Not cl Produ Rema	urks: May cause skin in <u>conents:</u> ent naphtha (petroleu es: Rabbit t: Skin irritation hates (petroleum), so t: Repeated exposure t: No skin irritation us eye damage/eye i assified based on ava <u>uct:</u>	Im): prption process: may cause skin dryn irritation ilable information.	ness or cracking.			
Rema Comp Solve Specia Resul Raffir Resul Resul Serio Not cl Produ Rema Comp	urks: May cause skin in <u>ponents:</u> ent naphtha (petroleu es: Rabbit t: Skin irritation nates (petroleum), so t: Repeated exposure t: No skin irritation us eye damage/eye in assified based on ava <u>Jct:</u> urks: Product dust may	Im): prption process: may cause skin dryn irritation ilable information. y be irritating to eyes,	ness or cracking.			



Version	Revision Date:	SDS Number:
4.0	09/13/2018	60000000807

Date of last issue: 09/13/2018 Date of first issue: 05/23/2016

Raffinates (petroleum), sorption process:

Result: No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Solvent naphtha (petroleum):

Test Type: Buehler Test Species: Guinea pig Assessment: Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified based on available information.

Components:

Solvent naphtha (petroleum):

Genotoxicity in vitro	: Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Result: negative
-----------------------	--

Carcinogenicity

Not classified based on available information.IARCNo component of this product present at levels greater than or
equal to 0.1% is identified as probable, possible or confirmed
human carcinogen by IARC.OSHANo component of this product present at levels greater than or
equal to 0.1% is on OSHA's list of regulated carcinogens.NTPNo component of this product present at levels greater than or
equal to 0.1% is identified as a known or anticipated carcinogen
by NTP.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause drowsiness or dizziness.

Components:

Solvent naphtha (petroleum):

Exposure routes: inhalation (vapour) Target Organs: Central nervous system Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.



Version	Revision Date:	SDS Number:
4.0	09/13/2018	60000000807

Date of last issue: 09/13/2018 Date of first issue: 05/23/2016

Raffinates (petroleum), sorption process:

Exposure routes: Inhalation Target Organs: Central nervous system Assessment: May cause drowsiness or dizziness.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Components:

Solvent naphtha (petroleum):

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Raffinates (petroleum), sorption process:

May be fatal if swallowed and enters airways.

Further information

Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

SECTION 12. ECOLOGICAL INFORMATION

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	:	Dispose of in accordance with all applicable local, state and federal regulations.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

Dangerous goods descriptions (if indicated below) may not reflect quantity, end-use, or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

International Regulations

IATA-DGR Not regulated as a dangerous good



Version	Revision Date:	SDS Number:
4.0	09/13/2018	60000000807

Date of last issue: 09/13/2018 Date of first issue: 05/23/2016

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

Not regulated as a dangerous good

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	Skin corrosion or irritation Specific target organ toxicity (single or repeated exposure)
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.






Version	Revision Date:	SDS Number:	Date of last issue: 09/13/2018
4.0	09/13/2018	60000000807	Date of first issue: 05/23/2016

SECTION 16. OTHER INFORMATION

Further information



Revision Date : 09/13/2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN