

# SAFETY DATA SHEET



## Car Brite™ REVIVE™ Ready-To-Use Bumper & Trim Dressing

Version 2.0      Revision Date: 09/06/2018      SDS Number: 600000000720      Date of last issue: 04/29/2018  
Date of first issue: 05/23/2016

---

### SECTION 1. IDENTIFICATION

Product name : REVIVE TRIM TREATMENT 12/32 FOZ

Product code : CBOOC010A02

#### Manufacturer or supplier's details

Company name of supplier : Niteo Products, LLC

Address : Dallas TX 75225

Email Address : EHS@niteoproducts.com

Telephone : 1-844-696-4836

Emergency telephone number : 1-800-424-9300 / 1-703-741-5970

#### Recommended use of the chemical and restrictions on use

Recommended use : LEATHER CARE

Restrictions on use : Use only outdoors or in a well-ventilated area.

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with 29 CFR 1910.1200

Flammable liquids : Category 3

Skin irritation : Category 2

Eye irritation : Category 2A

Reproductive toxicity : Category 2

#### GHS label elements

Hazard pictograms : 

Signal word : Warning

Hazard statements : Flammable liquid and vapour.  
Causes skin irritation.  
Causes serious eye irritation.  
Suspected of damaging fertility.

## Car Brite™ REVIVE™ Ready-To-Use Bumper & Trim Dressing

Version 2.0      Revision Date: 09/06/2018      SDS Number: 600000000720      Date of last issue: 04/29/2018  
 Date of first issue: 05/23/2016

Precautionary statements : **Prevention:**  
 Obtain special instructions before use.  
 Do not handle until all safety precautions have been read and understood.  
 Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
 Keep container tightly closed.  
 Ground/bond container and receiving equipment.  
 Use explosion-proof electrical/ ventilating/ lighting equipment.  
 Use only non-sparking tools.  
 Take precautionary measures against static discharge.  
 Wash skin thoroughly after handling.  
 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 IF exposed or concerned: Get medical advice/ attention.  
 If skin irritation occurs: Get medical advice/ attention.  
 If eye irritation persists: Get medical advice/ attention.  
 Take off contaminated clothing and wash before reuse.  
 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

**Storage:**  
 Store in a well-ventilated place. Keep cool.  
 Store locked up.

**Disposal:**  
 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

Static-accumulating flammable liquid.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Distillates (petroleum)	64742-47-8	>= 10 - < 20
Morpholine	110-91-8	>= 1 - < 3
Siloxanes and Silicones, di-Me, [[[3-[(2-ami-noethyl)amino]propyl]silyldi-nyne]tris(oxy)]tris-, methoxy-terminated	67923-07-3	>= 1 - < 5

# SAFETY DATA SHEET



## Car Brite™ REVIVE™ Ready-To-Use Bumper & Trim Dressing

Version 2.0      Revision Date: 09/06/2018      SDS Number: 600000000720      Date of last issue: 04/29/2018  
Date of first issue: 05/23/2016

Octamethylcyclotetrasiloxane      556-67-2       $\geq 0.1 - < 1$

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

### SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : If on clothes, remove clothes.  
Remove contaminated clothing. If irritation develops, get medical attention.  
If on skin, rinse well with water.  
Wash contaminated clothing before re-use.  
If skin irritation persists, call a physician.
- In case of eye contact : Immediately flush eye(s) with plenty of water.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Obtain medical attention.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Causes skin irritation.  
Causes serious eye irritation.  
Suspected of damaging fertility.

### SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical  
Alcohol-resistant foam
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon oxides  
Silicon oxides
- Specific extinguishing methods : Product is compatible with standard fire-fighting agents.

## Car Brite™ REVIVE™ Ready-To-Use Bumper & Trim Dressing

Version	Revision Date:	SDS Number:	Date of last issue: 04/29/2018
2.0	09/06/2018	600000000720	Date of first issue: 05/23/2016

---

- Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
Use a water spray to cool fully closed containers.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Remove all sources of ignition.  
Avoid breathing dust.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.  
Evacuate personnel to safe areas.  
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.  
Prevent product from entering drains.  
Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

---

### SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours).  
Electrically bond and ground all containers, personnel and equipment before transfer or use of material. Special precautions may be necessary to dissipate static electricity for non-conductive containers. Use proper bonding and grounding during product transfer as described in National Fire Protection Association document NFPA 77.  
Keep away from open flames, hot surfaces and sources of ignition.  
Use only explosion-proof equipment.  
Do not spray on a naked flame or any incandescent material.
- Advice on safe handling : Open drum carefully as content may be under pressure.  
Avoid formation of aerosol.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Do not breathe vapours/dust.  
Do not smoke.  
Take precautionary measures against static discharges.

## Car Brite™ REVIVE™ Ready-To-Use Bumper & Trim Dressing

Version 2.0      Revision Date: 09/06/2018      SDS Number: 600000000720      Date of last issue: 04/29/2018  
Date of first issue: 05/23/2016

Avoid contact with skin and eyes.  
Dispose of rinse water in accordance with local and national regulations.  
Container hazardous when empty.  
Smoking, eating and drinking should be prohibited in the application area.  
For personal protection see section 8.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Observe label precautions.  
No smoking.

Further information on storage stability : No decomposition if stored and applied as directed.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Morpholine	110-91-8	TWA	20 ppm	ACGIH
		TWA	20 ppm 70 mg/m <sup>3</sup>	NIOSH REL
		ST	30 ppm 105 mg/m <sup>3</sup>	NIOSH REL
		TWA	20 ppm 70 mg/m <sup>3</sup>	OSHA Z-1
		TWA	20 ppm 70 mg/m <sup>3</sup>	OSHA P0
		STEL	30 ppm 105 mg/m <sup>3</sup>	OSHA P0
Octamethylcyclotetrasiloxane	556-67-2	TWA	10 ppm	US WEEL

#### Hazardous components without workplace control parameters

Components	CAS-No.
Distillates (petroleum)	64742-47-8
Siloxanes and Silicones, di-Me, [[[3-[(2-aminoethyl)amino]propyl]silyldiyl]tris(oxy)]tris-, methoxy-terminated	67923-07-3

**Engineering measures** : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

## Car Brite™ REVIVE™ Ready-To-Use Bumper & Trim Dressing

Version	Revision Date:	SDS Number:	Date of last issue: 04/29/2018
2.0	09/06/2018	600000000720	Date of first issue: 05/23/2016

---

### Personal protective equipment

#### Hand protection

Remarks : Wear resistant gloves (consult your safety equipment supplier). The suitability for a specific workplace should be discussed with the producers of the protective gloves. Discard gloves that show tears, pinholes, or signs of wear.

Eye protection : Wear chemical splash goggles when there is the potential for exposure of the eyes to liquid, vapor or mist.

Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.  
Wear as appropriate:  
Impervious clothing  
Flame-resistant clothing  
Safety shoes

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.  
When using do not smoke.  
When using do not eat or drink.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: viscous
Colour	: white
Odour	: solvent-like
pH	: 8.5
Melting point/freezing point	: No data available
Boiling point/boiling range	: 65 °C (1,013 hPa) The value is calculated
Flash point	: 50.56 °C Method: Tag closed cup
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Flammability (liquids)	: Static-accumulating flammable liquid.
Self-ignition	: No data available
Upper explosion limit / Upper flammability limit	: 11.2 %(V) The value is calculated
Lower explosion limit / Lower flammability limit	: 1 %(V) The value is calculated

# SAFETY DATA SHEET



## Car Brite™ REVIVE™ Ready-To-Use Bumper & Trim Dressing

Version 2.0      Revision Date: 09/06/2018      SDS Number: 600000000720      Date of last issue: 04/29/2018  
Date of first issue: 05/23/2016

---

Vapour pressure : 23.33 hPa (20 °C)  
The value is calculated

Density : 0.923 g/cm<sup>3</sup>

Solubility(ies)  
Water solubility : No data available

Partition coefficient: n-octanol/water : No data available

Viscosity  
Viscosity, dynamic : No data available

Viscosity, kinematic : > 100 mm<sup>2</sup>/s (40 °C)

Oxidizing properties : No data available

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.  
Vapours may form explosive mixture with air.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Acids  
acrylates  
Alcohols  
Aldehydes  
Bases  
glycols  
Halogenated compounds  
isocyanates  
Ketones  
Metals  
Nitrous acid and other nitrosating agents  
organic anhydrides  
Reducing agents  
Strong oxidizing agents

Hazardous decomposition products : Carbon oxides  
Silicon oxides

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact

---

**Car Brite™ REVIVE™ Ready-To-Use Bumper & Trim Dressing**

Version 2.0      Revision Date: 09/06/2018      SDS Number: 600000000720      Date of last issue: 04/29/2018  
Date of first issue: 05/23/2016

---

Eye contact

Ingestion

**Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 200 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

**Components:****Distillates (petroleum):**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): Exposure time: 4 h  
Test atmosphere: vapour  
Method: OECD Test Guideline 403  
Assessment: No adverse effect has been observed in acute inhalation toxicity tests.

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: No adverse effect has been observed in acute dermal toxicity tests.

**Morpholine:**

Acute oral toxicity : LD50 (Rat): ca. 1,900 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : Assessment: The component/mixture is toxic after short term inhalation.

Acute dermal toxicity : LD50 (Rabbit): ca. 500 mg/kg

**Octamethylcyclotetrasiloxane:**

Acute oral toxicity : LD50 (Rat): > 4,800 mg/kg

Acute inhalation toxicity : LC50 (Rat): 36 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,400 mg/kg  
Assessment: No adverse effect has been observed in acute dermal toxicity tests.



**Car Brite™ REVIVE™ Ready-To-Use Bumper & Trim Dressing**

Version	Revision Date:	SDS Number:	Date of last issue: 04/29/2018
2.0	09/06/2018	600000000720	Date of first issue: 05/23/2016

---

**Skin corrosion/irritation**

Causes skin irritation.

**Product:**

Result: Repeated exposure may cause skin dryness or cracking.

Remarks: May cause skin irritation and/or dermatitis.

**Components:****Distillates (petroleum):**

Result: Irritating to skin.

**Morpholine:**

Result: Corrosive after 3 minutes or less of exposure

**Siloxanes and Silicones, di-Me, [[[3-[(2-aminoethyl)amino]propyl]silyldiyne]tris(oxy)]tris-, methoxy-terminated:**

Assessment: No skin irritation

Result: No skin irritation

**Octamethylcyclotetrasiloxane:**

Species: Rabbit

Result: No skin irritation

**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Product:**

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

**Components:****Distillates (petroleum):**

Result: Possibly irritating to eyes

**Morpholine:**

Result: Irreversible effects on the eye

**Siloxanes and Silicones, di-Me, [[[3-[(2-aminoethyl)amino]propyl]silyldiyne]tris(oxy)]tris-, methoxy-terminated:**

Result: Irritating to eyes.

**Octamethylcyclotetrasiloxane:**

Species: Rabbit

Result: Possibly irritating to eyes

# SAFETY DATA SHEET



## Car Brite™ REVIVE™ Ready-To-Use Bumper & Trim Dressing

Version 2.0	Revision Date: 09/06/2018	SDS Number: 600000000720	Date of last issue: 04/29/2018 Date of first issue: 05/23/2016
----------------	------------------------------	-----------------------------	---

---

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

#### Components:

##### Octamethylcyclotetrasiloxane:

Test Type: Maximisation Test  
Species: Guinea pig  
Assessment: Does not cause skin sensitisation.  
Method: OECD Test Guideline 406

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### Morpholine:

Genotoxicity in vitro      :    Test Type: unscheduled DNA synthesis assay  
  Test system: rat hepatocytes  
  Metabolic activation: with and without metabolic activation  
  Method: OECD Test Guideline 482  
  Result: negative

  Test Type: In vitro mammalian cell gene mutation test  
  Test system: mouse lymphoma cells  
  Metabolic activation: with and without metabolic activation  
  Method: OECD Test Guideline 476  
  Result: positive

##### Octamethylcyclotetrasiloxane:

Genotoxicity in vitro      :    Test Type: Ames test  
  Test system: Salmonella typhimurium  
  Metabolic activation: with and without metabolic activation  
  Result: negative

### Carcinogenicity

Not classified based on available information.

#### IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

#### OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

#### NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Car Brite™ REVIVE™ Ready-To-Use Bumper & Trim Dressing**

Version 2.0      Revision Date: 09/06/2018      SDS Number: 600000000720      Date of last issue: 04/29/2018  
Date of first issue: 05/23/2016

---

**Reproductive toxicity**

Suspected of damaging fertility.

**Components:**

**Octamethylcyclotetrasiloxane:**

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

**STOT - single exposure**

Not classified based on available information.

**Components:**

**Distillates (petroleum):**

Assessment: May cause drowsiness or dizziness.

**STOT - repeated exposure**

Not classified based on available information.

**Aspiration toxicity**

Not classified based on available information.

**Components:**

**Distillates (petroleum):**

May be fatal if swallowed and enters airways.

**Further information**

**Product:**

Remarks: No data available

---

**SECTION 12. ECOLOGICAL INFORMATION**

---

**SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods**

Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.

# SAFETY DATA SHEET



## Car Brite™ REVIVE™ Ready-To-Use Bumper & Trim Dressing

Version 2.0      Revision Date: 09/06/2018      SDS Number: 600000000720      Date of last issue: 04/29/2018  
Date of first issue: 05/23/2016

### SECTION 14. TRANSPORT INFORMATION

Dangerous goods descriptions (if indicated below) may not reflect quantity, end-use, or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

#### International Regulations

##### IATA-DGR

UN/ID No. : UN 1993  
Proper shipping name : Flammable liquid, n.o.s.  
(ALIPHATIC PETROLEUM DISTILLATES)  
Class : 3  
Packing group : III  
Labels : 3  
Packing instruction (cargo aircraft) : 366  
Packing instruction (passenger aircraft) : 355

##### IMDG-Code

UN number : UN 1993  
Proper shipping name : FLAMMABLE LIQUID, N.O.S.  
(ALIPHATIC PETROLEUM DISTILLATES)  
Class : 3  
Packing group : III  
Labels : 3  
EmS Code : F-E, S-E  
Marine pollutant : no

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### National Regulations

##### 49 CFR

UN/ID/NA number : UN 1993  
Proper shipping name : Flammable liquids, n.o.s.  
(ALIPHATIC PETROLEUM DISTILLATES)  
Class : 3  
Packing group : III  
Labels : 3  
ERG Code : 128  
Marine pollutant : no

### SECTION 15. REGULATORY INFORMATION

#### EPCRA - Emergency Planning and Community Right-to-Know Act

##### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)

##### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

# SAFETY DATA SHEET



## Car Brite™ REVIVE™ Ready-To-Use Bumper & Trim Dressing

Version 2.0      Revision Date: 09/06/2018      SDS Number: 600000000720      Date of last issue: 04/29/2018  
Date of first issue: 05/23/2016

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Flammable (gases, aerosols, liquids, or solids)  
Hazard not otherwise classified (physical hazards)  
Skin corrosion or irritation  
Serious eye damage or eye irritation  
Reproductive toxicity

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.


### California Prop. 65

WARNING: This product can expose you to chemicals including Methanol, Ethylene glycol monomethyl ether, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## SECTION 16. OTHER INFORMATION

### Further information

#### NFPA:



Special hazard.

Revision Date : 09/06/2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN