

# Car Brite™ SELECT EXTERIOR BIO-SOLVENT **VOC Compliant Body Prep Solvent**

SDS Number: Version Revision Date: Date of last issue: 09/06/2018 09/14/2018 60000000164 Date of first issue: 05/23/2016 3.0

#### **SECTION 1. IDENTIFICATION**

Product name CB SELECT EXTERIOR BIO-SOLVENT PL 5 GA

Product code 782686

Manufacturer or supplier's details

Company name of supplier : Niteo Products, LLC

Address : Dallas TX 75225

**Email Address** EHS@niteoproducts.com

Telephone 1-844-696-4836

Emergency telephone num-

ber

: 1-800-424-9300 / 1-703-741-5970

Recommended use of the chemical and restrictions on use

Recommended use : SOLVENT

Restrictions on use Use only outdoors or in a well-ventilated area.

#### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with 29 CFR 1910.1200

Flammable liquids : Category 4

Carcinogenicity Category 2

- single exposure

Specific target organ toxicity : Category 3 (Central nervous system)

Aspiration hazard Category 1

**GHS** label elements

Hazard pictograms





Signal word Danger

Combustible liquid. Hazard statements

May be fatal if swallowed and enters airways.

May cause drowsiness or dizziness.



# Car Brite™ SELECT EXTERIOR BIO-SOLVENT VOC Compliant Body Prep Solvent

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09/06/2018

 3.0
 09/14/2018
 600000000164
 Date of first issue: 05/23/2016

Suspected of causing cancer.

Precautionary statements : Prevention:

Obtain special instructions before use.

Do not handle until all safety precautions have been read and

understood.

Keep away from heat/sparks/open flames/hot surfaces. No

smoking.

Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/ protective clothing/ eye protection/ face

protection.

Response:

IF SWALLOWED: Immediately call a POISON CENTER/doctor. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

IF exposed or concerned: Get medical advice/ attention.

Do NOT induce vomiting.

In case of fire: Use dry sand, dry chemical or alcohol-resistant

foam to extinguish.

Storage:

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal

plant.

# Other hazards

None known.

# **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

# **Hazardous components**

Chemical name	CAS-No.	Concentration (% w/w)
Distillates (petroleum)	64742-47-8	>= 30 - < 50
Cocamide diethanolamine	68603-42-9	>= 1 - < 5
Diethanolamine	111-42-2	>= 0.1 - < 1
·		

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

#### **SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance. Symptoms of poisoning may appear several hours later.

Do not leave the victim unattended.



# Car Brite™ SELECT EXTERIOR BIO-SOLVENT VOC Compliant Body Prep Solvent

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09/06/2018

 3.0
 09/14/2018
 600000000164
 Date of first issue: 05/23/2016

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If on clothes, remove clothes.

Remove contaminated clothing. If irritation develops, get med-

ical attention.

If on skin, rinse well with water.

Wash contaminated clothing before re-use. If skin irritation persists, call a physician.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If swallowed : Obtain medical attention.

Do NOT induce vomiting.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms

and effects, both acute and

delayed

May be fatal if swallowed and enters airways.

May cause drowsiness or dizziness.

Suspected of causing cancer.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Water spray

Carbon dioxide (CO2)

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire-

fighting

If product is heated above its flash point it will produce vapors

sufficient to support combustion. Vapors are heavier than air and may travel along the ground and be ignited by heat, pilot lights, other flames and ignition sources at locations near the

point of release.

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

Carbon oxides

Specific extinguishing meth-

. ods Product is compatible with standard fire-fighting agents.

Further information : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations. Use a water spray to cool fully closed containers.



# Car Brite™ SELECT EXTERIOR BIO-SOLVENT **VOC Compliant Body Prep Solvent**

Version Revision Date: SDS Number: Date of last issue: 09/06/2018 09/14/2018 60000000164 Date of first issue: 05/23/2016 3.0

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec- : tive equipment and emer-

gency procedures

Use personal protective equipment. Remove all sources of ignition.

Ensure adequate ventilation.

Avoid breathing dust.

Persons not wearing protective equipment should be excluded

from area of spill until clean-up has been completed.

**Environmental precautions** Prevent further leakage or spillage if safe to do so.

Prevent product from entering drains.

Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local

/ national regulations (see section 13).

Keep in suitable, closed containers for disposal.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on protection against fire and explosion

Electrically bond and ground all containers, personnel and equipment before transfer or use of material. Special precautions may be necessary to dissipate static electricity for nonconductive containers. Use proper bonding and grounding during product transfer as described in National Fire Protec-

tion Association document NFPA 77.

Keep away from open flames, hot surfaces and sources of

ignition.

Do not spray on a naked flame or any incandescent material.

Advice on safe handling Avoid formation of aerosol.

Provide sufficient air exchange and/or exhaust in work rooms.

Do not breathe vapours/dust.

Do not smoke.

Avoid contact with skin and eyes.

Dispose of rinse water in accordance with local and national

regulations.

Container hazardous when empty.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

For personal protection see section 8.

Conditions for safe storage Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.



# Car Brite™ SELECT EXTERIOR BIO-SOLVENT **VOC Compliant Body Prep Solvent**

SDS Number: Version Revision Date: Date of last issue: 09/06/2018 09/14/2018 60000000164 Date of first issue: 05/23/2016 3.0

Observe label precautions.

No smoking.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum)	64742-47-8	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA	200 mg/m3 (total hydrocarbon vapor)	ACGIH
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
Diethanolamine	111-42-2	TWA (Inhalable fraction and vapor)	1 mg/m3	ACGIH
		TWA	3 ppm 15 mg/m3	NIOSH REL
		TWA	3 ppm 15 mg/m3	OSHA P0

### Hazardous components without workplace control parameters

Components	CAS-No.	
Cocamide diethanolamine	68603-42-9	

**Engineering measures** Provide sufficient mechanical (general and/or local exhaust)

ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or

apparent adverse effects.

Personal protective equipment

Respiratory protection In the case of vapour formation use a respirator with an ap-

proved filter.

Hand protection

Wear resistant gloves (consult your safety equipment suppli-Remarks

> er). The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Not required under normal conditions of use. Wear splash-Eye protection

proof safety goggles if material could be misted or splashed

into eyes.

Skin and body protection Choose body protection according to the amount and con-

centration of the dangerous substance at the work place.



# Car Brite™ SELECT EXTERIOR BIO-SOLVENT VOC Compliant Body Prep Solvent

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09/06/2018

 3.0
 09/14/2018
 600000000164
 Date of first issue: 05/23/2016

Wear as appropriate: Impervious clothing Safety shoes

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

When using do not smoke. When using do not eat or drink.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Colour : yellow

Odour : pleasant

pH : No data available

Melting point/freezing point : No data available

Boiling point/boiling range : 149 °C

The value is calculated

Flash point : 80 °C

The value is calculated

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Self-ignition : No data available

Upper explosion limit / Upper

Special explosion mint ( opper : C

flammability limit

6 %(V)

The value is calculated

Lower explosion limit / Lower

flammability limit

0.7 %(V)

The value is calculated

Vapour pressure : 6.67 hPa

The value is calculated

Density : 0.864 g/cm3 (20 °C)

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : 13.1 mm2/s (40 °C)



# Car Brite™ SELECT EXTERIOR BIO-SOLVENT VOC Compliant Body Prep Solvent

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09/06/2018

 3.0
 09/14/2018
 600000000164
 Date of first issue: 05/23/2016

Oxidizing properties : No data available

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Vapours may form explosive mixture with air.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Strong acids

Strong oxidizing agents Strong reducing agents

Hazardous decomposition

products

Carbon oxides

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

Inhalation Skin contact Eye contact Ingestion

# **Acute toxicity**

Not classified based on available information.

# **Components:**

# Cocamide diethanolamine:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2 g/kg

Assessment: No adverse effect has been observed in acute

dermal toxicity tests.

Diethanolamine:

Acute oral toxicity : LD50 (Rat, male and female): ca. 1,600 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC0 (Rat): 0.2 mg/l

Exposure time: 8 h

Assessment: No adverse effect has been observed in acute

inhalation toxicity tests.

Remarks: An LC50/inhalation/4h/rat could not be determined because no mortality of rats was observed at the maximum

achievable concentration.

Acute dermal toxicity : LD50 (Rabbit): > 8,200 mg/kg



# Car Brite™ SELECT EXTERIOR BIO-SOLVENT VOC Compliant Body Prep Solvent

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09/06/2018

 3.0
 09/14/2018
 600000000164
 Date of first issue: 05/23/2016

### Skin corrosion/irritation

Not classified based on available information.

### **Product:**

Remarks: May cause skin irritation and/or dermatitis.

# **Components:**

# Distillates (petroleum):

Result: Repeated exposure may cause skin dryness or cracking.

#### Cocamide diethanolamine:

Assessment: Irritating to skin. Result: Irritating to skin.

#### Diethanolamine:

Result: Irritating to skin.

# Serious eye damage/eye irritation

Not classified based on available information.

#### **Product:**

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

### **Components:**

# Cocamide diethanolamine:

Result: Irritating to eyes.

# Diethanolamine:

Result: Risk of serious damage to eyes.

# Respiratory or skin sensitisation

# Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

#### Components:

### Diethanolamine:

Assessment: Does not cause skin sensitisation.

# Germ cell mutagenicity

Not classified based on available information.



# Car Brite™ SELECT EXTERIOR BIO-SOLVENT VOC Compliant Body Prep Solvent

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09/06/2018

 3.0
 09/14/2018
 600000000164
 Date of first issue: 05/23/2016

Components:

Diethanolamine:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test Type: Ames test Test system: Escherichia coli

Metabolic activation: with and without metabolic activation Method: Mutagenicity (Salmonella typhimurium - reverse mu-

tation assay) Result: negative

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 479

Result: negative

Genotoxicity in vivo : Species: Mouse

Method: OECD Test Guideline 474

Result: negative

Carcinogenicity

Suspected of causing cancer.

**Components:** 

Cocamide diethanolamine:

Carcinogenicity - Assess-

ment

Limited evidence of carcinogenicity in animal studies (dermal)

Diethanolamine:

Carcinogenicity - Assess-

ment

: Limited evidence of a carcinogenic effect.

IARC Group 2B: Possibly carcinogenic to humans

Cocamide diethanolamine 68603-42-9

Diethanolamine 111-42-2

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.



# Car Brite™ SELECT EXTERIOR BIO-SOLVENT VOC Compliant Body Prep Solvent

Version Revision Date: SDS Number: Date of last issue: 09/06/2018 3.0 09/14/2018 600000000164 Date of first issue: 05/23/2016

#### Reproductive toxicity

Not classified based on available information.

#### STOT - single exposure

May cause drowsiness or dizziness.

#### Components:

# Distillates (petroleum):

Target Organs: Central nervous system

Assessment: May cause drowsiness or dizziness.

#### STOT - repeated exposure

Not classified based on available information.

## **Components:**

#### Diethanolamine:

Exposure routes: Ingestion Target Organs: Liver

Assessment: May cause damage to organs through prolonged or repeated exposure.

Exposure routes: Ingestion Target Organs: Blood

Assessment: May cause damage to organs through prolonged or repeated exposure.

Exposure routes: Ingestion Target Organs: Kidney

Assessment: May cause damage to organs through prolonged or repeated exposure.

# **Aspiration toxicity**

May be fatal if swallowed and enters airways.

#### **Product:**

May be fatal if swallowed and enters airways.

# **Components:**

# Distillates (petroleum):

May be fatal if swallowed and enters airways.

#### **Further information**

#### **Product:**

Remarks: No data available

## **SECTION 12. ECOLOGICAL INFORMATION**



# Car Brite™ SELECT EXTERIOR BIO-SOLVENT VOC Compliant Body Prep Solvent

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09/06/2018

 3.0
 09/14/2018
 600000000164
 Date of first issue: 05/23/2016

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Dispose of in accordance with all applicable local, state and

federal regulations.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

#### **SECTION 14. TRANSPORT INFORMATION**

Dangerous goods descriptions (if indicated below) may not reflect quantity, end-use, or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

# International Regulations

#### IATA-DGR

Not regulated as a dangerous good

#### **IMDG-Code**

Not regulated as a dangerous good

# Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

# **National Regulations**

#### **49 CFR**

Not regulated as a dangerous good

#### **49 CFR**

Not regulated as a dangerous good

### **SECTION 15. REGULATORY INFORMATION**

# **EPCRA - Emergency Planning and Community Right-to-Know Act**

#### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Diethanolamine	111-42-2	100	*
Ethylbenzene	100-41-4	100	100 (F003)*

<sup>\*:</sup> Calculated RQ exceeds reasonably attainable upper limit.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)



# Car Brite™ SELECT EXTERIOR BIO-SOLVENT VOC Compliant Body Prep Solvent

Version Revision Date: SDS Number: Date of last issue: 09/06/2018 3.0 09/14/2018 600000000164 Date of first issue: 05/23/2016

Carcinogenicity

Specific target organ toxicity (single or repeated exposure)

Aspiration hazard

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.


#### California Prop. 65

WARNING: This product can expose you to chemicals including Cocamide diethanolamine, Diethanolamine, Ethylbenzene, which is/are known to the State of California to cause cancer, and Methanol, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

#### **SECTION 16. OTHER INFORMATION**

### **Further information**

#### NFPA:



Special hazard.

Revision Date : 09/14/2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN