

Version 2.0	Revision Date: 09/06/2018		DS Number: 00000000296	Date of last issue: 05/06/2018 Date of first issue: 05/23/2016	
SECTION	I 1. IDENTIFICATION				
Prod	uct name	:	CB SELECT EXT	R/INTER CLNR/DGR PL 5 GA SQ	
Prod	uct code	:	593835		
	Manufacturer or supplier's Company name of supplier		ails Niteo Products, L	10	
	Address		Dallas TX 75225		
Ema	Email Address		EHS@niteoproducts.com		
Tele	phone	:	1-844-696-4836		
Eme ber	Emergency telephone num- ber		1-800-424-9300 / 1-703-741-5970		
Reco	ommended use of the c	cher	nical and restriction	ons on use	
Reco	ommended use	:	DEGREASER		
Rest	Restrictions on use		Use only outdoor	s or in a well-ventilated area.	

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in acco Skin corrosion	GHS classification in accordance with 29 CFR 1910.1200Skin corrosion: Category 1				
Serious eye damage	:	Category 1			
GHS label elements Hazard pictograms	:				
Signal word Hazard statements	:	Danger Causes severe skin burns and eye damage.			
Precautionary statements	:	Prevention: Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection. Response:			



rsion)	Revision Date: 09/06/2018	SDS Number: 60000000296	Date of last issue: 05/06/2018 Date of first issue: 05/23/2016
		IF ON SKIN (o clothing. Rinse IF INHALED: F for breathing. I IF IN EYES: R Remove conta rinsing. Immed	ED: Rinse mouth. Do NOT induce vomiting. r hair): Take off immediately all contaminated skin with water/shower. Remove person to fresh air and keep comfortable mmediately call a POISON CENTER/doctor. inse cautiously with water for several minutes. ct lenses, if present and easy to do. Continue iately call a POISON CENTER/doctor. nated clothing before reuse.
		Storage:	
		Store locked up.	
		Disposal:	
		Dispose of con plant.	tents/ container to an approved waste disposal
Othe	r hazards		
	known.		

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Alcohols, C9-11, ethoxylated	68439-46-3	>= 1 - < 3
Sodium metasilicate	6834-92-0	>= 1 - < 3
betaAlanine, N-(2-carboxyethyl)-N-	14960-06-6	>= 1 - < 3
dodecyl-, monosodium salt		
Sodium hydroxide	1310-73-2	>= 1 - < 3

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4. FIRST AID MEASURES

General advice	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	If breathed in, move person into fresh air. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	Take off contaminated clothing and shoes immediately. If on skin, rinse well with water. Wash contaminated clothing before re-use. If skin irritation persists, call a physician.
In case of eye contact	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.



Version 2.0	Revision Date: 09/06/2018		DS Number: 00000000296	Date of last issue: 05/06/2018 Date of first issue: 05/23/2016			
If swallowed		:	Continue rinsing eyes during transport to hospital. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. : Get medical attention immediately.				
ii Swalloweu			Do NOT induce Rinse mouth with Do not give milk Never give anyth	vomiting.			
	t important symptoms effects, both acute and yed	:	Causes serious Causes severe b	, .			

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray Carbon dioxide (CO2)
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire- fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion prod- ucts	:	Carbon oxides
Specific extinguishing meth- ods	:	Product is compatible with standard fire-fighting agents.
Further information	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	Use personal protective equipment. Avoid breathing dust. Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
Environmental precautions :	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

SAFETY DATA SHEET



Car Brite[™] SELECT EXTERIOR INTERIOR CLEANER/DEGREASER

Vers 2.0	sion	Revision Date: 09/06/2018		DS Number: 0000000296	Date of last issue: 05/06/2018 Date of first issue: 05/23/2016
	Methods and materials for containment and cleaning up		:	: Keep in suitable, closed containers for disposal.	
SEC	CTION 7	. HANDLING AND ST	OR	AGE	
		on protection against d explosion	:	Normal measures	for preventive fire protection.
	Advice	on safe handling	:	 Do not breathe vapours/dust. Avoid contact with skin and eyes. Dispose of rinse water in accordance with local and na regulations. Container hazardous when empty. Smoking, eating and drinking should be prohibited in the plication area. For personal protection see section 8. 	
	Condit	ions for safe storage	 Keep container tightly closed in a dry and well-ventilat place. Containers which are opened must be carefully resear kept upright to prevent leakage. Observe label precautions. 		are opened must be carefully resealed and event leakage.
	Furthe age sta	r information on stor- ability	:	No decomposition	if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Sodium hydroxide	1310-73-2	C	2 mg/m3	ACGIH
		С	2 mg/m3	NIOSH REL
		TWA	2 mg/m3	OSHA Z-1
		С	2 mg/m3	OSHA P0

Hazardous components without workplace control parameters

Components	CAS-No.
Alcohols, C9-11, ethoxylated	68439-46-3
Sodium metasilicate	6834-92-0
betaAlanine, N-(2-	14960-06-6
carboxyethyl)-N-dodecyl-,	
monosodium salt	

Engineering measures

: Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

SAFETY DATA SHEET



Car Brite[™] SELECT EXTERIOR INTERIOR CLEANER/DEGREASER

Version 2.0	Revision Date: 09/06/2018		0S Number: 0000000296	Date of last issue: 05/06/2018 Date of first issue: 05/23/2016			
	onal protective equipr I protection	nent					
Remarks		:	Wear resistant gloves (consult your safety equipment suppli- er). The suitability for a specific workplace should be dis- cussed with the producers of the protective gloves. Discard gloves that show tears, pinholes, or signs of wear.				
Eye ç	Eye protection		Wear chemical splash goggles and face shield when there is potential for exposure of the eyes or face to liquid, vapor or mist.				
Skin	Skin and body protection		Choose body protection according to the amount and con centration of the dangerous substance at the work place. Wear as appropriate: Impervious clothing Safety shoes Remove and wash contaminated clothing before re-use.				
Hygiene measures :		:	Handle in accorda practice. When using do no When using do no				

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	dark yellow
Odour	:	No data available
рН	:	13.1
Melting point/freezing point	:	No data available
Boiling point/boiling range	:	100 °C (1,013.33 hPa) The value is calculated
Flash point	:	
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Self-ignition	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	31.99 hPa (25 °C)



Version 2.0	Revision Date: 09/06/2018	SDS Number: 600000000296	Date of last issue: 05/06/2018 Date of first issue: 05/23/2016
		The value is	calculated
Dens	ity	: 1.051 g/cm3	(20 °C)
	bility(ies) ′ater solubility	: No data avai	lable
	ion coefficient: n- nol/water	: No data avai	lable
Visco Vi	osity scosity, dynamic	: No data avai	lable
Vi	scosity, kinematic	: No data avai	lable
Oxidi	zing properties	: No data avai	lable
SECTION	10. STABILITY AND	REACTIVITY	
Reac	tivity	: No dangerou	is reaction known under conditions of normal use

Reactivity	•	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac- tions	:	No decomposition if stored and applied as directed. Hazardous polymerisation does not occur.
Conditions to avoid	:	Exposure to sunlight. Exposure to moisture
Incompatible materials	:	Acids Aluminium aluminum salts Copper Copper alloys Halogenated compounds Lead Metals organic nitro compounds Strong bases Strong oxidizing agents Tin water Zinc
Hazardous decomposition	:	Carbon oxides

products

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Eye contact Ingestion



ersion 0	Revision Date: 09/06/2018	SDS Number: 60000000296	Date of last issue: 05/06/2018 Date of first issue: 05/23/2016
Acute	e toxicity		
Not cl	lassified based on ava	ailable information.	
Produ	uct: e oral toxicity	: Remarks: Cau	ses digestive tract burns.
Acute			-
		Acute toxicity e Method: Calcu	estimate: > 5,000 mg/kg lation method
Com	oonents:		
Alcoh	nols, C9-11, ethoxyla	ited:	
Acute	oral toxicity	: LD50 (Rat): 50	0 - 2,000 mg/kg
Acute	e dermal toxicity	: LD50 (Rabbit):	> 5 g/kg
Sodiu	um metasilicate:		
Acute	oral toxicity	: LD50 (Rat): 1, ²	153 mg/kg
beta.	-Alanine, N-(2-carbo	xyethyl)-N-dodecyl-,	monosodium salt:
Acute	oral toxicity	: LD50 (Rat): 31	,300 mg/kg
Acute	e dermal toxicity	: LD50 (Rabbit):	> 5,000 mg/kg
Sodiu	um hydroxide:		
Acute	oral toxicity	: LDLo (Rabbit):	500 mg/kg
-	corrosion/irritation		
	es severe burns.		
Produ Rema		kin burns and eye dan	nade.
	eeling of irritation or p		
<u>Com</u>	oonents:		
Alcol	nols, C9-11, ethoxyla	ited:	
Resu	It: Mild skin irritation		
	um metasilicate:		
Resu	lt: Causes burns.		
	•	xyethyl)-N-dodecyl-,	monosodium salt:
Resu	It: Irritating to skin.		
Sodiu	um hydroxide:		
Resu	It: Corrosive after 3 m	inutes or less of expos	sure



Version	Revision Date:	SDS Number:
2.0	09/06/2018	60000000296

Date of last issue: 05/06/2018 Date of first issue: 05/23/2016

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Remarks: May cause irreversible eye damage.

Components:

Alcohols, C9-11, ethoxylated:

Result: Irreversible effects on the eye

Sodium metasilicate:

Result: Irreversible effects on the eye Assessment: Corrosive

beta.-Alanine, N-(2-carboxyethyl)-N-dodecyl-, monosodium salt:

Result: Irreversible effects on the eye

Sodium hydroxide:

Result: Irreversible effects on the eye Assessment: Corrosive

Respiratory or skin sensitisation

Skin sensitisation Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

beta.-Alanine, N-(2-carboxyethyl)-N-dodecyl-, monosodium salt:

Assessment: Did not cause sensitisation on laboratory animals.

Sodium hydroxide:

Exposure routes: Skin contact Species: Humans Result: negative

Germ cell mutagenicity

Not classified based on available information.

Components:

beta.-Alanine, N-(2-carboxyethyl)-N-dodecyl-, monosodium salt:

Genotoxicity in vitro : Remarks: In vitro tests did not show mutagenic effects

Carcinogenicity

Not classified based on available information.



ersion 0	Revision Date: 09/06/2018	SDS Number: 60000000296	Date of last issue: 05/06/2018 Date of first issue: 05/23/2016		
IARC			this product present at levels greater than or dentified as probable, possible or confirmed h by IARC.		
OSH	A	•	this product present at levels greater than or n OSHA's list of regulated carcinogens.		
NTP			No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinoger by NTP.		
-	oductive toxicity assified based on ava	ilable information.			
	- single exposure				
Not cl	assified based on ava	ilable information.			
Comp	oonents:				
Sodium metasilicate: Assessment: May cause respiratory irritation.					
	- repeated exposure				
Aspiration toxicity Not classified based on available information.					
Produ	uct:				
No as	No aspiration toxicity classification				
Furth	er information				
<u>Produ</u>	uct:				
Rema	arks: No data available)			
	12. ECOLOGICAL IN	FORMATION			

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Dispose of in accordance with all applicable local, state and federal regulations.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.



Version	Revision Date:	SDS Number:	Date
2.0	09/06/2018	60000000296	Date

Date of last issue: 05/06/2018 Date of first issue: 05/23/2016

SECTION 14. TRANSPORT INFORMATION

Dangerous goods descriptions (if indicated below) may not reflect quantity, end-use, or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

International Regulations

IATA-DGR UN/ID No. Proper shipping name Class Packing group Labels Packing instruction (cargo aircraft) Packing instruction	:	UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (POTASSIUM HYDROXIDE, SODIUM METASILICATE) 8 II 8 855
(passenger aircraft) IMDG-Code UN number Proper shipping name Class Packing group	::	UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (POTASSIUM HYDROXIDE, SODIUM METASILICATE) 8 II
Labels EmS Code Marine pollutant	:	8 F-A, S-B no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR		
UN/ID/NA number	: UN	1719
Proper shipping name		USTIC ALKALI LIQUID, N.O.S. DTASSIUM HYDROXIDE, SODIUM METASILICATE)
Class	: 8	
Packing group	: 11	
Labels	: 8	
ERG Code	: 154	•
Marine pollutant	: no	

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Sodium hydroxide	1310-73-2	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.



Version	Revision Date:	SDS Number:	Date of last issue: 05/06/2018
2.0	09/06/2018	60000000296	Date of first issue: 05/23/2016

SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Ethylene Oxide	75-21-8	10	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity


This material does not contain any components with a section 302 EHS TPQ.


SARA 311/312 Hazards	:	Skin corrosion or irritation Serious eye damage or eye irritation
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65

WARNING: This product can expose you to chemicals including 1,4-Dioxane, Ethylene Oxide, which is/are known to the State of California to cause cancer, and Ethylene Oxide, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

SECTION 16. OTHER INFORMATION





Revision Date : 09/06/2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific



Version	Revision Date:	SDS Number:
2.0	09/06/2018	60000000296

Date of last issue: 05/06/2018 Date of first issue: 05/23/2016

material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN