

Page: 1

Revision: 02/17/2014

1. Product and Company Identification

Product Code: BI-S
Product Name: Instaset

Company Name:Crest Industries, Inc.Phone Number:1337 King Road(734)479-4141

Trenton, MI 48183

Web site address: crestauto.com

Emergency Contact: Chemtel (800)255-3924

International Calls (813)248-0585

Stock Number(s): BI-S

2. Hazards Identification

Flammable Liquids, Category 2
Acute Toxicity: Inhalation, Category 3
Acute Toxicity: Oral, Category 4
Acute Toxicity: Skin, Category 4

Serious Eye Damage/Eye Irritation, Category 2

Specific Target Organ Toxicity (single exposure), Category 3
Specific Target Organ Toxicity (repeated exposure), Category 2

Aquatic Toxicity (Chronic), Category 3







GHS Signal Word: Danger

GHS Hazard Phrases: H225 - Highly flammable liquid and vapor.

H302 - Harmful if swallowed.

H312 - Harmful in contact with skin. H319 - Causes serious eye irritation.

H331 - Toxic if inhaled.

H335 - May cause respiratory irritation.

H373 - May cause damage to through prolonged or repeated exposure.

H412 - Harmful to aquatic life with long lasting effects.

GHS Precaution Phrases: P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 - Keep container tightly closed.

P241 - Use explosion-proof electrical/ventilating/lighting/.../ equipment.

P242 - Use only non-sparking tools.

P243 - Take precautionary measures against static discharge. P260 - Do not breathe dust/fume/gas/mist/vapours/spray.

P264 - Wash hands thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P235 - Keep cool.

GHS Response Phrases: P301+312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel

unwell.

P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all contaminated

clothing. Rinse skin with water/shower.

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.



Page: 2

Revision: 02/17/2014

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P311 - Call a POISON CENTER or doctor/physician.

P330 - Rinse mouth.

P337+313 - If eye irritation persists, get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

P370+378 - In case of fire, use carbon dioxide, dry chemical powder, or appropriate

foam to extinguish.

GHS Storage and Disposal

Phrases:

P403+233 - Store container tightly closed in well-ventilated place - if product is as volatile

as to generate hazardous atmosphere.

P405 - Store locked up.

P501 - Dispose of contents/container to an approved treatment/storage/disposal facility

in accordance with local/regional/national and international regulations.

Potential Health Effects (Acute and Chronic):

3. Composition/Information on Ingredients

CAS # Hazardous Components (Chemical Name) Concentration
99-97-8 N,N-Dimethyl-p-toluidine 10.00 - 25.00 %
67-64-1 Acetone 5.000 - 20.00 %

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration.

In Case of Skin Contact: In case of contact, flush skin with plenty of water. Remove contaminated clothing and

shoes. Get medical aid if irritation develops and persists. Wash clothing before reuse.

In Case of Eye Contact: In case of contact, immediately flush eyes with plenty of water for a t least 15 minutes.

Call a physician.

In Case of Ingestion: Never give anything by mouth to an unconscious person. Potential for aspiration if

swallowed. Get medical aid immediately. If vomiting occurs naturally, have victim lean

forward. Rinse mouth with water. Do NOT induce vomiting.

Note to Physician: Treat symptomatically and supportively. Move out of dangerous area. Consult a

physician. Show this safety data sheet to the doctor in attendance.

5. Fire Fighting Measures

Flammability Classification: Flammable Liquid

Flash Pt: > 1.40 F (-17.0 C) Method Used: Unknown

Explosive Limits: LEL: 2.5 UEL: 12.8

Autoignition Pt: 869 F (465 C)

Suitable Extinguishing Media: In case of fire, use carbon dioxide, dry chemical powder or appropriate foam.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear. Containers may explode in the heat of a fire. Liquid will float and may reignite on the surface of water. Vapors are heavier than air and may travel to a source of ignition and flash back.

Flammable Properties and

Hazards:

Hazardous Combustion

Carbon oxides.

Products:



Page: 3

Revision: 02/17/2014

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled: Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Remove all sources of ignition. Use a spark-proof tool. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Do not let product enter

drains.

Keep in suitable, closed containers for disposal.

7. Handling and Storage

Precautions To Be Taken in Handling:

Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Use spark-proof tools and explosion proof equipment. Avoid contact with eyes, skin, and clothing. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep container tightly closed. Use only with adequate ventilation. Keep away

from heat, sparks and flame. Avoid ingestion and inhalation.

Precautions To Be Taken in Storing:

Keep away from sources of ignition. Store in a tightly closed container. Store in

well-ventilated place.

8. Exposure Controls/Personal Protection

CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
99-97-8	N,N-Dimethyl-p-toluidine			
67-64-1	Acetone	PEL: 1000 ppm	TLV: 250 ppm	
			STEL: 500 ppm	

Respiratory Equipment

(Specify Type):

Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced. Follow the OSHA

respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. **Eye Protection:**Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Protective Gloves: Wear appropriate gloves to prevent skin exposure. Wash and dry hands.

Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls

(Ventilation etc.):

Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits. Ventilation fans and other electrical service must be

non-sparking and have an explosion-proof design.

Work/Hygienic/Maintenance

Practices:

Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly

after handling.

Page: 4

Revision: 02/17/2014

9. Physical and Chemical Propertie	9. Ph	hysical and	Chemical	Prop	pertie
------------------------------------	-------	-------------	----------	------	--------

Physical States: [] Gas [X] Liquid [] Solid Appearance and Odor: Appearance: Yellowish. Liquid.

Odor: solvent odor.

pH: 7

Melting Point: -137 F (-94.0 C)

Boiling Point: 133 F (56.1 C) - 0 C (32.0 F)

Flash Pt: > 1.40 F (-17.0 C) Method Used: Unknown

Evaporation Rate:

Flammability (solid, gas):

Explosive Limits: LEL: 2.5 UEL: 12.8 Vapor Pressure (vs. Air or 181 MM_HG at 20.0 C (68.0 F)

mm Hg):

Vapor Density (vs. Air = 1): > Air

Specific Gravity (Water = 1):

Density: ~ 0.79 G/CM3

Solubility in Water: Octanol/Water Partition

Coefficient:

Percent Volatile: 100 % VOC / Volume: NA

Autoignition Pt: 869 F (465 C)

Decomposition Temperature:

Viscosity:

10. Stability and Reactivity

Stability: Unstable [] Stable [X]

Conditions To Avoid - ignition sources, Excess heat.

Instability:

Incompatibility - Materials To Strong oxidizing agents, Strong acids, Bases.

Avoid:

Hazardous Decomposition or Carbon monoxide, Carbon dioxide, formed under fire conditions.

Byproducts:

Possibility of Hazardous Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid - Hazardous Reactions:



Page: 5

Revision: 02/17/2014

11. Toxicological Information

Toxicological Information:

Carcinogenicity/Other

Information:

CAS# 123-86-4: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 78-93-3: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 1333-86-4: ACGIH: Not listed. California: carcinogen, initial date 2/21/03 (airborne, unbound particles of respirable size.

NTP: Not listed. Carcinogenicity.

IARC: No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is

identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

identified as a carcinogen or potential carcinogen by OSHA.

CAS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
99-97-8	N,N-Dimethyl-p-toluidine	n.a.	n.a.	n.a.	n.a.
67-64-1	Acetone	n.a.	n.a.	A4	n.a.

12. Ecological Information

13. Disposal Considerations

Waste Disposal Method:

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

RCRA P-Series: None listed.

RCRA U-Series: None listed. RCRA U-Series:

CAS# 78-93-3: waste number U159 (Ignitable waste, Toxic waste). Contact a licensed

professional waste disposal service to dispose of this material.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Limited Quantity.

DOT Hazard Class:

UN/NA Number: None LAND TRANSPORT (Canadian TDG):

TDG Shipping Name:

UN Number: None

Hazard Class: TDG Classification:

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Flammable liquids, toxic, n.o.s.

UN Number: 1992 Packing Group: ||

Hazard Class: 3 - FLAMMABLE LIQUID

IMDG MFAG Number:

IMDG EMS Page:



Page: 6

Revision: 02/17/2014

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Flammable liquids, toxic, n.o.s.

UN Number: 1992 Packing Group: II

Hazard Class: 3 - FLAMMABLE LIQUID

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS # Hazardous Components (Chemical Name) S. 302 (EHS) S. 304 RQ S. 313 (TRI)

This material meets the EPA [X] Yes [] No Acute (immediate) Health Hazard **'Hazard Categories' defined** [X] Yes [] No Chronic (delayed) Health Hazard

for SARA Title III Sections [X] Yes [] No Fire Hazard

311/312 as indicated: [X] Yes [] No Sudden Release of Pressure Hazard

[] Yes [X] No Reactive Hazard

CAS # Hazardous Components (Chemical Name) Other US EPA or State Lists

99-97-8 N,N-Dimethyl-p-toluidine CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes-

Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No

67-64-1 Acetone CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -

Inventory, 4 Test; CA PROP.65: No; CA TAC, Title 8: Title 8; MA Oil/HazMat: Yes; MI CMR, Part 5: Part 5; NC TAP: No; NJ EHS: Yes - 0006; NY Part 597: Yes; PA HSL: Yes - E; SC

TAP: No; WI Air: Yes

16. Other Information

Revision Date: 02/17/2014

Additional Information About

This Product:

Company Policy or The information contained in this SDS is believed to be accurate and reliable as of the

Disclaimer: date indicated. Crest Industries, Inc. assumes no legal responsibility and makes no

representation, warranty or guarantee, expressed or implied, as to the completeness or accuracy of the information. It is offered solely for your consideration, investigation and verification. The user is ultimately responsible for the safe use of the material in

accordance with applicable federal, state, provincial and local laws and regulations.