

1. Product and Company Identification					
Product Code: Product Name: Company Name: Web site address: Emergency Contact:	BS-P Silicone Paste Lubricant Crest Industries, Inc. 1337 King Road Trenton, MI 48183 crestauto.com Chemtel International Calls BS-P		<b>Phone Number:</b> (734)479-4141 (800)255-3924 (813)248-0585		
Stock Number(s):		Identificatior			
	2. <b>Π</b> αζαί US	Identification			
GHS Signal Word: GHS Hazard Phrases: GHS Precaution Phrases: GHS Response Phrases: GHS Storage and Disposal Phrases:	<b>None</b> No phrases apply. No phrases apply. No phrases apply. No phrases apply.				
Potential Health Effects					
(Acute and Chronic):	May aques and irritation				
Eye Contact:	May cause eye irritation.	mation on In	arediente		
	Composition/Info	mation on in	greatents		
-	oonents (Chemical Name)				
63148-62-9 Polydimethylsiloxa 112945-52-5 Silica, amorphous		85.00 - 95.00 % 5.000 - 10.00 %			
4. First Aid Measures					
Emergency and First Aid Procedures:					
In Case of Inhalation:	If breathed in, move person into fresh air.				
In Case of Skin Contact:	Wash off with soap and plenty of water.				
In Case of Eye Contact:	Flush eyes with water as a precaution. Never give anything by mouth to an unconscious person. Rinse mouth with water.				
In Case of Ingestion:					
5. Fire Fighting Measures					
Flash Pt:	, γ	Jsed: Estimate			
Explosive Limits: Autoignition Pt:	LEL: NA	UEL:			
Suitable Extinguishing Media		cal carbon dioxide	or alcohol-resistant foam		
Fire Fighting Instructions:	Wear self contained breath				
Flammable Properties and Hazards:					



## **SAFETY DATA SHEET** Silicone Paste Lubricant

Revision: 07/02/2014

Page: 2

6. Accidental Release Measures						
Steps To Be Taken In Case Do not let product enter drains.						
Material Is Released Or Spilled:	Keep in suitable, closed containers for disposal.					
	7. Handling	and Storag	e			
Precautions To Be Taken in Handling:	Normal measures for preventive fire protection.					
Precautions To Be Taken in Storing:	in Keep container tightly closed in a dry and well-ventilated place.					
8	8. Exposure Controls	s/Personal F	Protection			
CAS # Partial Chemical	I Name OSHA T	WA	ACGIH TWA	Other Limits		
63148-62-9 Polydimethylsilox	ane					
112945-52-5 Silica, amorphous	112945-52-5 Silica, amorphous treated					
Respiratory Equipment (Specify Type):	is not required. For nuisance exposures use type OV/AG (US) or type ABEK (EU EN 14387) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).					
Eye Protection:	Safety glasses.					
Protective Gloves:	Handle with gloves. Wash and dry hands.					
Other Protective Clothing: Impervious clothing.						
Engineering Controls (Ventilation etc.):						
Work/Hygienic/Maintenance Practices:	General industrial hygiene practice.					
	9. Physical and Cl	hemical Pro	perties			
Physical States:	[]Gas [X]Liquid [	] Solid				

Physical States:	[]Gas [X]Liquid []Solid
Fliysical States.	
Appearance and Odor:	green.
	Oily odor.
Melting Point:	NA - 27.4 C (81.3 F)
Boiling Point:	> 316 C (601 F)
Flash Pt:	> 113 C (235 F) Method Used: Estimate
Evaporation Rate:	
Flammability (solid, gas):	
Explosive Limits:	LEL: UEL:
Vapor Pressure (vs. Air or	
mm Hg):	
Vapor Density (vs. Air = 1):	
Specific Gravity (Water = 1):	
Density:	0.841 G/ML
Solubility in Water:	
Percent Volatile:	
Autoignition Pt:	NA



Revision: 07/02/2014

10. Stability and Reactivity							
Stability:		Unstable [ ]	Stable [ X ]				
Conditions To Instability:	o Avoid -	No data available.					
Incompatibili Avoid:	Incompatibility - Materials To Strong oxidizing agents. Avoid:						
Hazardous De Byproducts:	Hazardous Decomposition or formed under fire conditions. Carbon oxides. Byproducts:						
Possibility of Reactions:	Hazardous	Will occur [ ]	Will not occur [ X	]			
Conditions To Hazardous Ro							
		<b>11. To</b>	xicological In	formatio	n		
Toxicological	I Information:						
Carcinogenicity/Other Carcinogenicity.							
Information:IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by NTP.					ual to 0.1% is to 0.1% is		
CAS #	Hazardous Com	ponents (Chemica	al Name)	NTP	IARC	ACGIH	OSHA
63148-62-9 Polydimethylsiloxane			n.a.	n.a.	n.a.	n.a.	
112945-52-5	5 Silica, amorphous treated			n.a.	n.a.	n.a.	n.a.
12. Ecological Information							
13. Disposal Considerations							
Waste Disposal Method: Offer surplus and non-recyclable solutions to a licensed disposal company.							

## **14. Transport Information**

## LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: DOT Hazard Class: UN/NA Number: LAND TRANSPORT (Canadian TDG): TDG Shipping Name: UN Number:

Hazard Class:

**TDG Classification:** 



## **SAFETY DATA SHEET** Silicone Paste Lubricant

Page: 4

		15. R	egulatory	/ Informatio	n	
EPA SARA (Su	EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists					
CAS # 63148-62-9	Hazardous Components (Chemical Name) Polydimethylsiloxane		<b>S. 302 (EHS)</b> No	<b>S. 304 RQ</b> No	<b>S. 313 (TRI)</b> No	
112945-52-5	Silica, amorphous treated			No	No	No
This material meets the EPA[X] Yes [] NoAcute (immediate) Health Hazard'Hazard Categories' defined[] Yes [X] NoChronic (delayed) Health Hazardfor SARA Title III Sections[] Yes [X] NoFire Hazard311/312 as indicated:[] Yes [X] NoSudden Release of Pressure Hazard[] Yes [X] No[] Yes [X] NoReactive Hazard						
CAS #	Hazardous Components (Chemical Name)			Other US EPA or State Lists		
63148-62-9	Polydimethylsilox	kane		Inventory, 8A, 8A No; MA Oil/HazM	at: No; MI CMR, F	No; TSCA: Yes - 65: No; CA TAC, Title 8: Part 5: No; NC TAP: No; HSL: No; SC TAP: No; WI
112945-52-5	45-52-5 Silica, amorphous treated		CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No			

16. Other Information			
Revision Date:	07/02/2014		
Additional Information Abo This Product:	out		
Company Policy or Disclaimer:	The information contained in this SDS is believed to be accurate and reliable as of the date indicated. Crest Industries, Inc. assumes no legal responsibility and makes no representation, warranty or guarantee, expressed or implied, as to the completeness or accuracy of the information. It is offered solely for your consideration, investigation and verification. The user is ultimately responsible for the safe use of the material in		

accordance with applicable federal, state, provincial and local laws and regulations.