



## 1. Product and Company Identification

**Product Code:** CB-QC  
**Product Name:** Big Qwixter  
**Company Name:** Crest Industries, Inc.  
1337 King Road  
Trenton, MI 48183  
**Phone Number:** (734)479-4141  
**Web site address:** crestauto.com  
**Emergency Contact:** Chemtel (800)255-3924  
International Calls (813)248-0585  
**Stock Number(s):** CB-QC

## 2. Hazards Identification

**Skin Corrosion/Irritation, Category 2**  
**Skin Sensitization, Category 1**  
**Serious Eye Damage/Eye Irritation, Category 2B**  
**Acute Toxicity: Oral, Category 4**  
**Acute Toxicity: Skin, Category 4**



**GHS Signal Word:** **Warning**

**GHS Hazard Phrases:** H302 - Harmful if swallowed.  
H312 - Harmful in contact with skin.  
H315 - Causes skin irritation.  
H317 - May cause an allergic skin reaction.  
H320 - Causes eye irritation.

**GHS Precaution Phrases:** P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.  
P264 - Wash hands thoroughly after handling.  
P270 - Do not eat, drink or smoke when using this product.  
P272 - Contaminated work clothing should not be allowed out of the workplace.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

**GHS Response Phrases:** P301+312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.  
P302+352 - IF ON SKIN: Wash with plenty of soap and water.  
P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P312 - Call a POISON CENTER or doctor/physician if you feel unwell.  
P330 - Rinse mouth.  
P333+313 - If skin irritation or rash occurs, get medical advice/attention.  
P337+313 - If eye irritation persists, get medical advice/attention.  
P362 - Take off contaminated clothing and wash before re-use.

**GHS Storage and Disposal Phrases:** P501 - Dispose of contents/container to an approved treatment/storage/disposal facility in accordance with local/regional/national and international regulations.



**Potential Health Effects**  
**(Acute and Chronic):**

**3. Composition/Information on Ingredients**

CAS #	Hazardous Components (Chemical Name)	Concentration
25068-38-6	Bisphenol-a based epoxy resin	60.00 - 80.00 %
NA	NJTSRN-EP783-A	1.000 - 10.00 %
NA	NJTSRN-EP783-B	1.000 - 10.00 %

**4. First Aid Measures**

**Emergency and First Aid Procedures:**

- In Case of Inhalation:** If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.
- In Case of Skin Contact:** Wash off with soap and plenty of water. Consult a physician.
- In Case of Eye Contact:** Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
- In Case of Ingestion:** Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.
- Note to Physician:** Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

**5. Fire Fighting Measures**

- Flash Pt:** 252 C (486 F)
- Explosive Limits:** LEL: UEL:
- Autoignition Pt:** > 300 C (572 F)
- Suitable Extinguishing Media:** Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam.
- Fire Fighting Instructions:** Wear self contained breathing apparatus for fire fighting if necessary.
- Flammable Properties and Hazards:**
- Hazardous Combustion Products:**

**6. Accidental Release Measures**

- Steps To Be Taken In Case Material Is Released Or Spilled:** Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Prevent further leakage or spillage if safe to do so. Discharge into the environment must be avoided.
- Keep in suitable, closed containers for disposal.

**7. Handling and Storage**

- Precautions To Be Taken in Handling:** Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Normal measures for preventive fire protection.
- Precautions To Be Taken in Storing:** Keep container tightly closed in a dry and well-ventilated place.

**8. Exposure Controls/Personal Protection**



CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
25068-38-6	Bisphenol-a based epoxy resin			
NA	NJTSRN-EP783-A			
NA	NJTSRN-EP783-B			

**Respiratory Equipment (Specify Type):** Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi- purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

**Eye Protection:** Face shield and safety glasses.

**Protective Gloves:** Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

**Other Protective Clothing:** Complete suit protecting against chemicals.

**Engineering Controls (Ventilation etc.):**

**Work/Hygienic/Maintenance Practices:** Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## 9. Physical and Chemical Properties

**Physical States:** [ ] Gas [ X ] Liquid [ ] Solid

**Appearance and Odor:** Clear.  
acid odor.

**pH:**

**Melting Point:** -15.0 C (5.0 F) - 5.00 C (41.0 F)

**Boiling Point:** NA

**Flash Pt:** 252 C (486 F)

**Evaporation Rate:**

**Flammability (solid, gas):**

**Explosive Limits:** LEL: UEL:

**Vapor Pressure (vs. Air or mm Hg):**

**Vapor Density (vs. Air = 1):**

**Specific Gravity (Water = 1):**

**Density:** 1.168 G/CM3

**Solubility in Water:**

**Octanol/Water Partition Coefficient:**

**Autoignition Pt:** > 300 C (572 F)

**Decomposition Temperature:**

**Viscosity:**



### 10. Stability and Reactivity

**Stability:** Unstable [  ] Stable [  ]

**Conditions To Avoid - Instability:**

**Incompatibility - Materials To Avoid:** Strong oxidizing agents, acids, Amines, Bases.

**Hazardous Decomposition or Byproducts:**

**Possibility of Hazardous Reactions:** Will occur [  ] Will not occur [  ]

**Conditions To Avoid - Hazardous Reactions:**

### 11. Toxicological Information

**Toxicological Information:**

**Carcinogenicity/Other Information:** Carcinogenicity.  
 IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.  
 ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.  
 NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.  
 OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
25068-38-6	Bisphenol-a based epoxy resin	n.a.	n.a.	n.a.	n.a.
NA	NJTSRN-EP783-A	n.a.	n.a.	n.a.	n.a.
NA	NJTSRN-EP783-B	n.a.	n.a.	n.a.	n.a.

### 12. Ecological Information

### 13. Disposal Considerations

**Waste Disposal Method:** Contact a licensed professional waste disposal service to dispose of this material.

### 14. Transport Information

**LAND TRANSPORT (US DOT):**

**DOT Proper Shipping Name:** Limited Quantity.  
**DOT Hazard Class:**  
**UN/NA Number:** None

**LAND TRANSPORT (Canadian TDG):**

**TDG Shipping Name:**  
**UN Number:** None  
**Hazard Class:** **TDG Classification:**



## 15. Regulatory Information

### EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
25068-38-6	Bisphenol-a based epoxy resin	No	No	No
NA	NJTSRN-EP783-A	No	No	No
NA	NJTSRN-EP783-B	No	No	No

**This material meets the EPA**  Yes  No **Acute (immediate) Health Hazard**  
**'Hazard Categories' defined**  Yes  No **Chronic (delayed) Health Hazard**  
**for SARA Title III Sections**  Yes  No **Fire Hazard**  
**311/312 as indicated:**  Yes  No **Sudden Release of Pressure Hazard**  
 Yes  No **Reactive Hazard**

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
25068-38-6	Bisphenol-a based epoxy resin	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No
NA	NJTSRN-EP783-A	CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No
NA	NJTSRN-EP783-B	CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No

## 16. Other Information

**Revision Date:** 03/03/2014

**Additional Information About**

**This Product:**

**Company Policy or**

**Disclaimer:**

The information contained in this SDS is believed to be accurate and reliable as of the date indicated. Crest Industries, Inc. assumes no legal responsibility and makes no representation, warranty or guarantee, expressed or implied, as to the completeness or accuracy of the information. It is offered solely for your consideration, investigation and verification. The user is ultimately responsible for the safe use of the material in accordance with applicable federal, state, provincial and local laws and regulations.