



1. Product and Company Identification

Product Code: TS-BH
Product Name: Cream Hardener
Trade Name: Hardener for Polyester Resin
Company Name: Crest Industries, Inc. **Phone Number:**
1337 King Road (734)479-4141
Trenton, MI 48183
Web site address: crestauto.com
Emergency Contact: Chemtel (800)255-3924
International Calls (813)248-0585
Stock Number(s): TS-BH

2. Hazards Identification

Organic Peroxides, Type E
Skin Sensitization, Category 1
Serious Eye Damage/Eye Irritation, Category 2A



GHS Signal Word: **Warning**

GHS Hazard Phrases: H242 - Heating may cause a fire.
H317 - May cause an allergic skin reaction.
H319 - Causes serious eye irritation.

GHS Precaution Phrases: P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P220 - Keep away from combustible materials.
P234 - Keep only in original container.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
P272 - Contaminated work clothing should not be allowed out of the workplace.
P362+364 - Take off contaminated clothing and wash it before reuse.
P264 - Wash hands thoroughly after handling.

GHS Response Phrases: P302+352 - IF ON SKIN: Wash with plenty of soap and water.
P333+313 - If skin irritation or rash occurs, get medical advice/attention.
P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+313 - If eye irritation persists, get medical advice/attention.

GHS Storage and Disposal Phrases: P420 - Store away from other materials.
P403+235 - Store in cool/well-ventilated place. P410 - Protect from sunlight.
P501 - Dispose of contents/container to an approved treatment/storage/disposal facility in accordance with local/regional/national and international regulations.

Potential Health Effects (Acute and Chronic):



3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration
94-36-0	Benzoyl peroxide	48.00 - 51.00 %

4. First Aid Measures

Emergency and First Aid Procedures:

In Case of Inhalation:	Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid.
In Case of Skin Contact:	Get medical aid. Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
In Case of Eye Contact:	Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid immediately.
In Case of Ingestion:	Never give anything by mouth to an unconscious person. Get medical aid immediately. Do NOT induce vomiting.
Note to Physician:	Treat symptomatically and supportively.

5. Fire Fighting Measures

Flash Pt:	NP	Method Used:	Estimate
Explosive Limits:	LEL:	UEL:	
Autoignition Pt:	380 C (716 F)		
Suitable Extinguishing Media:	Use water spray to cool fire-exposed containers. Use water spray, dry chemical, carbon dioxide, or chemical foam.		
Fire Fighting Instructions:	As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear.		

Flammable Properties and Hazards:

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled:	Use proper personal protective equipment as indicated in Section 8. Spills/Leaks: Remove all sources of ignition. Provide ventilation. Use only non-sparking tools and equipment. In the event of spillage, spilled material should be mixed with water-wetted vermiculite, swept up, and placed in a container for immediate disposal.
---	--

7. Handling and Storage

Precautions To Be Taken in Handling:	Wash thoroughly after handling. Use with adequate ventilation. Avoid contact with eyes, skin, and clothing. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep container tightly closed. Keep away from heat, sparks and flame. Avoid ingestion and inhalation.
Precautions To Be Taken in Storing:	Keep away from heat and flame. Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances.

8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
94-36-0	Benzoyl peroxide	PEL: 5 mg/m3	TLV: 5 mg/m3	



Respiratory Equipment (Specify Type):	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Always use a NIOSH or European Standard EN 149 approved respirator when necessary.
Eye Protection:	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Protective Gloves:	Wear appropriate protective gloves to prevent skin exposure.
Other Protective Clothing:	Wear appropriate protective clothing to prevent skin exposure.
Engineering Controls (Ventilation etc.):	Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.

9. Physical and Chemical Properties

Physical States:	<input type="checkbox"/> Gas	<input type="checkbox"/> Liquid	<input checked="" type="checkbox"/> Solid
Appearance and Odor:	Blue. ester-like.		
Melting Point:	104 C (219 F) - 106 C (223 F)		
Boiling Point:	NA		
Flash Pt:	NP Method Used: Estimate		
Evaporation Rate:			
Flammability (solid, gas):			
Explosive Limits:	LEL:		UEL:
Vapor Pressure (vs. Air or mm Hg):			
Vapor Density (vs. Air = 1):			
Specific Gravity (Water = 1):			
Solubility in Water:			
Percent Volatile:			
Autoignition Pt:	380 C (716 F)		

10. Stability and Reactivity

Stability:	Unstable <input type="checkbox"/>	Stable <input checked="" type="checkbox"/>
Conditions To Avoid - Instability:	ignition sources, Excess heat, combustible materials.	
Incompatibility - Materials To Avoid:	Reducing agents, Strong acids, Bases, Oxidizing agents.	
Hazardous Decomposition or Byproducts:	Carbon monoxide, Carbon dioxide.	
Possibility of Hazardous Reactions:	Will occur <input type="checkbox"/>	Will not occur <input checked="" type="checkbox"/>
Conditions To Avoid - Hazardous Reactions:		



11. Toxicological Information

Toxicological Information:

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
94-36-0	Benzoyl peroxide	n.a.	3	A4	n.a.

12. Ecological Information

13. Disposal Considerations

Waste Disposal Method: Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.
RCRA P-Series: None listed.
RCRA U-Series: None listed.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Limited Quantity.

DOT Hazard Class:

UN/NA Number: None

LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: No information available.

UN Number: None

Hazard Class: **TDG Classification:**

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Organic peroxide type E, solid.

UN Number: 3108 **Packing Group:** II

Hazard Class: 5.2 - ORGANIC PEROXIDE

IATA Cargo Limit: 570

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
94-36-0	Benzoyl peroxide	No	No	Yes

This material meets the EPA Yes No Acute (immediate) Health Hazard

'Hazard Categories' defined Yes No Chronic (delayed) Health Hazard

for SARA Title III Sections Yes No Fire Hazard

311/312 as indicated: Yes No Sudden Release of Pressure Hazard

Yes No Reactive Hazard

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
94-36-0	Benzoyl peroxide	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: Title 8; MA Oil/HazMat: Yes; MI CMR, Part 5: No; NC TAP: No; NJ EHS: Yes - 0215; NY Part 597: No; PA HSL: Yes - E; SC TAP: No; WI Air: Yes



16. Other Information

Revision Date: 09/08/2014

Additional Information About

This Product:

Company Policy or

Disclaimer:

The information contained in this SDS is believed to be accurate and reliable as of the date indicated. Crest Industries, Inc. assumes no legal responsibility and makes no representation, warranty or guarantee, expressed or implied, as to the completeness or accuracy of the information. It is offered solely for your consideration, investigation and verification. The user is ultimately responsible for the safe use of the material in accordance with applicable federal, state, provincial and local laws and regulations.