



Printing date 04/22/2015 Reviewed on 04/22/2015

1 Identification

- · Product identifier
- · Trade name: HQP QUICKEE PRIME ACTIVATOR
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: Lusid Technologies 5195 West 4700 South KEARNS, UT 84118 USA
- · Information department: Product safety department
- · Emergency telephone number: 1-800-535-5053

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Harmful

Harmful by inhalation.



Irritant

Irritating to eyes and skin. May cause sensitisation by skin contact.



Highly flammable

Highly flammable.

· Information concerning particular hazards for human and environment:

The product has to be labeled due to the calculation procedure of international guidelines.

(Contd. on page 2)



Page 2/13

Safety Data Sheet acc. to OSHA HCS

Printing date 04/22/2015 Reviewed on 04/22/2015

Trade name: HQP QUICKEE PRIME ACTIVATOR

(Contd. of page 1)

· Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

- · Label elements
- · Labelling according to EU guidelines:

The product has been classified and marked in accordance with directives on hazardous materials.

· Code letter and hazard designation of product:





Harmful Highly flammable

· Hazard-determining components of labeling:

bis[4-(2,3-epoxypropoxy)phenyl]propane

· Risk phrases:

Highly flammable.

Harmful by inhalation.

Irritating to eyes and skin.

May cause sensitisation by skin contact.

· Safety phrases:

Keep out of the reach of children.

Avoid contact with skin and eyes.

Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point. Wear suitable gloves.

If swallowed, seek medical advice immediately and show this container or label.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1

Fire = 3

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 1

Fire = 3

Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

USA



Page 3/13

Safety Data Sheet acc. to OSHA HCS

Printing date 04/22/2015 Reviewed on 04/22/2015

Trade name: HQP QUICKEE PRIME ACTIVATOR

(Contd. of page 2)

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
98-56-6	4-chloro-alpha,alpha,alpha-trifluorotoluene	25-50%
1330-20-7	xylene	10-25%
67-64-1	acetone	2.5-10%
110-43-0	heptan-2-one	2.5-10%
100-41-4	ethylbenzene	2.5-10%
71-36-3	butan-1-ol	≤ 2.5%
	4-methylpentan-2-one	≤ 2.5%
1675-54-3	bis[4-(2,3-epoxypropoxy)phenyl]propane	≤ 2.5%

4 First-aid measures

- · Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

US/



Page 4/13

Safety Data Sheet acc. to OSHA HCS

Printing date 04/22/2015 Reviewed on 04/22/2015

Trade name: HQP QUICKEE PRIME ACTIVATOR

(Contd. of page 3)

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 5)





Printing date 04/22/2015 Reviewed on 04/22/2015

Trade name: HQP QUICKEE PRIME ACTIVATOR

(Contd. of page 4) · Control parameters · Components with limit values that require monitoring at the workplace: 1330-20-7 xylene PEL Long-term value: 435 mg/m³, 100 ppm REL Short-term value: 655 mg/m³, 150 ppm Long-term value: 435 mg/m³, 100 ppm TLV Short-term value: 651 mg/m³, 150 ppm Long-term value: 434 mg/m³, 100 ppm BEI67-64-1 acetone PEL Long-term value: 2400 mg/m³, 1000 ppm REL Long-term value: 590 mg/m³, 250 ppm TLV Short-term value: (1782) NIC-1187 mg/m³, (750) NIC-500 ppm Long-term value: (1188) NIC-594 mg/m³, (500) NIC-250 ppm BEI110-43-0 heptan-2-one PEL Long-term value: 465 mg/m³, 100 ppm REL Long-term value: 465 mg/m³, 100 ppm TLV Long-term value: 233 mg/m³, 50 ppm 100-41-4 ethylbenzene PEL Long-term value: 435 mg/m³, 100 ppm REL Short-term value: 545 mg/m³, 125 ppm Long-term value: 435 mg/m³, 100 ppm TLV Long-term value: 87 mg/m³, 20 ppm BEI71-36-3 butan-1-ol PEL Long-term value: 300 mg/m³, 100 ppm REL Ceiling limit value: 150 mg/m³, 50 ppm TLV Long-term value: 61 mg/m³, 20 ppm 108-10-1 4-methylpentan-2-one PEL Long-term value: 410 mg/m³, 100 ppm REL Short-term value: 300 mg/m³, 75 ppm Long-term value: 205 mg/m³, 50 ppm TLV Short-term value: 307 mg/m³, 75 ppm Long-term value: 82 mg/m³, 20 ppm BEI

(Contd. on page 6)





Printing date 04/22/2015 Reviewed on 04/22/2015

Trade name: HQP QUICKEE PRIME ACTIVATOR

(Contd. of page 5)

· Ingredients with biological limit values:

1330-20-7 xylene

BEI 1.5 g/g creatinine

Medium: urine Time: end of shift

Parameter: Methylhippuric acids

67-64-1 acetone

BEI 50 mg/L

Medium: urine Time: end of shift

Parameter: Acetone (nonspecific)

100-41-4 ethylbenzene

BEI 0.7 g/g creatinine

Medium: urine

Time: end of shift at end of workweek

Parameter: Sum of mandelic acid and phenylglyoxylic acid (nonspecific, semi-quantitative)

_

Medium: end-exhaled air

Time: not critical

Parameter: Ethyl benzene (semi-quantitative)

108-10-1 4-methylpentan-2-one

BEI 1 mg/L

Medium: urine Time: end of shift Parameter: MIBK

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 7)





Printing date 04/22/2015 Reviewed on 04/22/2015

Trade name: HQP QUICKEE PRIME ACTIVATOR

(Contd. of page 6)

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

Information on basic physical and chemical properties General Information Appearance: Form: Color: Amber colored Odor: Odour: Odour threshold: Not determined. PH-value: Not determined. Change in condition Melting point/Melting range: Boiling point/Melting range: Some of Colore Flash point: Flash point: Flammability (solid, gaseous): Not applicable. Ignition temperature: 465 °C (869 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Product is not explosive. However, formation of explosive air/vapor mixtures are possible.		
· Appearance: Form: Color: Odor: Odour threshold: Not determined. · pH-value: Not determined. · Change in condition Melting point/Melting range: Boiling point/Boiling range: Socci (131°F) · Flash point: -17°C (1°F) · Flammability (solid, gaseous): Not applicable. · Ignition temperature: Auto igniting: Product is not selfigniting. Product is not explosive. However, formation of explosive air/vapor	· Information on basic physical and c	hemical properties
· Appearance: Form: Color: Odor: Odour threshold: Not determined. · pH-value: Not determined. · Change in condition Melting point/Melting range: Boiling point/Boiling range: Socci (131°F) · Flash point: -17°C (1°F) · Flammability (solid, gaseous): Not applicable. · Ignition temperature: Auto igniting: Product is not selfigniting. Product is not explosive. However, formation of explosive air/vapor	General Information	
Color: Odor: Odour threshold: Not determined. PH-value: Not determined. Change in condition Melting point/Melting range: Boiling point/Boiling range: 55 °C (131 °F) Flash point: -17 °C (1 °F) Flammability (solid, gaseous): Not applicable. Ignition temperature: A65 °C (869 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Product is not explosive. However, formation of explosive air/vapor		
Odour threshold: Odour threshold: Not determined. Otherwined: Not determined. Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: -17 °C (1 °F) Flammability (solid, gaseous): Not applicable. Ignition temperature: 465 °C (869 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Product is not explosive. However, formation of explosive air/vapor	Form:	Liquid
Odour threshold: Not determined. Othange in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Flammability (solid, gaseous): Not applicable. Ignition temperature: Auto igniting: Product is not selfigniting. Not determined. Not determined. Not determined. Not applicable. However, formation of explosive air/vapor	Color:	Amber colored
 PH-value: Not determined. Change in condition Melting point/Melting range: 55 °C (131 °F) Flash point: -17 °C (1 °F) Flammability (solid, gaseous): Not applicable. Ignition temperature: 465 °C (869 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air/vapor 	· Odor:	Characteristic
Change in condition Melting point/Melting range: Boiling point/Boiling range: -17 °C (1 °F) -18 Minimability (solid, gaseous): Not applicable. -19 C (869 °F) -10 C (869	· Odour threshold:	Not determined.
Melting point/Melting range: Boiling point/Boiling range: -17 °C (1 °F) -18 Flammability (solid, gaseous): Not applicable. -19 oc (869 °F) -10 Decomposition temperature: Not determined. Not determined. Not determined. Product is not selfigniting. Product is not explosive. However, formation of explosive air/vapor	· pH-value:	Not determined.
Melting point/Melting range: Boiling point/Boiling range: -17 °C (1 °F) -18 Flammability (solid, gaseous): Not applicable. -19 oc (869 °F) -10 Decomposition temperature: Not determined. Not determined. Not determined. Product is not selfigniting. Product is not explosive. However, formation of explosive air/vapor	· Change in condition	
 Flash point: -17 °C (1 °F) Flammability (solid, gaseous): Not applicable. Ignition temperature: 465 °C (869 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air/vapor 		Undetermined.
 Flammability (solid, gaseous): Not applicable. Ignition temperature: 465 °C (869 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air/vapor 		55 °C (131 °F)
 Ignition temperature: 465 °C (869 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air/vapor 	· Flash point:	-17 °C (1 °F)
 Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air/vapor 	· Flammability (solid, gaseous):	Not applicable.
 Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air/vapor 	· Ignition temperature:	465 °C (869 °F)
· Danger of explosion: Product is not explosive. However, formation of explosive air/vapor	· Decomposition temperature:	Not determined.
	· Auto igniting:	Product is not selfigniting.
	· Danger of explosion:	
Explosion limits:	· Explosion limits:	
Lower: 1.1 Vol %	_	1.1 Vol %
<i>Upper:</i> 7.0 <i>Vol</i> %	Upper:	7.0 Vol %

(Contd. on page 8)





Printing date 04/22/2015 Reviewed on 04/22/2015

Trade name: HQP QUICKEE PRIME ACTIVATOR

		(Contd. of page
· Vapor pressure at 20 °C (68 °F):	6.7 hPa (5 mm Hg)	
· Density at 20 °C (68 °F):	1.026 g/cm ³ (8.562 lbs/gal)	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wate	r): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	31.5 %	
VOC content:	22.5 %	
	Coating VOC 362.1 g/l / 3.03 lb/gl	
	Material VOC 230.4 g/l / 1.92 lb/gl	
Solids content:	36.3 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:	
1330-20-7 xylene	

 Oral
 LD50
 4300 mg/kg (rat)

 Dermal
 LD50
 2000 mg/kg (rabbit)

- Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.

(Contd. on page 9)





Printing date 04/22/2015 Reviewed on 04/22/2015

Trade name: HQP QUICKEE PRIME ACTIVATOR

(Contd. of page 8)

- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)			
1330-20-7	xylene	3	
100-41-4	ethylbenzene	2 <i>B</i>	
108-10-1	4-methylpentan-2-one	2 <i>B</i>	
1675-54-3	bis[4-(2,3-epoxypropoxy)phenyl]propane	3	
· NTP (Natio	NTP (National Toxicology Program)		
None of the	None of the ingredients is listed.		
· OSHA-Ca	· OSHA-Ca (Occupational Safety & Health Administration)		
None of the ingredients is listed.			

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

 $Do \ not \ allow \ product \ to \ reach \ ground \ water, \ water \ course \ or \ sewage \ system.$

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 10)





Printing date 04/22/2015 Reviewed on 04/22/2015

Trade name: HQP QUICKEE PRIME ACTIVATOR

(Contd. of page 9)

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

UN1263
Paint PAINT
3 Flammable liquids
3
3 Flammable liquids 3
II
No
Warning: Flammable liquids
33 F-E, <u>S-E</u>
II of Not applicable.
On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L

(Contd. on page 11)





Printing date 04/22/2015 Reviewed on 04/22/2015

Trade name: HQP QUICKEE PRIME ACTIVATOR

(Contd. of page 10)

· IMDG

· Limited quantities (LQ)

5L Coda: F2

· Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

· UN "Model Regulation": UN1263, Paint, 3, II

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

1330-20-7 xylene

100-41-4 ethylbenzene

71-36-3 butan-1-ol

108-10-1 4-methylpentan-2-one

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

100-41-4 ethylbenzene

108-10-1 4-methylpentan-2-one

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

108-10-1 | 4-methylpentan-2-one

· Carcinogenic categories

· EPA (Envi	ronmental Protection Agency)	
1330-20-7		I
67-64-1	acetone	Ι
 	ethylbenzene	D
71-36-3	butan-1-ol	D
108-10-1	4-methylpentan-2-one	I

(Contd. on page 12)



Page 12/13

Safety Data Sheet acc. to OSHA HCS

Printing date 04/22/2015 Reviewed on 04/22/2015

Trade name: HQP QUICKEE PRIME ACTIVATOR

(Contd. of page 11)

· TLV (Thre	shold Limit Value established by ACGIH)	·	
1330-20-7	xylene		A4
67-64-1	acetone		A4
100-41-4	ethylbenzene		<i>A3</i>
· NIOSH-Ca	· NIOSH-Ca (National Institute for Occupational Safety and Health)		
None of the	e ingredients is listed.		

· Product related hazard informations:

The product has been classified and marked in accordance with directives on hazardous materials.

· Hazard symbols:





Harmful Highly flammable

· Hazard-determining components of labeling:

bis[4-(2,3-epoxypropoxy)phenyl]propane

· Risk phrases:

Highly flammable.

Harmful by inhalation.

Irritating to eyes and skin.

May cause sensitisation by skin contact.

· Safety phrases:

Keep out of the reach of children.

Avoid contact with skin and eyes.

Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point. Wear suitable gloves.

 ${\it If swallowed, seek medical \ advice \ immediately \ and \ show \ this \ container \ or \ label.}$

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact: Mr. Roberts
- · Date of preparation / last revision 04/22/2015 / -
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 13)



Page 13/13

Safety Data Sheet acc. to OSHA HCS

Printing date 04/22/2015 Reviewed on 04/22/2015

Trade name: HQP QUICKEE PRIME ACTIVATOR

(Contd. of page 12)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent Flam. Liq. 2: Flammable liquids, Hazard Category 2 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Carc. 2: Carcinogenicity, Hazard Category 2