Printing date 10/14/2015

Reviewed on 05/02/2015

1 Identification

- Product identifier
- · Trade name: 631 LEMON YELLOW
- Article number: 631
- · Details of the supplier of the safety data sheet

Manufacturer/Supplier: General Paint Co. SAL P.O. Box 7623 Beirut LEBANON info@generalpaint.biz

· Information department: Product safety department

• Emergency telephone number: 1-800-535-5053

2 Hazard(s) identification

· Classification of the substance or mixture

GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapor.

G 😵

GHS08 Health hazard

Carc. 1A H350 May cause cancer. Repr. 1A H360 May damage fertility or the unborn child.



Skin Sens. 1 H317 May cause an allergic skin reaction.

· Label elements

- · GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

 Hazard-determining components of labeling: Quartz (SiO2) Lead sulfochromate yellow antimony trioxide 2,3-epoxypropyl neodecanoate methyl methacrylate Hazard statements

Flammable liquid and vapor.

(Contd. on page 2)

US

Printing date 10/14/2015

Reviewed on 05/02/2015

Trade name: 631 LEMON YELLOW

	ntd. of page 1)
May cause an allergic skin reaction.	
May cause cancer.	
May damage fertility or the unborn child.	
Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wear protective gloves / eye protection / face protection.	
Ground/bond container and receiving equipment.	
Keep container tightly closed.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Contaminated work clothing must not be allowed out of the workplace.	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin	with water/
shower.	
Specific treatment (see on this label).	
Wash contaminated clothing before reuse.	
IF exposed or concerned: Get medical advice/attention.	
If skin irritation or rash occurs: Get medical advice/attention.	
In case of fire: Use for extinction: CO2, powder or water spray.	
Store locked up.	
Store in a well-ventilated place. Keep cool.	
Dispose of contents/container in accordance with local/regional/national/international regulati	ons.
· Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 0	
Fire = 3	
\mathbf{U} Reactivity = 0	
HMIS rotings (coole 0 4)	
· HMIS-ratings (scale 0 - 4)	
HEALTH TO Health = $*0$	
FIRE 3 Fire = 3	
$\frac{1}{100} = 0$ Reactivity = 0	
REACTIVITY OF REACTIVITY OF	
· Other hazards	
· Results of PBT and vPvB assessment	
· PBT: Not applicable.	
• vPvB: Not applicable.	
··	
3 Composition/information on ingredients	
Chamical characterization, Mixtures	
Chemical characterization: Mixtures	
• Description: Mixture of the substances listed below with nonhazardous additions.	
· Dangerous components:	
123-86-4 n-butyl acetate	10-25%

Bungerous components.		
123-86-4 n-butyl acetate	;	10-25%
1330-20-7 xylene		2.5-10%
108-65-6 2-methoxy-1-n	nethylethyl acetate	½ 2.5%
1309-64-4 antimony trioxi	ide	½ 2.5%
14808-60-7 Quartz (SiO2)		½ 2.5%
•		(Contd. on page 3

Printing date 10/14/2015

Reviewed on 05/02/2015

Trade name: 631 LEMON YELLOW

	(Con	d. of page 2)
64742-95-6	Solvent naphtha (petroleum), light arom.	½ 2.5%
1344-37-2	Lead sulfochromate yellow	½ 2.5%
	methyl methacrylate	½ 2.5%
	2,3-epoxypropyl neodecanoate	½ 2.5%
100-41-4	ethylbenzene	½ 2.5%

4 First-aid measures

· Description of first aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents
 Reference to other sections See Section 7 for information on safe handling
 - See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

(Contd. on page 4)

(Contd. of page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 10/14/2015

Reviewed on 05/02/2015

Trade name: 631 LEMON YELLOW

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
 Protect against electrostatic charges.
 Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Storage class: 3
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

Control parameters

· Compo	onents with limit values that require monitoring at the workplace:
123-86	-4 n-butyl acetate
PEL	Long-term value: 710 mg/m³, 150 ppm
REL	Short-term value: 950 mg/m³, 200 ppm Long-term value: 710 mg/m³, 150 ppm
TLV	Short-term value: (950) NIC-712 mg/m³, (200) NIC-150 ppm Long-term value: (713) NIC-238 mg/m³, (150) NIC-50 ppm
1330-2	0-7 xylene
PEL	Long-term value: 435 mg/m³, 100 ppm
REL	Short-term value: 655 mg/m³, 150 ppm Long-term value: 435 mg/m³, 100 ppm
TLV	Short-term value: 651 mg/m³, 150 ppm Long-term value: 434 mg/m³, 100 ppm BEI
108-65	-6 2-methoxy-1-methylethyl acetate
WEEL	Long-term value: 50 ppm
1309-6	4-4 antimony trioxide
PEL	Long-term value: 0.5 mg/m ³
REL	Long-term value: 0.5 mg/m³ as Sb
TLV	Long-term value: 0.5 mg/m³ as Sb; Production: L
14808-	60-7 Quartz (SiO2)
PEL	see Quartz listing
	(Contd. on page 5)

US

Printing date 10/14/2015

ENERAL

Reviewed on 05/02/2015

Trade name: 631 LEMON YELLOW

	(Contd. of page 4)
REL	Long-term value: 0.05* mg/m ³ *respirable dust; See Pocket Guide App. A
TLV	Long-term value: 0.025* mg/m ³ *as respirable fraction
1344	-37-2 Lead sulfochromate yellow
PEL	Long-term value: 0.005* mg/m³ Ceiling limit value: 0.1** mg/m³ *as Cr(VI) **as CrO3; see 29 CFR 1910.1026
REL	Long-term value: 0.0002 mg/m ³ as Cr; See Pocket Guide Apps. A and C
TLV	Long-term value: 0.01 mg/m³ as Cr
· Ingre	dients with biological limit values:
_	-20-7 xylene
BEI	1.5 g/g creatinine Medium: urine Time: end of shift Parameter: Methylhippuric acids
	-37-2 Lead sulfochromate yellow
	25 μg/L Medium: urine Time: end of shift at end of workweek Parameter: Total chromium (fume) 10 μg/L Medium: urine Time: increase during shift Parameter: Total chromium (fume)
 Expo Perso Gene Keep Imme Wash Store Breat In ca exposi Prote 	tional information: The lists that were valid during the creation were used as basis. sure controls onal protective equipment: aral protective and hygienic measures: away from foodstuffs, beverages and feed. adiately remove all soiled and contaminated clothing. in hands before breaks and at the end of work. a protective clothing separately. thing equipment: se of brief exposure or low pollution use respiratory filter device. In case of intensive or longer sure use respiratory protective device that is independent of circulating air. Protective gloves glove material has to be impermeable and resistant to the product/ the substance/ the preparation. to missing tests no recommendation to the glove material can be given for the product/ the aration/ the chemical mixture.
Selec	ction of the glove material on consideration of the penetration times, rates of diffusion and the adation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several

Printing date 10/14/2015

RANSHING

Reviewed on 05/02/2015

Trade name: 631 LEMON YELLOW

(Contd. of page 5) substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Tightly sealed goggles

Information on basic physical and	chemical properties
 General Information Appearance: 	
Form:	Liquid
Color:	Yellow
· Odor:	Characteristic
· Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	124 °C (255 °F)
· Flash point:	25 °C (77 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	370 °C (698 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive an vapor mixtures are possible.
· Explosion limits:	
Lower:	1.2 Vol %
Upper:	7.5 Vol %
· Vapor pressure at 20 °C (68 °F):	10.7 hPa (8 mm Hg)
· Density at 20 °C (68 °F):	1.321 g/cm³ (11.024 lbs/gal)
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wat	er): Not determined.
 Viscosity: Dynamic: 	Not determined.



Printing date 10/14/2015

Reviewed on 05/02/2015

Trade name: 631 LEMON YELLOW

	(Conto	l. of page 6
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	31.8 %	
Coating VOC content:	31.8 %	
C	419.4 g/l / 3.50 lb/gl	
Material VOC content:	419.4 g/l / 3.50 lb/gl	
Solids content:	67.6 %	
 Other information 	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

· LD/LC50 values that are relevant for classification:

1330-20-7 xylene

Oral LD50 4300 mg/kg (rat)

Dermal LD50 2000 mg/kg (rabbit)

1309-64-4 antimony trioxide

Oral LD50 >20000 mg/kg (rat)

- 1344-37-2 Lead sulfochromate yellow
- Oral LD50 >10000 mg/kg (rat)

Primary irritant effect:

- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Carcinogenic.

· Carcinogenic categories

· IAR	C (Inter	national Agency for Research on Cancer)	
	30-20-7		3
13	09-64-4	antimony trioxide	2B
148	08-60-7	Quartz (SiO2)	1
13	44-37-2	Lead sulfochromate yellow	1
		(Contd. on page 1	age 8)
			<u> </u>

Printing date 10/14/2015

Reviewed on 05/02/2015

Trade name: 631 LEMON YELLOW

	(C	Contd. of page 7)
80-62-6	methyl methacrylate	3
100-41-4	ethylbenzene	2B
· NTP (Nation	nal Toxicology Program)	
14808-60-7	Quartz (SiO2)	K
1344-37-2	Lead sulfochromate yellow	K
· OSHA-Ca (0	Occupational Safety & Health Administration)	
None of the	ingredients is listed.	

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground. Harmful to aquatic organisms

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

· UN-Number		
· DOT, ADR, IMDG, IATA	UN1263	
· UN proper shipping name		
DOT	Paint	
ADR	1263 Paint	
· IMDG, IATA	PAINT	

Printing date 10/14/2015

CENERAL

Reviewed on 05/02/2015

Trade name:	631 LEMON	I YELLOW

	(Contd. of pa
Transport hazard class(es)	
DOT	
Class	3 Flammable liquids
Label	3
ADR, IMDG, IATA	
Class	3 Flammable liquids
Label	3
Packing group DOT, ADR, IMDG, IATA	<i>III</i>
Environmental hazards: Marine pollutant:	No
Special precautions for user Danger code (Kemler): EMS Number:	Warning: Flammable liquids 30 F-E,S-E
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
ADR	
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN1263, Paint, 3, III

(Contd. on page 10)

Printing date 10/14/2015

GENERAL

Reviewed on 05/02/2015

Trade name: 631 LEMON YELLOW

(Contd. of page 9)


Safety, he Sara	alth and environmental regulations/legislation spec	ific for the substance or mixture	
	5 (extremely hazardous substances):		
None of the	e ingredients is listed.		
Section 31	3 (Specific toxic chemical listings):		
1330-20-7			
1309-64-4	antimony trioxide		
1344-37-2	Lead sulfochromate yellow		
80-62-6	methyl methacrylate		
100-41-4	ethylbenzene		
TSCA (To	kic Substances Control Act):		
•	nts are listed.		
Propositio			
-	known to cause cancer:		
	antimony trioxide		
	Quartz (SiO2)		
	2 Lead sulfochromate yellow		
	t ethylbenzene		
Chemicals	known to cause reproductive toxicity for females:		
	Lead sulfochromate yellow		
	known to cause reproductive toxicity for males:		
	Lead sulfochromate yellow		
	known to cause developmental toxicity:		
1344-37-2	Lead sulfochromate yellow		
Carcinoge	nic categories		
EPA (Envi	ronmental Protection Agency)		
1330-20-7	·	1	
1344-37-2	Lead sulfochromate yellow	A(inh), D(oral), K/L(inh), CBD(ora	
80-62-6	methyl methacrylate	E, NL	
100-41-4	ethylbenzene	D	
TLV (Thre	shold Limit Value established by ACGIH)		
1330-20-2	7 xylene	/	
1309-64-4	antimony trioxide		
14808-60-	7 Quartz (SiO2)	/	
1344-37-2	2 Lead sulfochromate yellow	A	
	6 methyl methacrylate	4	
100 11	4 ethylbenzene	A	
	7 dibutyltin dilaurate	1	
		'	
77-58-3	(National Institute for Occupational Safety and Hea		

(Contd. on page 11)

Printing date 10/14/2015

Reviewed on 05/02/2015

Trade name: 631 LEMON YELLOW



(Contd. on page 12)

Printing date 10/14/2015

Reviewed on 05/02/2015

Trade name: 631 LEMON YELLOW

(Contd. of page 11)

16 Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Department issuing SDS: Product safety department · Contact: Ms. Topaljikian · Date of preparation / last revision 10/14/2015 / -· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids, Hazard Category 3 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Carc. 1A: Carcinogenicity, Hazard Category 1A Repr. 1A: Reproductive toxicity, Hazard Category 1A US