Printing date 10/14/2015

Reviewed on 05/02/2015

1 Identification

- · Product identifier
- · Trade name: 731 LEMON YELLOW
- · Article number: 731
- · Details of the supplier of the safety data sheet

Manufacturer/Supplier: General Paint Co. SAL P.O. Box 7623 Beirut LEBANON info@generalpaint.biz

· Information department: Product safety department

• Emergency telephone number: 1-800-535-5053

2 Hazard(s) identification

· Classification of the substance or mixture

GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapor.

G 😯 G

GHS08 Health hazard

Carc. 1A H350 May cause cancer. Repr. 1A H360 May damage fertility or the unborn child.



Skin Irrit. 2 H315 Causes skin irritation. STOT SE 3 H336 May cause drowsiness or dizziness.

- Label elements

GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



· Signal word Danger

 Hazard-determining components of labeling: n-butyl acetate Quartz (SiO2) Lead sulfochromate yellow antimony trioxide

• Hazard statements Flammable liquid and vapor.

(Contd. on page 2)

US

Printing date 10/14/2015

GENERAL

Reviewed on 05/02/2015

Trade name: 731 LEMON YELLOW

(Contd. of page 1)
Causes skin irritation.
May cause cancer.
May damage fertility or the unborn child.
May cause drowsiness or dizziness.
Precautionary statements
Keep away from heat/sparks/open flames/hot surfaces No smoking.
Use explosion-proof electrical/ventilating/lighting/equipment.
Avoid breathing dust/fume/gas/mist/vapors/spray
Wear protective gloves / eye protection / face protection.
Ground/bond container and receiving equipment. Use only non-sparking tools.
Take precautionary measures against static discharge.
Wash thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/
shower.
Specific treatment (see on this label).
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Call a poison center/doctor if you feel unwell.
IF exposed or concerned: Get medical advice/attention.
If skin irritation occurs: Get medical advice/attention.
In case of fire: Use for extinction: CO2, powder or water spray. Take off contaminated clothing and wash it before reuse.
Store locked up.
Store in a well-ventilated place. Keep container tightly closed.
Store in a well-ventilated place. Keep cool.
Dispose of contents/container in accordance with local/regional/national/international regulations.
Classification system:
NFPA ratings (scale 0 - 4)
Health = 1
Fire = 3 Reactivity = 0
Reactivity = 0
· HMIS-ratings (scale 0 - 4)
HEALTH *1 Health = *1
FIRE 3 Fire = 3
$\frac{1}{Reactivity} = 0$
· Other hazards
· Other hazards · Results of PBT and vPvB assessment
· PBT: Not applicable.
vPvB: Not applicable.
· · · · · · · · · · · · · · · · · · ·

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

123-86-4 n-butyl acetate

(Contd. on page 3)

25-50%

- US

Printing date 10/14/2015

Reviewed on 05/02/2015

Trade name: 731 LEMON YELLOW

		(Contd. of page 2)
1330-20-7		10-25%
	2-methoxy-1-methylethyl acetate	2.5-10%
	Solvent naphtha (petroleum), light arom.	2.5-10%
	antimony trioxide	½ 2.5%
	Quartz (SiO2)	½ 2.5%
	ethylbenzene	½ 2.5%
1344-37-2	Lead sulfochromate yellow	½ 2.5%

4 First-aid measures

- · Description of first aid measures
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents
 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

(Contd. on page 4)



(Contd. of page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 10/14/2015

Reviewed on 05/02/2015

Trade name: 731 LEMON YELLOW

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
 Protect against electrostatic charges.
 Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Storage class: 3
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

Control parameters

· Compo	onents with limit values that require monitoring at the workplace:			
123-86	-4 n-butyl acetate			
PEL	Long-term value: 710 mg/m ³ , 150 ppm			
REL	Short-term value: 950 mg/m³, 200 ppm Long-term value: 710 mg/m³, 150 ppm			
TLV	Short-term value: (950) NIC-712 mg/m³, (200) NIC-150 ppm Long-term value: (713) NIC-238 mg/m³, (150) NIC-50 ppm			
1330-2	0-7 xylene			
PEL	Long-term value: 435 mg/m ³ , 100 ppm			
REL	Short-term value: 655 mg/m³, 150 ppm Long-term value: 435 mg/m³, 100 ppm			
TLV	Short-term value: 651 mg/m³, 150 ppm Long-term value: 434 mg/m³, 100 ppm BEI			
108-65	-6 2-methoxy-1-methylethyl acetate			
WEEL	Long-term value: 50 ppm			
1309-6	4-4 antimony trioxide			
PEL	Long-term value: 0.5 mg/m ³			
REL	Long-term value: 0.5 mg/m³ as Sb			
TLV	Long-term value: 0.5 mg/m³ as Sb; Production: L			
14808-	60-7 Quartz (SiO2)			
PEL	see Quartz listing			
	(Contd. on page 5)			

US

Printing date 10/14/2015

ENERAL

Reviewed on 05/02/2015

Trade name: 731 LEMON YELLOW

	(Contd. of page 4)
REL	Long-term value: 0.05* mg/m ³ *respirable dust; See Pocket Guide App. A
TLV	Long-term value: 0.025* mg/m ³ *as respirable fraction
1344	-37-2 Lead sulfochromate yellow
PEL	Long-term value: 0.005* mg/m³ Ceiling limit value: 0.1** mg/m³ *as Cr(VI) **as CrO3; see 29 CFR 1910.1026
REL	Long-term value: 0.0002 mg/m ³ as Cr; See Pocket Guide Apps. A and C
TLV	Long-term value: 0.01 mg/m³ as Cr
· Ingre	dients with biological limit values:
_	-20-7 xylene
BEI	1.5 g/g creatinine Medium: urine Time: end of shift Parameter: Methylhippuric acids
	-37-2 Lead sulfochromate yellow
	25 μg/L Medium: urine Time: end of shift at end of workweek Parameter: Total chromium (fume) 10 μg/L Medium: urine Time: increase during shift Parameter: Total chromium (fume)
 Expo Perso Gene Keep Imme Wash Store Breat In ca exposi Prote 	tional information: The lists that were valid during the creation were used as basis. sure controls onal protective equipment: aral protective and hygienic measures: away from foodstuffs, beverages and feed. adiately remove all soiled and contaminated clothing. in hands before breaks and at the end of work. a protective clothing separately. thing equipment: se of brief exposure or low pollution use respiratory filter device. In case of intensive or longer sure use respiratory protective device that is independent of circulating air. Protective gloves glove material has to be impermeable and resistant to the product/ the substance/ the preparation. to missing tests no recommendation to the glove material can be given for the product/ the aration/ the chemical mixture.
Selec	ction of the glove material on consideration of the penetration times, rates of diffusion and the adation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several

Printing date 10/14/2015

ENERAL

Reviewed on 05/02/2015

Trade name: 731 LEMON YELLOW

(Contd. of page 5) substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Tightly sealed goggles

9 Physical and chemical properties			
Information on basic physical and chemical properties			
· General Information			
· Appearance: Form:	Liquid		
Color:	Light yellow		
· Odor:	Characteristic		
· Odour threshold:	Not determined.		
· pH-value:	Not determined.		
· Change in condition			
Melting point/Melting range:	Undetermined.		
Boiling point/Boiling range:	120 °C (248 °F)		
· Flash point:	27 °C (81 °F)		
· Flammability (solid, gaseous):	Not applicable.		
· Ignition temperature:	315 °C (599 °F)		
· Decomposition temperature:	Not determined.		
· Auto igniting:	Product is not selfigniting.		
· Danger of explosion:	Product is not explosive. However, formation of explosive air, vapor mixtures are possible.		
· Explosion limits:			
Lower:	1.1 Vol %		
Upper:	7.5 Vol %		
 Vapor pressure at 20 °C (68 °F): 	10.7 hPa (8 mm Hg)		
· Density at 20 °C (68 °F):	1.117 g/cm³ (9.321 lbs/gal)		
· Relative density	Not determined.		
Vapour density	Not determined.		
· Evaporation rate	Not determined.		
· Solubility in / Miscibility with			
Water:	Not miscible or difficult to mix.		
· Partition coefficient (n-octanol/water): Not determined.			
· Viscosity:			
Dynamic:	Not determined.		
	(Contd. on page 7		

US



Printing date 10/14/2015

ENERAL

Reviewed on 05/02/2015

Trade name: 731 LEMON YELLOW

	(Contd.	of page 6
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	63.9 %	
Coating VOC content:	63.9 %	
U	713.7 g/l / 5.96 lb/gl	
Material VOC content:	713.7 g/l / 5.96 lb/gl	
Solids content:	37.9 %	
Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute tox	icity:	
· LD/LC50	values tha	at are relevant for classification:
1330-20-7	xylene	
Oral	LD50	4300 mg/kg (rat)
Dermal	LD50	2000 mg/kg (rabbit)
64742-95-	6 Solvent	naphtha (petroleum), light arom.
Oral	LD50	>6800 mg/kg (rat)
Dermal	LD50	>3400 mg/kg (rab)
Inhalative	LC50/4 h	>10.2 mg/l (rat)
1309-64-4	antimony	/ trioxide
Oral	LD50	>20000 mg/kg (rat)
1344-37-2	Lead sulf	fochromate yellow
Oral	LD50	>10000 mg/kg (rat)
· Additiona	in: No irrita e: No irrita tion: No se Il toxicolo uct shows	ant effect.

Carcinogenic.

(Contd. on page 8)

US

Printing date 10/14/2015

Reviewed on 05/02/2015

Trade name: 731 LEMON YELLOW

(Contd.	of	page	7)

· Carcinogen	ic categories	
· IARC (Inter	national Agency for Research on Cancer)	
1330-20-7	xylene	3
1309-64-4	antimony trioxide	2B
14808-60-7	Quartz (SiO2)	1
111-76-2	2-butoxyethanol	3
100-41-4	ethylbenzene	2B
1344-37-2	Lead sulfochromate yellow	1
· NTP (Nation	nal Toxicology Program)	
14808-60-7	Quartz (SiO2)	K
1344-37-2	Lead sulfochromate yellow	K
· OSHA-Ca (0	Occupational Safety & Health Administration)	
None of the	ingredients is listed.	

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:

- General notes:

Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Harmful to aquatic organisms

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

(Contd. on page 9)

119

Printing date 10/14/2015

GENERAL

Reviewed on 05/02/2015

Trade name: 731 LEMON YELLOW

(Contd. of page 8)

UN-Number	
DOT, ADR, IMDG, IATA	UN1263
UN proper shipping name	
DOT	Paint
ADR	1263 Paint
IMDG, IATA	PAINT
Transport hazard class(es)	
DOT	
Class	3 Flammable liquids
Label	3
Class	3 Flammable liquids
Label	3
Packing group ADR, IMDG, IATA	<i>III</i>
Environmental hazards: Marine pollutant:	No
Special precautions for user EMS Number:	Warning: Flammable liquids F-E, <u>S-E</u>
Transport in bulk according to Annex	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 60 L
	On cargo aircraft only: 220 L
ADR	Code: Ed
Excepted quantities (EQ)	Code: E1 Maximum pot quantity por inpor packaging: 20 ml
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
IMDG	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
,	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

(Contd. of page 9)

Safety Data Sheet acc. to OSHA HCS

Printing date 10/14/2015

GENERAL

Reviewed on 05/02/2015

Trade name: 731 LEMON YELLOW

· UN "Model Regulation":

UN1263, Paint, 3, III

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

Juiu					
	· Section 355 (extremely hazardous substances):				
None of the ingredients is listed.					
	· Section 313 (Specific toxic chemical listings):				
1330-20-7	-7 xylene				
	antimony trioxide				
	2-butoxyethanol				
	ethylbenzene				
1344-37-2	Lead sulfochromate yellow				
•	tic Substances Control Act):				
	1 n-butyl acetate				
1330-20-7	-				
	2-methoxy-1-methylethyl acetate				
	Solvent naphtha (petroleum), light arom.				
	antimony trioxide				
	308-60-7 Quartz (SiO2)				
	-2 2-butoxyethanol				
	t ethylbenzene				
	? 1-methoxy-2-propanol				
	P Lead sulfochromate yellow				
· Propositio					
	known to cause cancer:				
	antimony trioxide				
	Quartz (SiO2)				
	t ethylbenzene				
	2 Lead sulfochromate yellow				
	known to cause reproductive toxicity for females:				
1344-37-2	Lead sulfochromate yellow				
	known to cause reproductive toxicity for males:				
1344-37-2	Lead sulfochromate yellow				
· Chemicals	· Chemicals known to cause developmental toxicity:				
1344-37-2	Lead sulfochromate yellow				
· Carcinoge	· Carcinogenic categories				
· EPA (Environmental Protection Agency)					
1330-20-7	1330-20-7 xylene I				
111-76-2	111-76-2 2-butoxyethanol NL				
100-41-4	ethylbenzene	D			

Printing date 10/14/2015

Reviewed on 05/02/2015

Trade name: 731 LEMON YELLOW

1311-37-2	Lead sulfochromate yellow	(Contd. of page 1 A(inh), D(oral), K/L(inh), CBD(oral)
	•	
•	hold Limit Value established by ACGIH)	
1330-20-7	xylene	A
1309-64-4	antimony trioxide	Až
14808-60-7	14808-60-7 Quartz (SiO2)	
111-76-2	111-76-2 2-butoxyethanol	
100-41-4	ethylbenzene	A
1344-37-2	1344-37-2 Lead sulfochromate yellow	
· NIOSH-Ca	(National Institute for Occupational Safety and Heal	th)
14808-60-7	Quartz (SiO2)	
1344-37-2	Lead sulfochromate yellow	
· GHS label		
The produc	t is classified and labeled according to the Globally Harr	nonized System (GHS).

· Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling:

n-butyl acetate Quartz (SiO2) Lead sulfochromate yellow antimony trioxide

- Hazard statements
 Flammable liquid and vapor.
 Causes skin irritation.
 May cause cancer.
 May damage fertility or the unborn child.
- May cause drowsiness or dizziness.
- · Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use explosion-proof electrical/ventilating/lighting/equipment. Avoid breathing dust/fume/gas/mist/vapors/spray Wear protective gloves / eye protection / face protection. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/ shower. Specific treatment (see on this label). IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center/doctor if you feel unwell.

IF exposed or concerned: Get medical advice/attention.

If skin irritation occurs: Get medical advice/attention.

(Contd. on page 12)

US

Printing date 10/14/2015

Reviewed on 05/02/2015

Trade name: 731 LEMON YELLOW

(Contd. of page 11) In case of fire: Use for extinction: CO2, powder or water spray. Take off contaminated clothing and wash it before reuse. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- · Contact: Ms. Topaljikian
- · Date of preparation / last revision 10/14/2015 / -
- · Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids, Hazard Category 3 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Carc. 1A: Carcinogenicity, Hazard Category 1A Repr. 1A: Reproductive toxicity, Hazard Category 1A STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

