



# SAFETY DATA SHEET

## Section 1: Identification

Product Name: PLATINUM PCW79 Terminator II Powered Up Wheel and Tire Cleaner  
Product Code: PCW79  
Product Class: Wheel and Tire Cleaner  
Manufactured For: ECP Incorporated  
11210 Katherine's Crossing, Suite 100  
Woodridge, IL 60517  
Telephone: 630-754-4200  
Emergency Telephone: CHEMTREC 800-424-9300

Date Prepared: August 2, 2010  
Date of Review/Update: May 29, 2015

## Section 2: Hazard Identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

### GHS Hazard Symbols:



GHS Classification: Corrosive 1C  
Signal Word: Danger

### GHS Hazard Statements:

H302 + H312 Harmful if swallowed or in contact with skin  
H314 Causes severe skin burns and eye damage  
H373 May cause damage to liver, kidneys or blood through prolonged or repeated exposure.

### GHS Precautionary Statements:

P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P103 Read label before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P261 Avoid breathing dust/fume/gas/mist/vapors/spray.  
P264 Wash hands thoroughly after handling.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P306 + P360 IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.  
P337 + P313 If eye irritation persists: Get medical advice/attention.  
P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor/...  
P361 + P364 Take off immediately all contaminated clothing and wash it before reuse.

### Signs and Symptoms of Exposure:

Eye: Irritation including tearing or redness.  
Skin: Prolonged skin contact may cause irritation including redness, irritation, itching.  
Ingestion: Gastrointestinal irritation, nausea, vomiting, and diarrhea, upset stomach.  
Inhalation: Not a likely route of exposure, but if over-inhalation occurs symptoms would include nose, throat, respiratory irritation.  
Medical Conditions Aggravated by Exposure: None known.  
HMIS Rating: Health- 2    Fire- 0    Reactivity- 0    Personal Protection- C  
0=Insignificant    1=Slight    2=Moderate    3=High    4=Extreme

## Section 3: Composition/Information on Ingredients

<u>Chemical Name</u>	<u>CAS Number</u>	<u>% Range</u>	<u>OSHA PEL</u>	<u>ACGHI TLV</u>
Caustic Soda	1310-73-2	10-20	2 mg/m <sup>3</sup>	2 mg/m <sup>3</sup>
Monoethanolamine	141-43-5	1-10	3ppm	3ppm
Nonylphenol Ethoxylate	9016-45-9	1-10	Not Established	Not Established
2-Butoxyethanol	111-76-2	1-10	50ppm – Skin	20ppm

Listed as IARC, OSHA, or NTP Carcinogen: 2-Butoxyethanol is IARC Group 3: *Not Classifiable As To Carcinogenicity To Humans.*



Fire ( )

SARA 313 COMPONENTS - 40CFR 372.65:

<u>Component</u>	<u>CAS #</u>	<u>% Range</u>
2-Butoxyethanol	111-76-2	1-10

WORKPLACE HAZARDOUS INFORMATION SYSTEM (WHMIS)

<u>Ingredient</u>	<u>Max. % By Wt.</u>	<u>LD50</u>	<u>LC50</u>	
Caustic Soda	1310-73-2	10-20	500mg/kg – Oral Rabbit	Not Established
Monoethanolamine	141-43-5	1-10	1720mg/kg - Oral Rat	Not Established
Nonylphenol Ethoxylate	9016-45-9	1-10	4000mg/kg – Oral Rat	Not Established
2-Butoxyethanol	111-76-2	1-10	470mg/kg – Oral Rat	450ppm/4H – Inhal Rat

CALIFORNIA PROPOSITION 65: None

**Section 16: Other Information**

Although the information contained herein is believed to be reliable, it is furnished without warranty of any kind. This information is not intended to be all-inclusive as to the manner and conditions of use, handling, and storage.