

# **TMP VLCD High Gloss Dressing**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 05/08/2018

 2.0
 09/06/2018
 TM 1301-1305
 Date of first issue: 05/23/2016

## **SECTION 1. IDENTIFICATION**

Product name VLCD PL 5 GA

Product code TM 1301-1305

### Manufacturer or supplier's details

Company name of supplier :Wesmar Products :

Address Mukilteo WA 98275

PERS Chemical (US Transportation)

Emergency telephone number : (800) 728-2482

#### Recommended use of the chemical and restrictions on use

Recommended use : POLISH

Restrictions on use : Use only outdoors or in a well-ventilated area.

#### **SECTION 2. HAZARDS IDENTIFICATION**

## GHS classification in accordance with 29 CFR 1910.1200

Not a hazardous substance or mixture.

## **GHS** label elements

Not a hazardous substance or mixture.

### Other hazards

None known.

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

## **Hazardous components**

Chemical name	CAS-No.	Concentration (% w/w)
Glycerin	56-81-5	>= 1 - < 5
Secondary alcohol ethoxylate	84133-50-6	>= 1 - < 5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

#### **SECTION 4. FIRST AID MEASURES**



# TMP VLCD High Gloss Dressing

Version **Revision Date:** SDS Number: Date of last issue: 05/08/2018 09/06/2018 TM 1301-1305 Date of first issue: 05/23/2016 2.0

General advice No hazards which require special first aid measures.

If inhaled If breathed in, move person into fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact If on clothes, remove clothes,

Remove contaminated clothing. If irritation develops, get med-

ical attention.

If on skin, rinse well with water,

Wash contaminated clothing before re-use. If skin irritation persists, call a physician.

Flush eyes with water as a precaution. In case of eye contact

> Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If swallowed Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

None known.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media Water spray

Carbon dioxide (CO2)

Unsuitable extinguishing

media

High volume water jet

Hazardous combustion prod- :

ucts

Carbon oxides Silicon oxides

Specific extinguishing meth-

ods

Product is compatible with standard fire-fighting agents.

Further information Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec: :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Avoid breathing dust.

Persons not wearing protective equipment should be excluded

from area of spill until clean-up has been completed.

Environmental precautions Prevent further leakage or spillage if safe to do so.



# TMP VLCD High Gloss Dressing

Version Revision Date: SDS Number: Date of last issue: 05/08/2018 2.0 09/06/2018 TM 1301-1305 Date of first issue: 05/23/2016

Methods and materials for containment and cleaning up

Keep in suitable, closed containers for disposal.

### **SECTION 7. HANDLING AND STORAGE**

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling : Avoid contact with skin and eyes.

Dispose of rinse water in accordance with local and national

regulations.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

For personal protection see section 8.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Glycerin	56-81-5	TWA (mist, respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (mist, total dust)	15 mg/m3	OSHA Z-1
		TWA (Mist - total dust)	10 mg/m3	OSHA P0
		TWA (Mist - respirable fraction)	5 mg/m3	OSHA P0

#### Hazardous components without workplace control parameters

Components	CAS-No.
Secondary alcohol ethoxylate	84133-50-6

**Engineering measures** : Provide sufficient mechanical (general and/or local exhaust)

ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or

apparent adverse effects.

#### Personal protective equipment

Hand protection

Remarks : Wear resistant gloves (consult your safety equipment suppli-

er). The suitability for a specific workplace should be dis-



# TMP VLCD High Gloss Dressing

Version **Revision Date:** SDS Number: Date of last issue: 05/08/2018 09/06/2018 TM 1301-1305 Date of first issue: 05/23/2016 2.0

cussed with the producers of the protective gloves.

Eye protection Not required under normal conditions of use. Wear splash-

proof safety goggles if material could be misted or splashed

into eyes.

Skin and body protection Choose body protection according to the amount and con-

centration of the dangerous substance at the work place.

Wear as appropriate: Impervious clothing Safety shoes

Handle in accordance with good industrial hygiene and safety Hygiene measures

practice.

When using do not smoke. When using do not eat or drink.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance liquid

Colour white

Odour like fruit

No data available pΗ

Melting point/freezing point No data available

100 °C Boiling point/boiling range

(1,013 hPa)

The value is calculated

Flash point Not applicable

Evaporation rate No data available

Flammability (solid, gas) No data available

Self-ignition No data available

Upper explosion limit / Upper

11.2 %(V)

flammability limit

The value is calculated

Lower explosion limit / Lower

flammability limit

1.4 %(V)

The value is calculated

Vapour pressure 23.33 hPa (20 °C)

The value is calculated

Density 1.01 g/cm3

Solubility(ies)

Water solubility No data available

Partition coefficient: n-

octanol/water

No data available



# **TMP VLCD High Gloss Dressing**

Version Revision Date: SDS Number: Date of last issue: 05/08/2018 2.0 09/06/2018 TM 1301-1305 Date of first issue: 05/23/2016

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Oxidizing properties : No data available

### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Hazardous polymerisation does not occur.

Conditions to avoid : No data available

Incompatible materials : Strong acids

Strong bases

Strong oxidizing agents

Hazardous decomposition

products

Carbon oxides Silicon oxides

### **SECTION 11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

Inhalation Eye contact Skin contact Ingestion

#### **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute inhalation toxicity : Acute toxicity estimate: > 200 mg/l

Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

**Components:** 

Glycerin:

Acute oral toxicity : LD50 (Rat): 12,600 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 570 mg/m3

Exposure time: 1 h



# **TMP VLCD High Gloss Dressing**

Version Revision Date: SDS Number: Date of last issue: 05/08/2018 2.0 09/06/2018 TM 1301-1305 Date of first issue: 05/23/2016

Test atmosphere: vapour

Assessment: No adverse effect has been observed in acute

inhalation toxicity tests.

Acute dermal toxicity : LD50 (Rabbit): > 10 g/kg

Secondary alcohol ethoxylate:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

**Product:** 

Remarks: May irritate skin.

**Components:** 

Glycerin:

Assessment: No skin irritation Result: No skin irritation

Secondary alcohol ethoxylate:

Result: Irritating to skin.

Serious eye damage/eye irritation

Not classified based on available information.

**Product:** 

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

**Components:** 

Glycerin:

Result: Possibly irritating to eyes

Secondary alcohol ethoxylate:

Result: Irritating to eyes.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC No component of this product present at levels greater than or



# TMP VLCD High Gloss Dressing

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 05/08/2018

 2.0
 09/06/2018
 TM 1301-1305
 Date of first issue: 05/23/2016

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

**Aspiration toxicity** 

Not classified based on available information.

**Further information** 

**Product:** 

Remarks: No data available

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Dispose of in accordance with all applicable local, state and

federal regulations.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

## **SECTION 14. TRANSPORT INFORMATION**

Dangerous goods descriptions (if indicated below) may not reflect quantity, end-use, or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

## International Regulations

**IATA-DGR** 

Not regulated as a dangerous good

**IMDG-Code** 

Not regulated as a dangerous good



# **TMP VLCD High Gloss Dressing**

Version Revision Date: SDS Number: Date of last issue: 05/08/2018 2.0 09/06/2018 TM 1301-1305 Date of first issue: 05/23/2016

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **National Regulations**

**49 CFR** 

Not regulated as a dangerous good

49 CFR

Not regulated as a dangerous good

#### **SECTION 15. REGULATORY INFORMATION**

## **EPCRA - Emergency Planning and Community Right-to-Know Act**

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### California Prop. 65

WARNING: This product can expose you to chemicals including beta-Myrcene, Safrole, Methyl Eugenol, Diethanolamine, which is/are known to the State of California to cause cancer, and Ethylene glycol monomethyl ether, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



# **TMP VLCD High Gloss Dressing**

Version 2.0


Revision Date: 09/06/2018

SDS Number: TM 1301-1305 Date of last issue: 05/08/2018 Date of first issue: 05/23/2016

### **SECTION 16. OTHER INFORMATION**

### **Further information**

#### NFPA:



Special hazard.

Revision Date : 09/06/2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN