### **SECTION 1- PRODUCT IDENTIFICATION**

**PRODUCT NAME** : BIOSOL 25

**SYNONYMS**: Product is a mixture: No synonyms are available.

**PRODUCT USE** : Moderately Alkaline Material

**SUPPLIER**: WESMAR CO. INC.

SUPPLIER'S ADDRESS : 5720 204 TH ST SW, LYNNWOOD, WA 98036

(206) 783-5344

PERS: 1-800-633-8253

EMERGENCY RESPONSE PHONE :

**NUMBER** 



### **SECTION 2 – HAZARD IDENTIFICATION**

**CLASSIFICATION OF THE SUBSTANCE OR MIXTURE** 

GHS U.S. – CLASSIFICATION : H302 Harmful if swallowed.

H315 Causes skin irritation

H319 Causes serious eye irritation

LABEL ELEMENTS : GHS – US HAZARD PICTOGRAMS The product is classified and labeled according to

the Globally Harmonized System (GHS).

HAZARD PICTOGRAMS

 $\bigcirc$ 

SIGNAL WORD : WARNING

**HAZARD STATEMENTS**: H302 Harmful if swallowed.

: P101

(GHS-US)

: H315 Causes skin irritation.

: H319 Causes serious eye irritation.

**PRECAUTIONARY STATEMENTS** 

(GHS-US)

P102 Keep out of reach of children.

: P103 Read label before use.

: P264 Wash skin and contaminated clothing thoroughly after handling.

: P270 Do not eat, drink or smoke when using this product.

: P280 Wear suitable protective gloves/protective clothing/eye protection/face

If medical advice is needed, have product container or label at hand.

protection.

P301+ IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel

P312 unwell.

: P302+P352 : IF ON SKIN: Wash with plenty of soap and water.

: P305+351+ IF IN EYES: Rinse cautiously with water for several minutes. Remove

P338 contact lenses, if present and easy to do. Continue rinsing.
 P332+P313 If skin irritation occurs: Get medical advice/attention.
 P337+P313 If eye irritation persists: Get medical advice/attention.
 P501 Dispose of contents/container in accordance with

Dispose of contents/container in accordance with

local/regional/national/international regulations

OSHA HAZARDS : Target Organ Effect (Glycol Ether DPM), D-Limonene: Combustible Liquid, Target Organ

Effect, Skin Sensitizer, Irritant

**TARGET ORGANS** : Kidney, Liver, Nerves (Glycol Ether DPM).

**CLASSIFICATION SYSTEM** : NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme.

NFPA RATINGS (SCALE 0-4) : Health = 2, Fire = 0, Reactivity = 0 HMIS RATINGS (SCALE 0-5) : Health = 2, Fire = 0, Reactivity = 0

CLASSIFICATION SYSTEM: ...... NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme.

NFPA ratings (scale 0-4): .....Health = 1, Fire = 0, Reactivity = 0 HMIS ratings (scale 0-5): ....Health = 1, Fire = 0, Reactivity = 0

### SECTION 3 - COMPOSITON/INFORMATION ON INGREDIENTS

**CHEMICAL CHARACTERISTIC**: Mixtures

**DESCRIPTION**: Mixture of the substances listed below with nonhazardous additions.

COMPONENT	PERCENT	CAS#	EC#	GHS CLASS	
D-Limonene (Citrus Terpenes)	10-20	5989-27-5	227-813-5	Flam Liq Cat 3, Acute Tox Oral Cat 5,	
				Skin Irrit Cat 2, Eye Irrit Cat 2A,	
				Skin Sens Cat 1, Acute Tox Aquatic Cat 1	
Dipropylene glycol methyl ether	1-5	34590-94-8	252-104-2	Eye Irrit: Cat 2B	
Ethylenediamine Tetraacetate Na salt	1-5	64-02-8	200-573-9	Skin Irrit Cat 2, Eye Dam Cat 2A	
Coconut Diethanolamide	5-10	68603-42-9	271-657-0	Skin Irrit Cat 2, Eye Irrit Cat 2B	

Irrit = Irritation, Cor = Corrosive, Dam = Damage, Cat = Category, Tox = Toxic, STOT = Specific Target Organ Toxicity.

#### **SECTION 4 – FIRST AID MEASURES**

#### **DESCRIPTION OF FIRST AID MEASURES**

GENERAL: Never give anything by mouth to an unconscious person. If you feel unwell, seek

medical advice. Show the label where possible.

**EYE CONTACT**: Immediately flush eyes with water for at least 15 minutes. Hold eyelids open to ensure

adequate flushing. Remove contact lenses, if present and easy to do so. Continue

rinsing. If irritation persists, get immediate medical attention.

SKIN CONTACT : Remove contaminated clothing and shoes. Wash affected skin area with soap and

water. If irritation persists, get immediate medical attention.

SWALLOWING (INGESTION) : If ingested, dilute swallowed material by drinking water. DO NOT INDUCE VOMITING. If

vomiting occurs spontaneously, keep airway clear. Give more water when vomiting stops. Never give anything by mouth to an unconscious person. Get immediate medical

attention.

**INHALATION**: Remove to fresh air. Get immediate medical attention.

OTHER INSTRUCTIONS : Rescue personnel must wear appropriate protective equipment during removal of

victims from contaminated areas. Treat symptomatically and supportively.

### **SECTION 5 - FIRE FIGHTING MEASURES**

**EXTINGUISHING MEDIA** 

SPECIAL PROTECTIVE EQUIPMENT AND

PRECAUTIONS FOR FIRE

**FIGHTERS** 

UNUSUAL FIRE AND EXPLOSION HAZARDS

: Dry chemical, foam, water or carbon dioxide.

In the event of a fire, wear a NIOSH (USA) or CEN (EU) approved, positive pressure, self-contained breathing apparatus (SCUBA) and full protective clothing. Evacuate all non-

essential personnel from the danger area.

: No further relevant information is available.

# SECTION 6 – ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS,
PROTECTIVE EQUIPMENT &
EMERGENCY PROCEDURES
ENVIRONMENTAL PROCEDURES
METHODS AND MATERIALS FOR
CONTAINMENT AND CLEAN-UP

- Restrict access to keep out unauthorized or unprotected personnel. Wear protective equipment. Avoid inhalation and direct contact.
- : Keep spilled material away from sewage/drainage systems and waterways.
  - All clean-up personnel must be properly trained. Confine the spill and remove incompatible materials and ignition sources. Ensure adequate ventilation. Secure the source of the leak if conditions are safe. Neutralize spill and collect using an appropriate absorbent material such as clay or vermiculite. Place waste in an appropriate container for disposal. Use care during clean-up to avoid exposure to the material and injury from broken containers.

### **SECTION 7 - HANDLING AND STORAGE**

PRECAUTIONS FOR SAFE HANDLING

: Use with adequate ventilation. Wear proper protective equipment. Do not mix with water or acids without proper dilution and agitation to prevent a potentially violent reaction.

**CONDITIONS FOR SAFE STORAGE** 

Store in closed, properly labeled containers. Protect containers from heat, physical damage, ignition sources and incompatible materials. Have emergency equipment for fires and spills readily available.





#### SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

TLV (THRESHOLD LIMIT VALUE)

The TLV in section in section III is the ACGIH/TLV-TWA (threshold limit value/time weighted average concentration for an eight hour work day). The STEL is the short term exposure limit and the (Ceil) is the ceiling limit.

COMPONENT	OSHA PEL – TWA	ACGIH – TLV	ACGIH – STEL
D-Limonene (Citrus Terpenes)	Not Established	Not Established	Not Established
Dipropylene glycol methyl ether	100 ppm, 600mg/m <sup>3</sup>	100 ppm	150 ppm
Ethylenediamine Tetraacetate (EDTA)	Not Established	Not Established	Not Established
Coconut Diethanolamide	Not Established	Not Established	Not Established

**EYE PROTECTION** : Wear chemical splash goggles or face shield.

**SKIN PROTECTION** : Minimize contact with product. Wear chemical resistant coveralls, boots, gloves,

apron and/or suitable long-sleeved clothing.

**RESPIRATORY PROTECTION** : In case of brief exposure use respiratory filter device. In case of intensive or longer

exposure, use respiratory protective device that is independent of circulating air.

**VENTILATION** : Ensure adequate ventilation.

**ADDITIONAL MEASURES** : Emergency eyewash and safety shower facilities should be available in the immediate

work area.

**REQUIRED WORK/HYGIENE**: Wash hands thoroughly after handling. Keep away from all food stuffs, beverages and

feed. Do not eat, drink or smoke in work area.

### **SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES**

**APPEARANCE** : Clear amber liquid with citrus odor.

ODOR : Mild odor
ODOR THRESHOLD : Not available
PH : 9.5 - 10.5 AS IS

MELTING POINT/FREEZING

**POINT** 

Not available

**BOILING POINT** Approx. 212° F.

**FLASH POINT** Non flammable, non combustible

**EVAPORATION RATE** Not available

Non flammable-Non combustible **FLAMMABILITY** 

LOWER FLAMMABILITY LIMIT Not available **UPPER FLAMMABILITY LIMIT** Not available **VAPOR PRESSURE** Not available VAPOR DENSITY (AIR=1) Not available

**RELATIVE DESNITY** 0.97

**SOLUBILITY IN WATER** Soluble in water PARTITION COEFFICIENT n-Not available

OCTANOL/WATER

**AUTOIGNITION TEMPERATURE** : Not available **DECOMPOSITION** Not available

**TEMPERATURE** 

#### **SECTION 10 – STABILITY AND REACTIVITY**

: Stable under recommended storage conditions. **STABILITY HAZARDOUS CONDITIONS TO** : No decomposition if used according to specifications

**AVOID** 

**INCOMPATIBLE MATERIALS** Keep away from strong acids.

HAZARDOUS DECOMPOSITION

**PRODUCTS** 

No dangerous decomposition products known.

#### **SECTION 11 – TOXICOLOGICAL INFORMATION**

**TOXICOLOGICAL INFORMATION** : D-Limonene (Citrus Terpenes)

: LD50 Oral (rat): >5000 mg/kg. LD50 Dermal (rabbit): >5,000 mg/kg, RD50 Inhalation **ACUTE TOXICITY** 

(mice): > 1,000 mg/kg.

**IRRITATION** Prolonged or repeated exposure can cause drying or dermatitis of skin. **BIOACCUMULATION** No appreciable bio-concentration is expected in the environment.

**CARCINOGENICITY** This product is not classified as a carcinogen by OSHA, IARC, ACGIH or NTP.

Dipropylene Glycol Methyl Ether TOXICOLOGICAL INFORMATION

**ACUTE TOXICITY** LD50 values: Oral LD50: 5152 mg/kg (rat). LC50 dermal and inhalation: Not listed.

Eyes: Rabbit: Mild Irritation: 25 hours.

No component of this product present at levels greater than or equal to 0.1% is **CARCINOGENICITY** 

identified as probable or confirmed human carcinogen by IARC, ACGIH, NTP, and

OSHA.

**TOXICOLOGICAL INFORMATION Ethylenediamine Tetraacetate** 

LD50 Oral (rat): 630 - 1,260 mg/kg, **ACUTE TOXICITY** 

**INHALATION LC50** No data available No data available **DERMAL LD50** OTHER INFORMATION ON No data available

**ACUTE TOXICITY** 

TOXICOLOGICAL INFORMATION : Coconut Diethanolamide

LD50 Oral (rat): > 5,000 mg/kg, LD50 Dermal (rabbit): > 2000 mg/kg. **ACUTE TOXICITY** 

**ACUTE EFFECTS** May be harmful in contact with skin.

**CHRONIC EFFECTS** Hazardous by OSHA criteria. Prolonged inhalation may be harmful. Prolonged

exposure may cause chronic effects. May cause damage to organs through prolonged or repeated exposure.

or re

**SYMPTOMS AND TARGET** 

**ORGANS** 

Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain

### **SECTION 12 - ECOLOGICAL INFORMATION**

ECOLOGICAL INFORMATION

: D-Limonene (Citrus Terpenes)

**ECOTOXICITY** 

There is no information available at this time for this product. However, a spill may produce significant toxicity to aquatic organisms and ecosystems. Some studies have shown that certain bacteria and fungi have the ability to degrade citrus terpenes, decreasing their toxicity to fish. When spilled, this product may act as an oil, causing a

film, sheen, emulsion or sludge at or beneath the surface of a body of water

MOBILITY

Citrus Terpenes volatize rapidly.

PERSISTENCE AND

Readily biodegradable.

**DEGRADABILITY** 

**BIOACCUMULATIVE POTENTIAL** 

Bio-concentration is not expected to occur.

**ECOLOGICAL INFORMATION** 

: Dipropylene Glycol Methyl Ether

**ECOTOXICITY** (aquatic and terrestrial, where available):

ACUTE FISH TOXICITY : LC50 / 96 hours Fathead Minnow - >10,000 mg/L

TOXICITY TO DAPHNIA : EC50 / 48 hours Water flea - 1,919 mg/L

PERSISTENCE AND : No data available.

**DEGRADABILITY** 

**BIOACCUMULATIVE POTENTIAL**: No data available.

ECOLOGICAL INFORMATION : Ethylenediamine Tetraacetate

**ECOTOXICITY** : No data available. **PERSISTENCE AND** : No data available.

**DEGRADABILITY** 

**BIOACCUMULATIVE POTENTIAL**: No data available.

ECOLOGICAL INFORMATION : Coconut Diethanolamide

**ACUTE TOXICITY** : LC50 Algae: < 10 mg/l 72 hours, LC50 Daphnia: < 10 mg/l 48 hours, LC50 Fish: < 10

mg/l 96 hours

PERSISTENCE AND

**DEGRADABILITY** 

Readily biodegradable

BIOACCUMULATIVE POTENTIAL

: No data available.

### **SECTION 13 - DISPOSAL CONSIDERATIONS**

WASTE DISPOSAL

This product must be disposed of in accordance with Federal, state and local environmental regulations. Discarded materials may be considered hazardous waste due to pH/corrosivity. It is the responsibility of the product user to determine at the time of disposal whether a material containing, or derived from this product, should be classified as a hazardous waste.

### **SECTION 14 – TRANSPORTATION INFORMATION**

DOT/IMDG/ IATA PROPER

: Not Hazardous

SHIPPING NAME

HAZARD CLASS AND LABEL : Not Applicable.
UN NUMBER : Not Applicable.

PACKAGING GROUP
EPA REPORTABLE QUANTITY

(RQ)

Not Applicable.Not Applicable.

MARINE POLLUTANT : Not listed.

EMERGENCY RESPONSE GUIDE : Not Applicable.

### **SECTION 15 - REGULATORY INFORMATION**

U.N. GHS CLASSIFICATION & LABELING INFORMATION: See Section 2 for GHS Hazard Information.

**U.S. FEDERAL REGULATORY INFORMATION:** 

LISTED CARCINOGEN : Not listed.

**TSCA STATUS**: The ingredients of this product are listed in TSCA inventory (40CFR 710.)

**SARA SECTION 302** : No chemicals in this material are subject to the reporting requirements of SARA Title

III, Section 302.

SARA SECTION 312 : Chronic health hazard (Glycol Ether DPM).

**SARA SECTION 313** : This material does not contain any chemical components with known CAS numbers

that exceed the threshold (De Minimis) reporting levels established by SARA Title III,

Section 313.

NFPA HEALTH : 2 NFPA FLAMMABILITY : 0 NFPA REACTIVITY : 0

**EUROPEAN UNION REGULATORY INFORMATION:** 

**EC CLASSIFICATION** : Non Hazardous

**DSD/DPD RISK (R) PHRASES**: R22: Harmful is swallowed.

R36/38: Irritating to eyes and skin.

**DSD/DPD SAFETY (S) PHRASES** : S1/2: Keep locked up and out of reach of children.

S24/25: Avoid contact with eyes and skin.

S26: In case of contact with eyes, rinse immediately with

plenty of water and seek medical advice.

S36/S37/39: Wear suitable protective clothing, gloves and

eye/face protection.

S45: In case of accidents or if you feel unwell, seek medical

advice immediately. Show label where possible.

S61: Avoid release to the environment. S62: If swallowed, do not induce vomiting.

S64: If swallowed, rinse mouth with water if victim is

conscious.

DSD/DPD HAZARD SYMBOL : Xi: Irritant

**CANADIAN REGULATORY INFORMATION:** 

**WHMIS CATEGORY** : D2B: Materials that cause other toxic effects (TOXIC).

Note: D-limonene and Diethylene Glycol Methyl Ether are WHMIS B3 (combustible) chemicals, but not at the levels

present in this product.

**DOMESTIC SUBSTANCES LIST** 

(DSL)

INGREDIENT DISCLOSURE LIST : Listed

: Listed

**SECTION 16 – OTHER INFORMATION** 

DISCLAIMER : The information contained herein has been compiled from sources believed to be

realiable and accurate to the best of our knowledge at this date. It is provided without



warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Wesmar Co. assumes no responsibility for injury to any person or property resulting from any use of the material. Each user assumes the risk in their use of this product and should review the data and recommendations in the specific context of their intended use.

**CERCLA** : Comprehensive Environmental Response, Compensation, and Liability Act.

EINECS : European Inventory of Existing Commercial Chemical Substances

IMDG
 International Maritime Code for Dangerous Goods
 IARC
 International Agency for Research on Cancer
 IATA
 International Air Transportation Association

ACGIH : American Conference of Governmental Industrial Hygienists

NFPA : National Fire Protection Association (USA)

NTP : National Toxicology Program

SARA : Superfund Amendments and Reauthorization Act

TSCA : Toxic Substances Control Act

HMIS : Hazardous Materials Identification System (USA)WHMIS : Workplace Hazardous Materials Information System

**LC50** : Lethal concentration, 50 percent

**LD50** : Lethal dose, 50 percent

**STOT** : Systemic Target Organ Toxicity

**DATE PREPARED** : MAR 1, 2006 **DATE REVISED** : MAR 1, 2014