

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2015 / Rules and Regulations Revision Date: 04/17/2017

Version: 1.0

SECTION 1: IDENTIFICATION

Product Identifier

Product Form: Mixture Product Name: WES-SAN E3 Hand Sanitizer

Intended Use of the Product

Use of the Substance/Mixture: Hand sanitizer for use in the food processing, food service, and health care industries. For professional use only.

Name, Address, and Telephone of the Responsible Party

Company

Wesmar Co. Inc. 5720 204TH ST SW Lynnwood, WA 98036 T 206-783-5344

1 200-765-5544

www.wesmarcompany.com

Emergency Telephone Number Emergency number : 1-800-633-8253 (PERS)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

Classification (GHS-US)Flam. Liq. 2H225Eye Irrit. 2AH319Aquatic Acute 2H401Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)



Signal Word (GHS-US)	: Danger
Hazard Statements (GHS-US)	 H225 - Highly flammable liquid and vapor H319 - Causes serious eye irritation H401 - Toxic to aquatic life
Precautionary Statements (GHS-US)	 P210 - Keep away from heat, sparks, open flames, hot surfaces No smoking. P233 - Keep container tightly closed. P240 - Ground/bond container and receiving equipment. P241 - Use explosion-proof electrical, ventilating, and lighting equipment. P242 - Use only non-sparking tools. P243 - Take precautionary measures against static discharge. P264 - Wash hands, forearms, and other exposed areas thoroughly after handling. P273 - Avoid release to the environment. P280 - Eye protection. P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P370+P378 - In case of fire: Use appropriate media for extinction. P403+P235 - Store in a well-ventilated place. Keep cool. P501 - Dispose of contents/container to local, regional, national, territorial, provincial, and international regulations.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2017 / Rules and Regulations

Other Hazards

Other Hazards Not Contributing to the Classification: Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions. When heated to decomposition, emits toxic fumes. Flammable gas.

Unknown Acute Toxicity (GHS-US) Not available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

<u>Substances</u>

<u>Mixture</u>

Name	Product identifier	% (w/w)	Classification (GHS-US)
Ethyl alcohol	(CAS No) 64-17-5	50-70	Flam. Liq. 2, H225
			Eye Irrit. 2A, H319
			Aquatic Acute 2, H401
Water	(CAS No) 7732-18-5	20-30	Not classified
Isopropyl alcohol	(CAS No) 67-63-0	5 - 10	Flam. Liq. 2, H225
			Eye Irrit. 2A, H319
			STOT SE 3, H336
Glycerin	(CAS No) 56-81-5	0.1 - 1	Aquatic Acute 3, H402
Acrylic resin	(CAS No) 9003-01-4	0.1 - 1	Skin Irrit. 2, H315
			Eye Irrit. 2A, H319
2-Amino-2-methyl-1-propanol	(CAS No) 124-68-5	0.1 - 1	Skin Irrit. 2, H315
			Eye Irrit. 2A, H319
			Aquatic Chronic 3, H412

Full text of H-phrases: see section 16

SECTION 4: FIRST AID MEASURES

Description of First Aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: When symptoms occur: go into open air and ventilate suspected area. Remove to fresh air and keep at rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists.

Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation persists. Wash contaminated clothing before reuse.

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

Ingestion: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

Most Important Symptoms and Effects Both Acute and Delayed

General: Causes eye irritation.

Inhalation: Inhalation of large amounts may cause respiratory irritation.

Skin Contact: None known.

Eye Contact: Causes eye irritation.

Ingestion: Ingestion is likely to be harmful or have adverse effects.

Chronic Symptoms: Not available

Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Water spray, fog, carbon dioxide, foam, dry chemical.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: Flammable liquid and vapor.

Explosion Hazard: May form flammable/explosive vapor-air mixture.

Reactivity: When heated to decomposition, emits toxic fumes. Flammable gas.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2017 / Rules and Regulations

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection. **Hazardous Combustion Products**: Carbon oxides (CO, CO₂).

Other information: Do not allow run-off from fire fighting to enter drains or water courses.

Reference to Other Sections

Refer to section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid breathing (vapors, mist, spray). Avoid all contact with skin, eyes, or clothing. Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area.

Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clear up spills immediately and dispose of waste safely. Contact competent authorities after a spill.

Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Additional Hazards When Processed: When heated to decomposition, emits toxic fumes. Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do no eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep/Store away from extremely high or low temperatures, direct sunlight, heat, ignition sources, incompatible materials.

Incompatible Materials: Strong oxidizers.

Special Rules on Packaging: Keep only in original container.

Specific End Use(s)

Hand sanitizer for use in the food processing, food service, and health care industries. For professional use only.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Glycerin (56-81-5)				
Mexico	OEL TWA (mg/m³)	10 mg/m ³		
USA OSHA	OSHA PEL (TWA) (mg/m ³)	5 mg/m ³		
Ontario	OEL TWA (mg/m³)	10 mg/m ³		
Québec	VEMP (mg/m ³)	10 mg/m³		
Ethyl alcohol (64-17-5)				
Mexico	OEL TWA (mg/m³)	1900 mg/m ³		
Mexico	OEL TWA (ppm)	1000 ppm		
USA ACGIH	ACGIH STEL (ppm)	1000 ppm		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2017 / Rules and Regulations

USA OSHA	OSHA PEL (TWA) (mg/m³)	1900 mg/m³	
USA OSHA	OSHA PEL (TWA) (ppm)	1000 ppm	
USA NIOSH	NIOSH REL (TWA) (mg/m³)	1900 mg/m ³	
USA NIOSH	NIOSH REL (TWA) (ppm)	1000 ppm	
USA IDLH	US IDLH (ppm)	3300 ppm (10% LEL)	
Ontario	OEL STEL (ppm)	1000 ppm	
Québec	VEMP (mg/m ³)	1880 mg/m³	
Québec	VEMP (ppm)	1000 ppm	
Isopropyl alcohol (67-63-0)			
Mexico	OEL TWA (mg/m³)	980 mg/m³	
Mexico	OEL TWA (ppm)	400 ppm	
Mexico	OEL STEL (mg/m³)	1225 mg/m³	
Mexico	OEL STEL (ppm)	500 ppm	
USA ACGIH	ACGIH TWA (ppm)	200 ppm	
USA ACGIH	ACGIH STEL (ppm)	400 ppm	
USA OSHA	OSHA PEL (TWA) (mg/m³)	980 mg/m ³	
USA OSHA	OSHA PEL (TWA) (ppm)	400 ppm	
USA NIOSH	NIOSH REL (TWA) (mg/m³)	980 mg/m ³	
USA NIOSH	NIOSH REL (TWA) (ppm)	400 ppm	
USA NIOSH	NIOSH REL (STEL) (mg/m ³)	1225 mg/m ³	
USA NIOSH	NIOSH REL (STEL) (ppm)	500 ppm	
USA IDLH	US IDLH (ppm)	2000 ppm (10% LEL)	
Ontario	OEL STEL (ppm)	400 ppm	
Ontario	OEL TWA (ppm)	200 ppm	
Québec	VECD (mg/m ³)	1230 mg/m ³	
Québec	VECD (ppm)	500 ppm	
Québec	VEMP (mg/m ³)	985 mg/m³	
Québec	VEMP (ppm)	400 ppm	

Exposure Controls

Appropriate Engineering Controls: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed. Ensure adequate ventilation, especially in confined areas. Use explosion-proof equipment.

Personal Protective Equipment: Protective goggles.



Materials for Protective Clothing: NA

Hand Protection: NA

Eye Protection: Chemical goggles or face shield.

Skin and Body Protection: NA

Respiratory Protection: NA

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties				
Physical State	:	Liquid		
Appearance	:	Clear, colorless, viscous liquid		
Odor	:	Alcohol		
Odor Threshold	:	Not available		
рН	:	8.0		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2017 / Rules and Regulations

Relative Evaporation Rate (butylacetate=1)	:	Not available
Melting Point	:	Not available
Freezing Point	:	Not available
Boiling Point	:	82.2 °C (179.96°F)
Flash Point	:	18.3 °C (64.94°F)
Auto-ignition Temperature	:	Not available
Decomposition Temperature	:	Not available
Flammability (solid, gas)	:	Not available
Lower Flammable Limit	:	Not available
Upper Flammable Limit	:	Not available
Vapor Pressure	:	Not available
Relative Vapor Density at 20 °C	:	Not available
Specific Gravity	:	0.85
Solubility	:	Complete.
Partition coefficient: n-octanol/water	:	Not available
Viscosity	:	Not available
Explosion Data – Sensitivity to Mechanical Impact	:	Not expected to present an explosion hazard due to mechanical impact.
Explosion Data – Sensitivity to Static Discharge	:	Static discharge may present an explosion hazard.
SECTION 10: STABILITY AND REACTIVITY		
Reactivity: When heated to decomposition, emits	s to:	xic fumes. Flammable gas.
Chemical Stability: Stable under normal conditio	ns.	
Possibility of Hazardous Reactions: Hazardous p	olyr	nerization will not occur.
Conditions to Avoid: Direct sunlight. Extremely hi	igh	or low temperatures. Heat. Ignition sources. combustible materials.
Incompatible materials.		
Incompatible Materials: Strong oxidizers.		
Hazardous Decomposition Products: Carbon oxid	les	(CO, CO2). May release flammable gases. Toxic gases.
SECTION 11: TOXICOLOGICAL INFORMATIO	Ν	
Information on Toxicological Effects - Product		
Acute Toxicity: Not classified		

Acute Toxicity: Not classified

LD50 and LC50 Data: Not available

Skin Corrosion/Irritation: Not classified pH: 8

Serious Eye Damage/Irritation: Causes serious eye irritation. pH: 8

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Teratogenicity: Not available

Carcinogenicity: Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Inhalation of large amounts may cause respiratory irritation.

Symptoms/Injuries After Skin Contact: None known.

Symptoms/Injuries After Eye Contact: Causes eye irritation.

Symptoms/Injuries After Ingestion: Ingestion is likely to be harmful or have adverse effects.

Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

Water (7732-18-5)

LD50 Oral Rat

> 90000 mg/kg

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2017 / Rules and Regulations

Glycerin (56-81-5)		
LD50 Dermal Rabbit	> 10 g/kg	
LC50 Inhalation Rat (mg/l)	> 570 mg/m ³ (Exposure time: 1 h)	
Ethyl alcohol (64-17-5)		
LD50 Oral Rat	10470 mg/kg	
LD50 Dermal Rat	20 ml/kg	
LC50 Inhalation Rat (mg/l)	124.7 mg/l/4h	
Isopropyl alcohol (67-63-0)		
LD50 Oral Rat	4396 mg/kg	
LD50 Dermal Rabbit	12800 mg/kg	
LC50 Inhalation Rat (ppm)	16000 ppm (Exposure time: 8 h)	
2-Amino-2-methyl-1-propanol (124-68-5)		
LD50 Oral Rat	2900 mg/kg	
LD50 Dermal Rabbit	> 2000 mg/kg	
Acrylic resin (9003-01-4)		
IARC Group	3	
Isopropyl alcohol (67-63-0)		
IARC Group	3	
SECTION 12: ECOLOGICAL INFORMATION		

<u>Toxicity</u>

Ecology - General: Harmful to aquatic life with long lasting effects.

Glycerin (56-81-5)				
LC50 Fish 1	51 (51 - 57) ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])			
Ethyl alcohol (64-17-5)				
LC50 Fish 1	1 9.468 (9.468 - 12.624) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static converted from ml/l			
EC50 Daphnia 1	9268 (9268 - 14221) mg/l (Exposure time: 48 h - Species: Daphnia magna)			
LC 50 Fish 2	100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])			
EC50 Daphnia 2	2 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])			
Acrylic resin (9003-01-4)				
LC50 Fish 1	580 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)			
Isopropyl alcohol (67-63-0)				
LC50 Fish 1	9640 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])			
EC50 Daphnia 1	13299 mg/l (Exposure time: 48 h - Species: Daphnia magna)			
EC50 Other Aquatic Organisms 1	1000 mg/l (Exposure time: 96 h - Species: Desmodesmus subspicatus)			
LC 50 Fish 2	11130 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])			
EC50 Other Aquatic Organisms 2	1000 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)			
2-Amino-2-methyl-1-propanol (124-68-5)				
LC50 Fish 1	190 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])			
EC50 Daphnia 1	193 mg/l (Exposure time: 48 h - Species: Daphnia magna)			
EC50 Other Aquatic Organisms 1	520 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)			
Persistence and Degradability				
Wyandotte Sanifect E3 Hand Sanitizer (AFCO 5511)				
Persistence and Degradability	May cause long-term adverse effects in the environment.			
Ethyl alcohol (64-17-5)				
Persistence and Degradability	Not established.			

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2017 / Rules and Regulations

Bioaccumulative Potentia				
Wyandotte Sanifect E3 Hand				
Bioaccumulative Potential	Not established.			
Glycerin (56-81-5)				
BCF fish 1	(no bioaccumulation)			
Log Pow	-1.76			
Ethyl alcohol (64-17-5)				
Log Pow	-0.32			
Bioaccumulative Potential	Not established.			
Isopropyl alcohol (67-63-0)				
Log Pow	0.05 (at 25 °C)			
2-Amino-2-methyl-1-propan	ol (124-68-5)			
BCF fish 1	<1			
Mobility in Soil Not availab	le			
Other Adverse Effects				
Other Information: Avoid rel	lease to the environment.			
SECTION 13: DISPOSAL C				
	lations: Dispose of waste material in accordance with all local, regional, national, provincial, territorial			
and international regulations				
	This material is hazardous to the aquatic environment. Keep out of sewers and waterways.			
SECTION 14: TRANSPORT				
14.1 In Accordance with D				
Proper Shipping Name	: ETHANOL SOLUTIONS			
Hazard Class	: 3			
Identification Number	: UN1170			
Label Codes	: 3			
Packing Group	:			
ERG Number	: 127			
14.2 In Accordance with I				
Proper Shipping Name	: ETHANOL SOLUTIONS			
Hazard Class	: 3			
Identification Number	: UN1170			
Packing Group	:			
Label Codes	: 3			
EmS-No. (Fire)	: F-E			
EmS-No. (Spillage)	: S-D			
14.3 In Accordance with I	· · · · · · · · · · · · · · · · · · ·			
Proper Shipping Name	: ETHANOL SOLUTIONS			
Packing Group				
Identification Number	: UN1170			
Hazard Class	: 3			
	abel Codes : 3			
ERG Code (IATA) 14.4 In Accordance with T				
Proper Shipping Name	: ETHANOL SOLUTIONS			
Packing Group				
Hazard Class	: 3			

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2017 / Rules and Regulations

Identification Number : UN1170	
Label Codes : 3	
SECTION 15: REGULATORY INFORMATION	
US Federal Regulations	
Wyandotte Sanifect E3 Hand Sanitizer (AFCO 5511)	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard Fire hazard
Water (7732-18-5)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Glycerin (56-81-5)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory
EPA TSCA Regulatory Flag	Y2 - Y2 - indicates an exempt polymer that is a polyester and is
	made only from reactants included in a specified list of low concern
	reactants that comprises one of the eligibility criteria for the
	exemption rule.
Ethyl alcohol (64-17-5)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Acrylic resin (9003-01-4)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Isopropyl alcohol (67-63-0)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Listed on SARA Section 313 (Specific toxic chemical listings)	
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test
	rule under TSCA.
SARA Section 313 - Emission Reporting	1.0 % (only if manufactured by the strong acid process, no supplier
	notification)
2-Amino-2-methyl-1-propanol (124-68-5)	\ investory
Listed on the United States TSCA (Toxic Substances Control Act) Inventory
US State Regulations	
Ethyl alcohol (64-17-5)	
U.S California - Proposition 65 - Carcinogens List	WARNING: This product contains chemicals known to the State of
LLC California Dranasitian CE Developmental Tavisity	California to cause cancer.
U.S California - Proposition 65 - Developmental Toxicity	WARNING: This product contains chemicals known to the State of California to cause birth defects.
Glycerin (56-81-5)	at
RTK - U.S New Jersey - Right to Know Hazardous Substance Li RTK - U.S Pennsylvania - RTK (Right to Know) List	St
U.S Texas - Effects Screening Levels - Long Term	
U.S Texas - Effects Screening Levels - Short Term	
Ethyl alcohol (64-17-5)	
RTK - U.S New Jersey - Right to Know Hazardous Substance Li	st
U.S New Jersey - Special Health Hazards Substances List	
U.S New York - Occupational Exposure Limits - TWAs	
RTK - U.S Pennsylvania - RTK (Right to Know) List	
U.S Texas - City of Austin - Aerosol Paint and Glue Restriction	s
U.S Texas - Effects Screening Levels - Long Term	-
U.S Texas - Effects Screening Levels - Short Term	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2017 / Rules and Regulations

Acrylic resin (9003-01-4)

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

Isopropyl alcohol (67-63-0)

U.S. - California - SCAQMD - Toxic Air Contaminants - Non-Cancer Acute

U.S. - California - SCAQMD - Toxic Air Contaminants - Non-Cancer Chronic

U.S. - California - Toxic Air Contaminant List (AB 1807, AB 2728)

U.S. - New Jersey - Discharge Prevention - List of Hazardous Substances

U.S. - New Jersey - Environmental Hazardous Substances List

RTK - U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - New Jersey - Special Health Hazards Substances List

U.S. - New York - Occupational Exposure Limits - TWAs

- RTK U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- RTK U.S. Pennsylvania RTK (Right to Know) List

U.S. - Texas - City of Austin - Aerosol Paint and Glue Restrictions

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

2-Amino-2-methyl-1-propanol (124-68-5)

RTK - U.S. - New Jersey - Right to Know Hazardous Substance List

RTK - U.S. - Pennsylvania - RTK (Right to Know) List

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

Canadian Regulations

Canadian Acgulations				
Wyandotte Sanifect E3 Hand Sanitizer (AFCO 5511)				
WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects			
	Class B Division 2 - Flammable Liquid			
Water (7732-18-5)				
Listed on the Canadian DSL (I	Domestic Substances List) inventory.			
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria			
Glycerin (56-81-5)				
Listed on the Canadian DSL (I	Domestic Substances List) inventory.			
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria			
Ethyl alcohol (64-17-5)				
Listed on the Canadian DSL (I	Domestic Substances List) inventory.			
Listed on the Canadian Ingree	dient Disclosure List			
WHMIS Classification	Class B Division 2 - Flammable Liquid			
	Class D Division 2 Subdivision B - Toxic material causing other toxic effects			
Acrylic resin (9003-01-4)				
Listed on the Canadian DSL (Domestic Substances List) inventory.				
Isopropyl alcohol (67-63-0)				
Listed on the Canadian DSL (Domestic Substances List) inventory.				
Listed on the Canadian Ingredient Disclosure List				
WHMIS Classification	Class B Division 2 - Flammable Liquid			
	Class D Division 2 Subdivision B - Toxic material causing other toxic effects			

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2017 / Rules and Regulations

Listed on the Canadian DSL (Domestic Substances List) inventory.

WHMIS Classification **Class E - Corrosive Material**

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

: 04/17/2014

Revision date			
Other Information			

: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

GHS Full Text Phrases:

	Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2	
	Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3	
	Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3	
	Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A	
	Flam. Liq. 2	Flammable liquids Category 2	
	Skin Irrit. 2	Skin corrosion/irritation Category 2	
	STOT SE 3	Specific target organ toxicity (single exposure) Category 3	
	H225	Highly flammable liquid and vapor	
	H315	Causes skin irritation	
	H319	Causes serious eye irritation	
	H336	May cause drowsiness or dizziness	
	H401	Toxic to aquatic life	
	H402	Harmful to aquatic life	
	H412	Harmful to aquatic life with long lasting effects	
NFPA Health Hazard : 1		: 1 - Exposure could cause irritation but only minor residual	
NFPA Fire Hazard : NFPA Reactivity :		 injury even if no treatment is given. 3 - Liquids and solids that can be ignited under almost all ambient conditions. 0 - Normally stable, even under fire exposure conditions, and are not reactive with water. 	
HMIS III Rating			
Health : 1		: 1 Slight Hazard - Irritation or minor reversible injury possible	
		: 3 Serious Hazard	
		: 0 Minimal Hazard	
Party Responsible for the Preparation of This Document Wesmar Co. Inc. 5720 204 TH ST SW			
Lynnwood, WA 98036 206-783-5344			

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

North America GHS US 2012 & WHMIS 2