

Safety Data Sheet

A C 20 N

SECTION 1- PRODUCT IDENTIFICATION

PRODUCT NAME AC-20-N
SYNONYMS Product is a mixture: No synonyms are available
PRODUCT USE Alkaline Material
SUPPLIER WESMAR CO. INC.
SUPPLIER'S ADDRESS 5720 204TH ST. SW, LYNNWOOD, WA 98036
(206) 783-5344
EMERGENCY RESPONSE PHONE PERS: 1-800-633-8253



SECTION 2 – HAZARD IDENTIFICATION

GHS – US CLASSIFICATION : H290 Metal corrosion Category 1
: H314 Skin Corrosion Category 1B
: H318 Serious Eye Damage Category 1B
: H412 Aquatic Acute Category 3

HAZARD PICTOGRAMS :**SIGNAL WORD** :**DANGER****GHS LABEL ELEMENTS** :

The product is classified and labeled according to the Globally Harmonized System (GHS).

GHS PHYSICAL HAZARDS :

: H290 May be corrosive to metals.
: H314 Causes severe skin burns and eye damage.
: H318 Causes serious eye damage.
: H412 Harmful to aquatic life with long lasting effects.

GHS PRECAUTIONARY HAZARDS :

: P101 If medical advice is needed, have product container or label at hand.
: P102 Keep out of reach of children.
: P103 Read label before use.
: P260 Do not breathe dust/fume/gas/mist/vapors/spray.
: P264 Wash skin and contaminated clothing thoroughly after handling.
: P270 Do not eat, drink or smoke when using this product.
: P280 Wear suitable protective gloves/protective clothing/eye protection/face protection.
: P301+P330 IF SWALLOWED. Rinse mouth. Do NOT induce vomiting.
+P331
: P303+P361 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
+P353
: P305+P351 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
+P338
: P305+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position.
: P310 Immediately call a POISON CENTER or doctor/physician.
: P330 Rinse mouth if ingested.
: P405 Store locked up.
: P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

CLASSIFICATION SYSTEM: :**NFPA ratings (scale 0-4):** :

NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme.

HMIS ratings (scale 0-5): :

: Health = 2, Fire = 0, Reactivity = 0
: Health = 2, Fire = 0, Reactivity = 0

Safety Data Sheet A C 20 N

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL CHARACTERIZATION : Mixtures
DESCRIPTION : Mixture of the substances listed below with nonhazardous additions.

COMPONENT	PERCENT	CAS #	EC #	GHS CLASS
Sodium Carbonate	20-40	497-19-8	207-838-8	Skin Irrit. Cat 2, Eye Irrit. Cat 2A
Sodium Metasilicate	10-20	6834-92-0	229-912-9	Skin Corr: Cat 1C, Eye Corr. Cat 1
Tetrasodium Pyrophosphate	20-40	7722-88-5	231-767-1	Acute Tox Oral Cat 4, Eye Dam Cat 1
Trisodium Phosphate Crystals	20-40	10101-89-0	231-509-8	Skin Irrit Cat 2
Sodium Dodecylbenzene Sulfonate	1-5	25155-30-0	246-680-4	Skin Irrit Cat 4, Eye Dam Cat 2 Acute Tox Cat 4, STOT SE Cat 3
Sodium dodecyl diphenyl oxide disulfonate	0.1-1	119345-04-9	Not Found	Not Classified
Polyethylene Glycol Ether	1-5	60864-33-7	200-661-7	Not Classified

Corr. = Corrosion, Dam. = Damage, Tox = Toxic,

SECTION 4 – FIRST AID MEASURES

EYE CONTACT : Immediately flush eyes with water for at least 15 minutes. Hold eyelids open to ensure adequate flushing. Remove contact lenses, if present and easy to do so. Continue rinsing. Immediate call a POISON CENTER or doctor/physician.

SKIN CONTACT : Remove contaminated clothing and shoes. Wash affected skin area with water for at least 15 minutes. Delayed skin damage is possible if product is not completely washed off. Get immediate medical attention. Wash contaminated clothing before reuse.

SWALLOWING (INGESTION) : If ingested, dilute swallowed material by drinking water. DO NOT INDUCE VOMITING. Never give anything by mouth to an unconscious person. Immediate call a POISON CENTER or doctor/physician.

INHALATION : When symptoms occur, go into open air and ventilate suspected area. Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER/doctor/physician.

GENERAL MEASURES : Never give anything by mouth to an unconscious person. Rescue personnel must wear appropriate protective equipment during removal of victims from contaminated areas. Treat symptomatically and supportively.

SECTION 5 – FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA : Dry chemical, foam, water or carbon dioxide

SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTER : In the event of a fire, wear a NIOSH (USA) or CEN (EU) approved, positive pressure, self-contained breathing apparatus (SCUBA) and full protective clothing. Evacuate all non-essential personnel from the danger area.

UNUSUAL FIRE AND EXPLOSION HAZARDS : No further relevant information is available.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES : Restrict access to keep out unauthorized or unprotected personnel. Wear protective equipment. Avoid inhalation and direct contact.

ENVIRONMENTAL : Keep spilled material away from sewage/drainage systems and waterways. This

Safety Data Sheet

A C 20 N

PRECAUTIONS

product contains a U.S. EPA Reportable Quantity (RQ) substance. If amounts exceeding the Reportable Quantity are released, notification of the National Response Center (800) 424-8802 is required. See section 15 for more information.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP

: All clean-up personnel must be properly trained. Confine the spill and remove incompatible materials and ignition sources. Ensure adequate ventilation. Secure the source of the leak if conditions are safe. Neutralize spill and collect using an appropriate absorbent material such as clay or vermiculite. Place waste in an appropriate container for disposal. Use care during clean-up to avoid exposure to the material and injury from broken containers.

SECTION 7 – HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

: Use with adequate ventilation. Wear proper protective equipment. Do not mix with water or acids without proper dilution and agitation to prevent a potentially violent reaction.

CONDITIONS FOR SAFE STORAGE

: Store in closed, properly labeled containers. Protect containers from heat, physical damage, ignition sources and incompatible materials. Have emergency equipment for fires and spills readily available.



SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

TLV (THRESHOLD LIMIT VALUE)

: The TLV in section III is the ACGIH/TLV-TWA (threshold limit value/time weighted average concentration for an eight hour work day). The STEL is the short term exposure limit and the (Ceil) is the ceiling limit.

COMPONENT	OSHA PEL – TWA	ACGIH TLV-Ceiling	ACGIH – STEL
Sodium Carbonate	Not Established	Not Established	Not Established
Sodium Metasilicate	8hr Recommended: 3mg/m ³	Not Established	Not Established
Trisodium Phosphate Crystals	Not Established	Not Established	Not Established
Tetrasodium Pyrophosphate	5 mg/m ³	Not Established	Not Established
Sodium Dodecylbenzene Sulfonate BAF	Not Established	Not Established	Not Established
Sodium dodecyl diphenyl oxide disulfonate	Not Established	Not Established	Not Established
Polyethylene Glycol Ether	Not Established	Not Established	Not Established

EYE PROTECTION

: Wear chemical splash goggles or face shield.

SKIN PROTECTION

: Minimize contact with product. Wear chemical resistant coveralls, boots, gloves, apron and/or suitable long-sleeved clothing.

RESPIRATORY PROTECTION

: In case of brief exposure use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.

VENTILATION

: Ensure adequate ventilation.

ADDITIONAL MEASURES

: Emergency eyewash and safety shower facilities should be available in the immediate work area.

REQUIRED WORK/HYGIENE

: Wash hands thoroughly after handling. Keep away from all food stuffs, beverages and feed. Do not eat, drink or smoke in work area.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Safety Data Sheet A C 20 N

APPEARANCE	: White free flowing powder with mild odor.
ODOR	: Mild odor
ODOR THRESHOLD	: Not available
PH	: 11.0 - 11.9 (1% solution)
MELTING POINT/FREEZING POINT	: Not available
BOILING POINT	: Not available
FLASHPOINT	: Non flammable, non combustible
EVAPORATION RATE	: Not available
FLAMMABILITY	: Not applicable
LOWER FLAMMABILITY LIMIT	: Not applicable
UPPER FLAMMABILITY LIMIT	: Not applicable
VAPOR PRESSURE	: Not available
VAPOR DENSITY (AIR=1)	: Not available
RELATIVE DENSITY	: > 1.0
SOLUBILITY IN WATER	: Soluble in water
PARTITION COEFFICIENT n-OCTANOL/WATER	: Not available
AUTOIGNITION TEMPERATURE	: Not available
DECOMPOSITION TEMPERATURE	: Not available

SECTION 10 – STABILITY AND REACTIVITY

STABILITY	: Stable under recommended storage conditions.
HAZARDOUS CONDITIONS TO AVOID	: No decomposition if used according to specifications.
INCOMPATIBLE MATERIALS	: Keep away from strong acids.
HAZARDOUS DECOMPOSITION PRODUCTS	: No dangerous decomposition products known.

SECTION 11 – TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION	: Sodium Carbonate
ACUTE TOXICITY	: Not Classified. LD50 values: Oral LD50: 4090mg/kg (rat).
SKIN CORROSION/IRRITATION	: Causes skin irritation.
SERIOUS EYE DAMAGE/IRRITATION	: Causes serious eye irritation.
TOXICOLOGICAL INFORMATION	: Sodium Metasilicate
ACUTE TOXICITY	: LD50 Oral: 1280mg/kg (Rat), 2400mg/kg (mouse)
CHRONIC TOXICITY	: No data were available regarding chronic exposure, reproductive or teratological effects, or carcinogenicity for sodium metasilicate.
CARCINOGENICITY	: This product is not classified as a carcinogen by NTP, IARC or OSHA.
TOXICOLOGICAL INFORMATION	: Trisodium Phosphate Crystals
ACUTE TOXICITY	: Oral - rat LD50: 6,500 mg/kg; practically nontoxic Dermal - rabbit LD50: > 7,940 mg/kg; practically nontoxic Eye Irritation - rabbit (4-hr exp.): corrosive Skin Irritation - rabbit: 3.3/8.0; moderately irritating
TOXICOLOGICAL INFORMATION	: Sodium Dodecylbenzene Sulfonate
ACUTE TOXICITY	: LD50 Oral rat: 438 mg/kg.
INHALATION TOXICITY	: No data available

Safety Data Sheet

A C 20 N

DERMAL TOXICITY	:	No data available
SKIN CORROSION/IRRITATION	:	Skin – rabbit Result: Skin irritation - 24 h
SERIOUS EYE DAMAGE/IRRITATION	:	Eyes – rabbit Result: Severe eye irritation - 24 h
RESPIRATORY/SKIN SENSITISATION	:	No data available
GERM CELL MUTAGENICITY	:	No data available
CARCINOGENICITY	:	No components of this product present at levels greater than or equal to 0.1% are identified as probable, possible or confirmed human carcinogen by IARC ACGIH, NTP or OSHA.
TOXICOLOGICAL INFORMATION	:	Sodium dodecyl diphenyl oxide disulfonate
ACUTE TOXICITY	:	Eye and skin irritant, Ingestion and Inhalation: Unknown
CHRONIC TOXICITY	:	No information available.
CARCINOGENICITY	:	This product is not listed as a human carcinogens by IARC, ACGIH, NTP or OSHA.
TOXICOLOGICAL INFORMATION	:	Polyethylene Glycol Ether
ACUTE TOXICITY	:	Not available.
CHRONIC EFFECTS ON HUMANS	:	Not available.
OTHER TOXIC EFFECTS ON HUMANS	:	Not available.

SECTION 12 – ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION	:	Sodium Carbonate
ECOTOXICITY	:	LC50 Fishes 1: 300mg/L, EC Daphnia: 265mg/L, LC50 Fishes 2: 740mg/L.
PERSISTENCE and DEGRADABILITY	:	No data available.
BIOACCUMULATIVE POTENTIAL	:	No data available.
ECOLOGICAL INFORMATION	:	Sodium Metasilicate
ECOTOXICITY (Aquatic Toxicity)	:	This material has exhibited moderate toxicity to aquatic organisms.
BIODEGRADATION	:	This material is inorganic and not subject to biodegradation.
PERSISTENCE	:	This material is believed to persist in the environment.
BIOCONCENTRATION	:	This material is not expected to bio-concentrate in organisms.
ECOLOGICAL INFORMATION	:	Trisodium Phosphate Crystals
ECOTOXICITY	:	Invertebrate: 48-hr EC50 Daphnia magna: >1000 mg/L; Practically Nontoxic. Warm-water Fish: 96-hr LC50 Bluegill sunfish: 440 mg/L; Practically Nontoxic. Coldwater Fish: 96-hr LC50 Rainbow trout: 260 mg/L; Practically Nontoxic. No definitive algal toxicity data was available for this material.
ENVIRONMENTAL FATE	:	Phosphates: Inorganic phosphates, including this product, at high concentrations in the environment have the potential to cause eutrophication in aquatic systems. This condition is characterized by excessive algal growth, and subsequent decreases in oxygen levels. In general, proper use and disposal of this product should pose no adverse ecological risk.
ECOLOGICAL INFORMATION	:	Sodium Dodecylbenzene Sulfonate
TOXICITY TO FISH	:	Mortality NOEC - Oncorhynchus kisutch - 3.1 mg/l - 3 d Mortality LOEC - Oncorhynchus kisutch - 5.6 mg/l - 3 d LC50 - Oncorhynchus mykiss (rainbow trout) - 3.2 - 5.6 mg/l - 96 h
ECOLOGICAL INFORMATION	:	Sodium dodecyl diphenyl oxide disulfonate
ECOTOXICITY	:	Harmful to aquatic organisms. Marine pollutant

Safety Data Sheet

A C 20 N

CHEMICAL FATE	:	Not readily biodegradable
ECOLOGICAL INFORMATION		Polyethylene Glycol Ether
ECOTOXICITY	:	Not available
BOD5 AND COD	:	Not available
PRODUCTS OF BIODEGRADATION	:	No data available.
TOXICITY OF PRODUCTS OF BIODEGRADATION	:	The product and products of biodegradation are not toxic.

SECTION 13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL	:	This product must be disposed of in accordance with Federal, state and local environmental regulations. Discarded materials may be considered hazardous waste due to pH/corrosivity. It is the responsibility of the product user to determine at the time of disposal whether a material containing, or derived from this product, should be classified as a hazardous waste
-----------------------	---	---

SECTION 14 – TRANSPORTATION INFORMATION

DOT/IMDG/ IATA PROPER SHIPPING NAME	:	UN-3262, CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (CONTAINS SODIUM METASILICATE) 8 PG-II
HAZARD CLASS AND LABEL	:	8 (Corrosive)
UN NUMBER	:	UN 3262
PACKAGING GROUP	:	PG-II
EPA REPORTABLE QUANTITY (RQ)	:	N/A
MARINE POLLUTANT	:	Not listed.
EMERGENCY RESPONSE GUIDE	:	ERG-154



SECTION 15 – REGULATORY INFORMATION

U.S. FEDERAL REGULATORY INFORMATION:

LISTED CARCINOGEN	:	Not listed
TSC STATUS	:	The ingredients of this product are listed on TSCA (Toxic Substances Control Act) inventory (40CFR 710.)
SARA SECTION 302	:	None
SARA SECTION 311/312	:	Immediate (acute) health hazard.
HAZARD CLASS	:	
SARA SECTION 313	:	Not Listed
NFPA HEALTH	:	2
NFPA FLAMMABILITY	:	0
NFPA REACTIVITY	:	0

EUROPEAN UNION REGULATORY INFORMATION:

EC CLASSIFICATION	:	C: Corrosive, Xn: Harmful.
DSD/DPD RISK (R) PHRASES	:	R34: Causes severe burns. R22: Harmful if swallowed.
DSD/DPD SAFETY (S) PHRASES	:	S1/2: Keep locked up and out of reach of children. S18: Handle and open containers with care.



Safety Data Sheet

A C 20 N

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S36/S37/39: Wear suitable protective clothing, gloves and eye/face protection.

S45: In case of accidents or if you feel unwell, seek medical advice immediately. Show label where possible.

S61: Avoid release to the environment.

S64: If swallowed, rinse mouth with water if victim is conscious.



DSD/DPD HAZARD SYMBOL : C: Corrosive, Xn: Harmful

CANADIAN REGULATORY INFORMATION

WHMIS CATEGORY : Class E: Corrosive, Class D2B: Materials that cause other toxic effects (TOXIC).

DOMESTIC SUBSTANCES LIST (DSL) : Listed

INGREDIENT DISCLOSURE LIST : Listed, This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the sds contains all of the information required by the CPR.



SECTION 16 – OTHER INFORMATION

DISCLAIMER : The information contained herein has been compiled from sources believed to be reliable and accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Wesmar Co. assumes no responsibility for injury to any person or property resulting from any use of the material. Each user assumes the risk in their use of this product and should review the data and recommendations in the specific context of their intended use.

IMDG : International Maritime Code for Dangerous Goods
DOT : US Department of Transportation
IATA : International Air Transportation Association
ACGIH : American Conference of Governmental Industrial Hygienists
NFPA : National Fire Protection Association (USA)
HMIS : Hazardous Materials Identification System (USA)
LC50 : Lethal concentration, 50 percent
LD50 : Lethal dose, 50 percent
STOT : Specific Target Organ Toxicity
DATE PREPARED : MAR 1, 2008
DATE REVISED : MAR 1, 2014