SECTION 1 – PRODUCT IDENTIFICATION

| PRODUCT NAME SYNONYMS PRODUCT USE SUPPLIER SUPPLIER'S ADDRESS EMERGENCY RESPONSE PHONE | AC-20-LF Product is a mixture: No synonyms are available Alkaline Material WESMAR CO. INC. 5720 204 TH ST SW, Lynnwood, WA 98036 (206) 783-5344 PERS: 1-800-633-8253 | | | |
|---|---|--|--|--|
| | SECTION 2 – HAZARD IDENTIFICATION | | | |
| GHS – US CLASSIFICATION | H290 Metal corrosion Category 1 H314 Skin Corrosion Category 1B H318 Serious Eye Damage Category 1B H412 Aquatic Acute Category 3 | | | |
| HAZARD PICTOGRAMS | | | | |
| SIGNAL WORD | : DANGER | | | |
| GHS LABEL ELEMENTS | : The product is classified and labeled according to the Globally Harmonized System (GHS). | | | |
| GHS PHYSICAL HAZARDS | H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H412 Harmful to aquatic life with long lasting effects. | | | |
| GHS PRECAUTIONARY HAZARDS | P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read label before use. P260 Do not breathe dust/fume/gas/mist/vapors/spray. P264 Wash skin and contaminated clothing thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P280 Wear suitable protective gloves/protective clothing/eye protection/face protection. P301+P330 IF SWALLOWED. Rinse mouth. Do NOT induce vomiting. +P331 P303+P361 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351 IF IN EYES: Rinse cautiously with water for several minutes. Remove +P338 contact lenses, if present and easy to do. Continue rinsing. P305+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position. P310 Immediately call a POISON CENTER or doctor/physician. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. | | | |
| CLASSIFICATION SYSTEM: NFPA ratings (scale 0-4): HMIS ratings (scale 0-5): | NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme. Health = 2, Fire = 0, Reactivity = 0 Health = 2, Fire = 0, Reactivity = 0 | | | |

SECTION 3 – COMPOSITON/INFORMATION ON INGREDIENTS

| CHEMICAL CHARACTERIZATION DESCRIPTION | MixturesMixture of the substances listed below with nonhazardous additions. | | | | |
|--|--|---------|-------------|-----------|--|
| COMPONENT | | PERCENT | CAS # | EC # | GHS CLASS |
| Sodium Carbonate | | 10-20 | 497-19-8 | 207-838-8 | Skin Irrit. Cat 2, Eye Irrit. Cat 2A |
| Sodium Tripolyphosphate | | 20-40 | 7758-29-4 | 231-838-7 | Skin & Inhalation Irrit. Cat 4 |
| Sodium Metasilicate | | 20-40 | 6834-92-0 | 229-912-9 | Corr to Metals Cat 1, Skin Corr: Cat 1C, Eye |
| | | | | | Corr. Cat 1, Acute Tox Oral Cat 4 |
| Trisodium Phosphate Crystals | | 10-20 | 10101-89-0 | Not Found | Skin Irrit Cat 2 |
| Nonylphenol, Ethoxylate | | 1.0-1.0 | 127087-87-0 | 500-315-8 | Eye Dam Cat 1 |
| Sodium dodecyl diphenyl oxide | | 0.1-1.0 | 119345-04-9 | Not | Serious Eye Damage/Irritation Cat 1 |
| disulfonate | | | | Available | |
| | | | | | |

Corr. = Corrosion, Dam. = Damage, Tox = Toxic, Irrit = Irritation, Cat = Category, Tox = Toxic, STOT-SE = Specific Target Organ Toxicity – Single Exposure.

| SECTION 4 – FIRST AID MEASURES | | | |
|--------------------------------|---|--|--|
| EYE CONTACT | : Immediately flush eyes with water for at least 15 minutes. Hold eyelids open to ensure adequate flushing. Remove contact lenses, if present and easy to do so. Continue rinsing. Immediate call a POISON CENTER or doctor/physician. | | |
| SKIN CONTACT | : Remove contaminated clothing and shoes. Wash affected skin area with water for at least 15 minutes. Delayed skin damage is possible if product is not completely washed off. Get immediate medical attention. Wash contaminated clothing before | | |
| SWALLOWING (INGESTION) | reuse. If ingested, dilute swallowed material by drinking water. DO NOT INDUCE VOMITING. Never give anything by mouth to an unconscious person. Immediate call a POISON CENTER or doctor/physician. | | |
| INHALATION | : When symptoms occur, go into open air and ventilate suspected area. Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER/doctor/physician. | | |
| GENERAL MEASURES | : Never give anything by mouth to an unconscious person. Rescue personnel must wear appropriate protective equipment during removal of victims from contaminated areas. Treat symptomatically and supportively. | | |

SECTION 5 – FIRE FIGHTING MEASURES

| EXTINGUISHING MEDIA SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS | | Dry chemical, foam, water or carbon dioxide In the event of a fire, wear a NIOSH (USA) or CEN (EU) approved, positive pressure, self-contained breathing apparatus (SCUBA) and full protective clothing. Evacuate |
|--|---|---|
| FOR FIREFIGHTER | | all non-essential personnel from the danger area. |
| UNUSUAL FIRE AND EXPLOSION HAZARDS | : | No further relevant information is available. |

SECTION 6 – ACCIDENTAL RELEASE MEASURES

| PERSONAL PRECAUTIONS, | : | Restrict access to keep out unauthorized or unprotected personnel. Wear |
|---------------------------|---|---|
| PROTECTIVE EQUIPMENT AND | | protective equipment. Avoid inhalation and direct contact. |
| EMERGENCY PROCEDURES | | |
| ENVIRONMENTAL PRECAUTIONS | : | Keep spilled material away from sewage/drainage systems and waterways. This |
| | | product contains a U.S. EPA Reportable Quantity (RQ) substance. If amounts |

exceeding the Reportable Quantity are released, notification of the National Response Center (800) 424-8802 is required. See section15 for more information.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP

 All clean-up personnel must be properly trained. Confine the spill and remove incompatible materials and ignition sources. Ensure adequate ventilation. Secure the source of the leak if conditions are safe. Neutralize spill and collect using an appropriate absorbent material such as clay or vermiculite. Place waste in an appropriate container for disposal. Use care during clean-up to avoid exposure to the material and injury from broken containers.

SECTION 7 – HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

: Use with adequate ventilation. Wear proper protective equipment. Do not mix with water or acids without proper dilution and agitation to prevent a potentially violent reaction.

Store in closed, properly labeled containers. Protect containers from heat, physical

damage, ignition sources and incompatible materials. Have emergency equipment

CONDITIONS FOR SAFE STORAGE





:



SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

TLV (THRESHOLD LIMIT VALUE)

: The TLV in section in section III is the ACGIH/TLV-TWA (threshold limit value/time weighted average concentration for an eight hour work day). The STEL is the short term exposure limit and the (Ceil) is the ceiling limit.

| COMPONENT | OSHA PEL – TWA | ACGIH TLV – Ceiling | ACGIH – STEL |
|--|--|---------------------|-----------------|
| Sodium Carbonate | Not Established | Not Established | Not Established |
| Sodium Tripolyphosphate | Not Establlished | Not Established | Not Established |
| Sodium Metasilicate | 8 hr Recommended 3mg/m ³ | Not Established | Not Established |
| Trisodium Phosphate (Crystals) | Not Established | Not Established | Not Established |
| Nonylphenol, Ethoxylate N-9 | Not Established | Not Established | Not Established |
| Sodium dodecyl diphenyl oxide disulfonate | Not Established | Not Established | Not Established |

| EYE PROTECTION SKIN PROTECTION | Wear chemical splash goggles or face shield. Minimize contact with product. Wear chemical resistant coveralls, boots, gloves, apron and/or suitable long-sleeved clothing. |
|-----------------------------------|---|
| RESPIRATORY PROTECTION | : In case of brief exposure use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air. |
| VENTILATION | : Ensure adequate ventilation. |
| ADDITIONAL MEASURES | : Emergency eyewash and safety shower facilities should be available in the immediate work area. |
| REQUIRED WORK/HYGIENE | : Wash hands thoroughly after handling. Keep away from all food stuffs, beverages and feed. Do not eat, drink or smoke in work area. |

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

| APPEARANCE |
|------------|
| ODOR |

: White free flowing powder with mild odor.

| ODOR THRESHOLD | : | Not available |
|---------------------------|---|--------------------------------|
| РН | : | 11.0 - 11.9 (1% solution) |
| MELTING POINT/FREEZING | : | Not available |
| POINT | | |
| BOILING POINT | : | Not available |
| FLASHPOINT | : | Non flammable, non combustible |
| EVAPORATION RATE | : | Not available |
| FLAMMABILITY | : | Not applicable |
| LOWER FLAMMABILITY LIMIT | : | Not applicable |
| UPPER FLAMMABILITY LIMIT | : | Not applicable |
| VAPOR PRESSURE | : | Not available |
| VAPOR DENSITY (AIR=1) | : | Not available |
| RELATIVE DENSITY | : | > 1.0 |
| SOLUBILITY IN WATER | : | Soluble in water |
| PARTITION COEFFICIENT n- | : | Not available |
| OCTANOL/WATER | | |
| AUTOIGNITION TEMPERATURE | : | Not available |
| DECOMPOSITION TEMPERATURE | : | Not available |
| | | |

SECTION 10 - STABILITY AND REACTIVITY

| STABILITY HAZARDOUS CONDITIONS TO AVOID | Stable under recommended storage conditions. No decomposition if used according to specifications. |
|---|---|
| INCOMPATIBLE MATERIALS HAZARDOUS DECOMPOSITION PRODUCTS | Keep away from strong acids. No dangerous decomposition products known. |

SECTION 11 – TOXICOLOGICAL INFORMATION

| TOXICOLOGICAL INFORMATION ACUTE TOXICITY SKIN CORROSION/IRRITATION SERIOUS EYE DAMAGE/IRRITATION | Sodium Carbonate Not Classified. LD50 values: Oral LD50: 4090mg/kg (rat). Causes skin irritation. Causes serious eye irritation. |
|--|---|
| TOXICOLOGICAL INFORMATION ACUTE TOXICITY | Sodium Tripolyphosphate Oral - rat LD50 - 5,400 mg/kg; practically non-toxic Dermal - rabbit LD50 - > 7,940 mg/kg; practically non-toxic Eye Irritation - rabbit - 3.3/110.0; slightly irritating Skin Irritation - rabbit - 0-0/8.0 (24-hr exp.); not irritating Inhalation - LC50 > 0.39 mg/L (rat, 4 hr) (maximum attainable concentration) |
| TOXICOLOGICAL INFORMATION ACUTE TOXICITY CHRONIC TOXICITY CARCINOGENICITY | Sodium Metasilicate LD50 Oral: 1280mg/kg (Rat), 2400mg/kg (mouse) No data were available regarding chronic exposure, reproductive or teratological effects, or carcinogenicity for sodium metasilicate. This product is not classified as a carcinogen by NTP, IARC or OSHA. |
| TOXICOLOGICAL INFORMATION ACUTE TOXICITY | Trisodium Phosphate Crystals Oral - rat LD50: 6,500 mg/kg; practically nontoxic Dermal - rabbit LD50: > 7,940 mg/kg; practically nontoxic Eye Irritation - rabbit (4-hr exp.): corrosive Skin Irritation - rabbit: 3.3/8.0; moderately irritating |

| TOXICOLOGICAL INFORMATION | : Nonylphenol, Ethoxylated N-9 |
|----------------------------------|---|
| ACUTE TOXICITY | : LD50 Oral (rat: 16,000 mg/kg, |
| INHALATION LC50 | : No data available |
| DERMAL LD50 | : LD50 Dermal (rabbit): 4,490 mg/kg. |
| PRIMARY SKIN IRRITATION | : Slight irritation. |
| PRIMARY EYE IRRITATION | : No data available. |
| | |
| CARCINOGENICITY | : This product is not considered to be a carcinogen by IARC, ACGIH, NTP or OSHA. |
| TOXICOLOGICAL INFORMATION | : Sodium dodecyl diphenyl oxide disulfonate (cfax db45) |
| ACUTE TOXICITY | : Eye and skin irritant, Ingestion and Inhalation: Unknown |
| | - |
| CHRONIC TOXICITY | : No information available. |
| CARCINOGENICITY | : This product is not listed as a human carcinogens by IARC, ACGIH, NTP or OSHA. |
| | SECTION 12 – ECOLOGICAL INFORMATION |
| | |
| ECOLOGICAL INFORMATION | : Sodium Carbonate |
| ECOTOXICITY | : LC50 Fishes 1: 300mg/L, EC Daphnia: 265mg/L, LC50 Fishes 2: 740mg/L. |
| PERSISTENCE and | : No data available. |
| DEGRADABILITY | |
| BIOACCUMULATIVE POTENTIAL | : No data available. |
| | |
| ECOLOGICAL INFORMATION | : Sodium Tripolyphosphate |
| ECOTOXICITY | : Invertebrate: 48-hr LC50 Daphnia magna: > 1000 mg/L; Practically Nontoxic 96 hr. |
| | LC 50 > 100 mg/L, non-toxic (Rainbow trout, Inland silversides and mysid schrimp). |
| | [FMC I89-1081, 1082 & 1083] 48 hr. LC 50> 100 mg/L, non-toxic (Daphnia magna) |
| | [FMC I89-1084] |
| PERSISTENCE and | : No data available. |
| DEGRADABILITY | |
| ENVIRONMENTAL FATE | : Phosphates: Inorganic phosphates, including this product, at high concentrations in |
| | the environment have the potential to cause eutrophication in aquatic systems. |
| | This condition is characterized by excessive algal growth, and subsequent decreases |
| | in oxygen levels. In general, proper use and disposal of this product should pose no |
| | adverse ecological risk. |
| | |
| | : Sodium Metasilicate |
| ECOTOXICITY (Aquatic Toxicity) | : This material has exhibited moderate toxicity to aquatic organisms. |
| BIODEGRADATION | : This material is inorganic and not subject to biodegradation. |
| PERSISTENCE | : This material is believed to persist in the environment. |
| BIOCONCENTRATION | : This material is not expected to bio-concentrate in organisms. |
| ECOLOGICAL INFORMATION | : Trisodium Phosphate Crystals |
| ECOTOXICITY | : Invertebrate: 48-hr EC50 Daphnia magna: >1000 mg/L; Practically Nontoxic. |
| ECOTORICITY | |
| | Warm-water Fish: 96-hr LC50 Bluegill sunfish: 440 mg/L; Practically Nontoxic. |
| | Coldwater Fish: 96-hr LC50 Rainbow trout: 260 mg/L; Practically Nontoxic. |
| | No definitive algal toxicity data was available for this material. |
| ENVIRONMENTAL FATE | : Phosphates: Inorganic phosphates, including this product, at high concentrations in |
| | the environment have the potential to cause eutrophication in aquatic systems. |
| | This condition is characterized by excessive algal growth, and subsequent decreases |
| | in oxygen levels. In general, proper use and disposal of this product should pose no |
| | adverse ecological risk. |
| | |
| ECOLOGICAL INFORMATION | : Ethoxylated Alcohol NP-9 |
| ECOTOXICITY | : Not available. |
| | |

| PERSISTENCE AND | : | No data available. |
|--|----|--|
| DEGRADABILITY BIOACCUMULATIVE POTENTIAL | : | No data available. |
| ECOLOGICAL INFORMATION ECOTOXICITY CHEMICAL FATE | :: | Sodium dodecyl diphenyl oxide disulfonate (cfax db45) Harmful to aquatic organisms. Marine pollutant Not readily biodegradable |

SECTION 13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL

: This product must be disposed of in accordance with Federal, state and local environmental regulations. Discarded materials may be considered hazardous waste due to pH/corrosivity. It is the responsibility of the product user to determine at the time of disposal whether a material containing, or derived from this product, should be classified as a hazardous waste

SECTION 14 – TRANSPORTATION INFORMATION

| DOT/IMDG/ IATA PROPER SHIPPING NAME | : | UN-3262, CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (CONTAINS SODIUM METASIICATE) 8 PG-III | |
|--|---|---|-----------|
| HAZARD CLASS AND LABEL | : | 8 (Corrosive) | Nor all |
| UN NUMBER | : | UN-3262 | CORROSIVE |
| PACKAGING GROUP | : | PG-III | 8 |
| EPA REPORTABLE QUANTITY | : | 1000 LBS. (454 KG) as Potassium Hydroxide 100%. | \sim |
| (RQ) | | | |
| MARINE POLLUTANT | : | Not listed. | |
| EMERGENCY RESPONSE | | ERG-154 | |
| GUIDE | | | |

SECTION 15 – REGULATORY INFORMATION

| U.S. FEDERAL REGULATORY IN LISTED CARCINOGEN TSC STATUS | DRMATION: Not listed The ingredients of this product are listed on TSCA (Toxic Substances Control Act) inventory (40CFR 710.) |
|---|---|
| SARA SECTION 302 | : EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355, APPENDIX A): No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302. |
| SARA SECTION 311 HAZARD CATEGORIES (40 CFR 370): | : None listed. |
| SARA SECTION 313 | : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313. |
| NFPA HEALTH | : 2 |
| NFPA FLAMMABILITY | : 0 |
| NFPA REACTIVITY | : 0 |
| | |

EUROPEAN UNION REGULATORY INFORMATION:

| EC CLASSIFICATION | : | C: Corrosive, Xn: Harmful. |
|--------------------------|---|----------------------------|
| DSD/DPD RISK (R) PHRASES | : | R34: Causes severe burns. |
| | | R22: Harmful is swallowed. |



| DSD/DPD SAFETY (S) PHRASES | S1/2: Keep locked up and out of reach of children. S18: Handle and open containers with care. S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S36/S37/39: Wear suitable protective clothing, gloves and eye/face protection. S45: In case of accidents or if you feel unwell, seek medical advice immediately. Show label where possible. S61: Avoid release to the environment. S64: If swallowed, rinse mouth with water if victim is conscious. |
|-----------------------------------|---|
| DSD/DPD HAZARD SYMBOL | : C: Corrosive, Xn: Harmful |
| CANADIAN REGULATORY INFO | RMATION |
| WHMIS CATEGORY | : Class E: Corrosive, Class D2B: Materials that cause other toxic effects (TOXIC). |
| DOMESTIC SUBSTANCES LIST (DSL) | : Listed |
| INGREDIENT DISCLOSURE LIST | : Listed, This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the sds contains all of the information required by the CPR. |

SECTION 16 – OTHER INFORMATION

| DISCLAIMER | : | The information contained herein has been compiled from sources believed to be realiable and accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Wesmar Co. assumes no responsibility for injury to any person or property resulting from any use of the material. Each user assumes the risk in their use of this product and should review the data and recommendations in the specific context of their intended use. |
|---------------|---|---|
| CERCLA | : | Comprehensive Environmental Response, Compensation, and Liability Act. |
| EINECS | : | European Inventory of Existing Commercial Chemical Substances |
| IMDG | : | International Maritime Code for Dangerous Goods |
| IARC | : | International Agency for Research on Cancer |
| ΙΑΤΑ | : | International Air Transportation Association |
| ACGIH | : | American Conference of Governmental Industrial Hygienists |
| NFPA | : | National Fire Protection Association (USA) |
| NTP | : | National Toxicology Program |
| SARA | : | Superfund Amendments and Reauthorization Act |
| TSCA | : | Toxic Substances Control Act |
| HMIS | : | Hazardous Materials Identification System (USA) |
| WHMIS | : | Workplace Hazardous Materials Information System |
| LC50 | : | Lethal concentration, 50 percent |
| LD50 | : | Lethal dose, 50 percent |
| STOT | : | Systemic Target Organ Toxicity |
| DATE PREPARED | : | MAR 1, 2007 |
| DATE REVISED | : | MAR 1, 2015 |