

SAFETY DATA SHEET

KAR KLEEN 103

SECTION 1- PRODUCT IDENTIFICATION

PRODUCT NAME : KAR KLEEN 103
SYNONYMS : Product is a mixture: No synonyms are available.
PRODUCT USE : Moderately Alkaline Material
SUPPLIER : WESMAR CO. INC.
SUPPLIER'S ADDRESS : 5720 204TH ST SW, LYNNWOOD, WA 98036
(206) 783-5344
EMERGENCY RESPONSE PHONE : PERS: 1-800-633-8253



SECTION 2 – HAZARD IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS U.S. – CLASSIFICATION : H302 Harmful if swallowed.
H315 Causes skin irritation
H319 Causes serious eye irritation

LABEL ELEMENTS : **GHS – US HAZARD PICTOGRAMS** The product is classified and labeled according to the Globally Harmonized System (GHS).

HAZARD PICTOGRAMS :

SIGNAL WORD : WARNING

HAZARD STATEMENTS (GHS-US) : Not established

: H302 Harmful if swallowed.
: H315 Causes skin irritation.
: H319 Causes serious eye irritation.

PRECAUTIONARY STATEMENTS (GHS-US) : P101 If medical advice is needed, have product container or label at hand.

: P102 Keep out of reach of children.
: P103 Read label before use.
: P264 Wash skin and contaminated clothing thoroughly after handling.
: P270 Do not eat, drink or smoke when using this product.
: P280 Wear suitable protective gloves/protective clothing/eye protection/face protection.
: P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
: P302+P352 : IF ON SKIN: Wash with plenty of soap and water.
: P305+351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
: P332+P313 If skin irritation occurs: Get medical advice/attention.
: P337+P313 If eye irritation persists: Get medical advice/attention.
: P501 Dispose of contents/container in accordance with local/regional/national/international regulations

CLASSIFICATION SYSTEM : NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme.
NFPA RATINGS (SCALE 0-4) : Health = 2, Fire = 0, Reactivity = 0
HMIS RATINGS (SCALE 0-5) : Health = 2, Fire = 0, Reactivity = 0

SAFETY DATA SHEET

KAR KLEEN 103

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL CHARACTERISTIC : Mixtures
DESCRIPTION : Mixture of the substances listed below with nonhazardous additions.

COMPONENT	PERCENT	CAS #	EINECS #	GHS CLASSIFICATION
Sodium Carbonate	20-40	497-19-8	207-838-8	Skin Irrit. Cat 2, Eye Irrit. Cat 2A
Sodium Tripolyphosphate	5-10	7758-29-4	231-838-7	Skin & Inhalation Irrit. Cat 4
Sodium Metasilicate	5-10	6834-92-0	229-912-9	Skin Corr: Cat 1C, Eye Corr. Cat 1
Trisodium Phosphate Crystals	10-20	10101-89-0	Not Found	Skin Irrit Cat 2
Sodium Dodecylbenzene Sulfonate	5-10	25155-30-0	246-680-4	Skin Irrit Cat 4, Eye Dam Cat 2 Acute Tox Cat 4, STOT SE Cat 3
Sodium Sesquicarbonate	10-20	533-96-0	208-580-9	Not Found
Sodium Tetraborate Decahydrate	5-10	1303-96-4	215-540-4	Reproductive Tox Cat 1B
Sodium sulfate	5-10	7757-82-6	231-820-9	Skin Irrit. Cat 3, Eye Corr Cat 2B
Sodium Gluconate	1-5	497-19-8	207-838-8	Skin Irrit. Cat 2, Eye Irrit. Cat 2A
Coconut Diethanolamide	1-5	68603-42-9	271-657-0	Skin Irrit Cat 2, Eye Irrit Cat 2B

Irrit. = Irritation, Corr. = Corrosion, Cat. = Category, Dam = Damage, Tox = Toxic, STOT SE = Single Target Organ Toxicity
 Single exposure.

SECTION 4 – FIRST AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice. Show the label where possible.

EYE CONTACT : Immediately flush eyes with water for at least 15 minutes. Hold eyelids open to ensure adequate flushing. Get immediate medical attention.

SKIN CONTACT : Remove contaminated clothing and shoes. Wash affected skin area with soap and water. Delayed skin damage is possible if product is not completely washed off. Get immediate medical attention.

SWALLOWING (INGESTION) : If ingested, dilute swallowed material by drinking water. DO NOT INDUCE VOMITING. If vomiting occurs spontaneously, keep airway clear. Give more water when vomiting stops. Never give anything by mouth to an unconscious person. Get immediate medical attention.

INHALATION : Remove to fresh air. Get immediate medical attention.

OTHER INSTRUCTIONS : Rescue personnel must wear appropriate protective equipment during removal of victims from contaminated areas. Treat symptomatically and supportively.

SECTION 5 – FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA : Dry chemical, foam, water or carbon dioxide.

SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE FIGHTERS : In the event of a fire, wear a NIOSH (USA) or CEN (EU) approved, positive pressure, self-contained breathing apparatus (SCUBA) and full protective clothing. Evacuate all non-essential personnel from the danger area.

UNUSUAL FIRE AND EXPLOSION HAZARDS : No further relevant information is available.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT & EMERGENCY PROCEDURES : Restrict access to keep out unauthorized or unprotected personnel. Wear protective equipment. Avoid inhalation and direct contact.

SAFETY DATA SHEET

KAR KLEEN 103

- ENVIRONMENTAL PROCEDURES** : Keep spilled material away from sewage/drainage systems and waterways.
- METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP** : All clean-up personnel must be properly trained. Confine the spill and remove incompatible materials and ignition sources. Ensure adequate ventilation. Secure the source of the leak if conditions are safe. Neutralize spill and collect using an appropriate absorbent material such as clay or vermiculite. Place waste in an appropriate container for disposal. Use care during clean-up to avoid exposure to the material and injury from broken containers.

SECTION 7 – HANDLING AND STORAGE

- PRECAUTIONS FOR SAFE HANDLING** : Use with adequate ventilation. Wear proper protective equipment. Do not mix with water or acids without proper dilution and agitation to prevent a potentially violent reaction.
- CONDITIONS FOR SAFE STORAGE** : Store in closed, properly labeled containers. Protect containers from heat, physical damage, ignition sources and incompatible materials. Have emergency equipment for fires and spills readily available.



SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

- TLV (THRESHOLD LIMIT VALUE)** : The TLV in section III is the ACGIH/TLV-TWA (threshold limit value/time weighted average concentration for an eight hour work day). The STEL is the short term exposure limit and the (Ceil) is the ceiling limit.

COMPONENT	OSHA PEL – TWA	ACGIH – TLV	ACGIH – STEL
Sodium Carbonate	Not Established	Not Established	Not Established
Sodium Tripolyphosphate	Not Established	Not Established	Not Established
Sodium Metasilicate	8hr Recommended: 3mg/m ³	Not Established	Not Established
Trisodium Phosphate Crystals	Not Established	Not Established	Not Established
Sodium Dodecylbenzene Sulfonate	Not Established	Not Established	Not Established
Sodium Sesquicarbonate	Not Established	Not Established	Not Established
Sodium Tetraborate Decahydrate	15 mg/m ³ (total dust)	2 mg/m ³	6 mg/m ³
Sodium Sulfate	Not Established	Not Established	Not Established
Sodium Gluconate	Not Established	Not Established	Not Established
Coconut Diethanolamide	Not Established	Not Established	Not Established

- EYE PROTECTION** : Wear chemical splash goggles or face shield.
- SKIN PROTECTION** : Minimize contact with product. Wear chemical resistant coveralls, boots, gloves, apron and/or suitable long-sleeved clothing.
- RESPIRATORY PROTECTION** : In case of brief exposure use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.
- VENTILATION** : Ensure adequate ventilation.
- ADDITIONAL MEASURES** : Emergency eyewash and safety shower facilities should be available in the immediate work area.
- REQUIRED WORK/HYGIENE** : Wash hands thoroughly after handling. Keep away from all food stuffs, beverages and feed. Do not eat, drink or smoke in work area.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

- APPEARANCE** : White free flowing powder with mild odor.
- ODOR** :

SAFETY DATA SHEET

KAR KLEEN 103

ODOR THRESHOLD	: Not available
PH	: > 11.5 (1% solution)
MELTING POINT/FREEZING POINT	: Not available
BOILING POINT	: NOT EST.
FLASH POINT	: Non flammable, non combustible
EVAPORATION RATE	: Not available
FLAMMABILITY	: Non flammable-Non combustible
LOWER FLAMMABILITY LIMIT	: Not available
UPPER FLAMMABILITY LIMIT	: Not available
VAPOR PRESSURE	: Not available
VAPOR DENSITY (AIR=1)	: Not available
RELATIVE DENSITY	: > 1.0
SOLUBILITY IN WATER	: Soluble in water
PARTITION COEFFICIENT n-OCTANOL/WATER	: Not available
AUTOIGNITION TEMPERATURE	: Not available
DECOMPOSITION TEMPERATURE	: Not available

SECTION 10 – STABILITY AND REACTIVITY

STABILITY	: Stable under recommended storage conditions.
HAZARDOUS CONDITIONS TO AVOID	: No decomposition if used according to specifications
INCOMPATIBLE MATERIALS	: Keep away from strong acids.
HAZARDOUS DECOMPOSITION PRODUCTS	: No dangerous decomposition products known.

SECTION 11 – TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION	: Sodium Carbonate
ACUTE TOXICITY	: Not Classified. LD50 values: Oral LD50: 4090mg/kg (rat).
SKIN CORROSION/IRRITATION	: Causes skin irritation.
SERIOUS EYE DAMAGE/IRRITATION	: Causes serious eye irritation.
TOXICOLOGICAL INFORMATION	: Sodium Tripolyphosphate
ACUTE TOXICITY	: Oral - rat LD50 - 5,400 mg/kg; practically non-toxic Dermal - rabbit LD50 - > 7,940 mg/kg; practically non-toxic Eye Irritation - rabbit - 3.3/110.0; slightly irritating Skin Irritation - rabbit - 0-0/8.0 (24-hr exp.); not irritating Inhalation - LC50 > 0.39 mg/L (rat, 4 hr) (maximum attainable concentration)
TOXICOLOGICAL INFORMATION	: Sodium Metasilicate
ACUTE TOXICITY	: LD50 Oral: 1280mg/kg (Rat), 2400mg/kg (mouse)
CHRONIC TOXICITY	: No data were available regarding chronic exposure, reproductive or teratological effects, or carcinogenicity for sodium metasilicate.
CARCINOGENICITY	: This product is not classified as a carcinogen by NTP, IARC or OSHA.
TOXICOLOGICAL INFORMATION	: Trisodium Phosphate Crystals
ACUTE TOXICITY	: Oral - rat LD50: 6,500 mg/kg; practically nontoxic Dermal - rabbit LD50: > 7,940 mg/kg; practically nontoxic Eye Irritation - rabbit (4-hr exp.): corrosive

SAFETY DATA SHEET

KAR KLEEN 103

Skin Irritation - rabbit: 3.3/8.0; moderately irritating

TOXICOLOGICAL INFORMATION	: Sodium Dodecylbenzene Sulfonate
ACUTE TOXICITY	: LD50 Oral rat: 438 mg/kg.
INHALATION TOXICITY	: No data available
DERMAL TOXICITY	: No data available
SKIN CORROSION/IRRITATION	: Skin – rabbit Result: Skin irritation - 24 h
SERIOUS EYE DAMAGE/IRRITATION	: Eyes – rabbit Result: Severe eye irritation - 24 h
RESPIRATORY/SKIN SENSITISATION	: No data available
GERM CELL MUTAGENICITY	: No data available
CARCINOGENICITY	: No components of this product present at levels greater than or equal to 0.1% are identified as probable, possible or confirmed human carcinogen by IARC ACGIH, NTP or OSHA.
TOXICOLOGICAL INFORMATION	: Sodium Sesquicarbonate
ACUTE TOXICITY	: EYE EFFECTS: Irritant (rabbit) [Toxicology 23:281, 1982] SKIN EFFECTS: Non-irritating (rabbit) [FMC Study I98-2239] DERMAL LD50: No data available for the product. ORAL LD50: > 2,000 mg/kg (rat) [FMC Study I98-2238] INHALATION LC50: > 5.03 mg/l (4 h) (rat) [FMC Study I98-2261]
SENSITISATION	: (Skin) Non-sensitizing (guinea pig) [FMC Study I98-2262]
ACUTE EFFECTS FROM OVER EXPOSURE	: May cause irritation of eyes. Dusts and mists may be irritating to the skin, mucous membranes and upper respiratory tract. No significant acute toxicological effects expected.
CHRONIC EFFECTS FROM OVER EXPOSURE	: Repeated contact may cause red, dry, cracked skin. May cause irritation of the respiratory airways, mucous membranes and eyes.
TOXICOLOGICAL INFORMATION	: Sodium Tetraborate Decahydrate
ACUTE TOXICITY	: Method: Acute Inhalation Toxicity Study – OECD Guideline 401 equivalent Species: Rat: Dose: 0.215, 0.464, 1.00, 2.15, 4.64, 10 g/kg body weight Routes of Exposure: Oral, Results: Low acute oral toxicity. LD50 in rats is 2,330 mg/kg of body weight. Based on the available data, the classification criteria are not met.
ACUTE EFFECTS	: May be harmful in contact with skin.
CHRONIC EFFECTS	: Hazardous by OSHA criteria. Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects. May cause damage to organs through prolonged or repeated exposure.
SYMPTOMS AND TARGET ORGANS	: Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain
TOXICOLOGICAL INFORMATION	: Coconut Diethanolamide
ACUTE TOXICITY	: LD50 Oral (rat): > 5,000 mg/kg, LD50 Dermal (rabbit): > 2000 mg/kg.
ACUTE EFFECTS	: May be harmful in contact with skin.
CHRONIC EFFECTS	: Hazardous by OSHA criteria. Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects. May cause damage to organs through prolonged or repeated exposure.
SYMPTOMS AND TARGET ORGANS	: Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain
TOXICOLOGICAL INFORMATION	: Sodium Gluconate
ACUTE TOXICITY	: LD50: Not available, LC50: Not available.
CHRONIC EFFECTS ON HUMANS	: Not available.
OTHER TOXIC EFFECTS ON HUMANS	: Slightly hazardous in case of skin contact (irritant, permeator), of ingestion, of inhalation.

SAFETY DATA SHEET

KAR KLEEN 103

TOXICOLOGICAL INFORMATION : **Sodium Sulfate**
ACUTE TOXICITY : **INGESTION:** Oral LD50 (mouse) is reported to be 5,989 mg/kg.
IRRITATION : No data available.
BIOACCUMULATION : No data available.
CARCINOGENICITY : Not listed as a carcinogen by the Environmental Protection Agency (EPA)

SECTION 12 – ECOLOGICAL INFORMATION
--

ECOLOGICAL INFORMATION : **Sodium Carbonate**
ECOTOXICITY : LC50 Fishes 1: 300mg/L, EC Daphnia: 265mg/L, LC50 Fishes 2: 740mg/L.
PERSISTENCE and DEGRADABILITY : No data available.
BIOACCUMULATIVE POTENTIAL : No data available.

ECOLOGICAL INFORMATION : **Sodium Tripolyphosphate**
ECOTOXICITY : Invertebrate: 48-hr LC50 Daphnia magna: > 1000 mg/L; Practically Nontoxic 96 hr. LC 50 > 100 mg/L, non-toxic (Rainbow trout, Inland silversides and mysid schrimp). [FMC I89-1081, 1082 & 1083] 48 hr. LC 50> 100 mg/L, non-toxic (Daphnia magna) [FMC I89-1084]
PERSISTENCE and DEGRADABILITY : No data available.

ENVIRONMENTAL FATE : Phosphates: Inorganic phosphates, including this product, at high concentrations in the environment have the potential to cause eutrophication in aquatic systems. This condition is characterized by excessive algal growth, and subsequent decreases in oxygen levels. In general, proper use and disposal of this product should pose no adverse ecological risk.

ECOLOGICAL INFORMATION : **Sodium Metasilicate**
ECOTOXICITY (Aquatic Toxicity) : This material has exhibited moderate toxicity to aquatic organisms.
BIODEGRADATION : This material is inorganic and not subject to biodegradation.
PERSISTENCE : This material is believed to persist in the environment.
BIOCONCENTRATION : This material is not expected to bio-concentrate in organisms.

ECOLOGICAL INFORMATION : **Trisodium Phosphate Crystals**
ECOTOXICITY : Invertebrate: 48-hr EC50 Daphnia magna: >1000 mg/L; Practically Nontoxic. Warm-water Fish: 96-hr LC50 Bluegill sunfish: 440 mg/L; Practically Nontoxic. Coldwater Fish: 96-hr LC50 Rainbow trout: 260 mg/L; Practically Nontoxic. No definitive algal toxicity data was available for this material.
ENVIRONMENTAL FATE : Phosphates: Inorganic phosphates, including this product, at high concentrations in the environment have the potential to cause eutrophication in aquatic systems. This condition is characterized by excessive algal growth, and subsequent decreases in oxygen levels. In general, proper use and disposal of this product should pose no adverse ecological risk.

ECOLOGICAL INFORMATION : **Sodium Dodecylbenzene Sulfonate**
TOXICITY TO FISH : Mortality NOEC - Oncorhynchus kisutch - 3.1 mg/l - 3 d
 Mortality LOEC - Oncorhynchus kisutch - 5.6 mg/l - 3 d
 LC50 - Oncorhynchus mykiss (rainbow trout) - 3.2 - 5.6 mg/l - 96 h

ECOLOGICAL INFORMATION : **Sodium Sesquicarbonate**
ECOTOXICITY : Not available.
PERSISTENCE AND DEGRADABILITY : No data available.
BIOACCUMULATIVE POTENTIAL : No data available.

SAFETY DATA SHEET

KAR KLEEN 103

ECOLOGICAL INFORMATION	: Sodium Tetraborate Decahydrate
ECOTOXICITY	: Boron occurs naturally in sea water at a nearly uniform average concentration of 5 mg B/l and fresh water between 0.01 and 0.4 mg B/l. In diluted aqueous solutions the predominant boron species present is un-dissociated boric acid. To convert the product into equivalent boron (B) content, multiply by 0.0784.
ALGAL TOXICITY ⁶	: Green algae, <i>Scenedesmus subspicatus</i> 96-hr EC10=24 mg B/l†.
INVERTEBRATE TOXICITY	: Daphnids, <i>Daphnia magna</i> Straus ⁷ 48-hr LC50 = 242mg B/l‡ 21-day NOEC-LOEC = 6-13 mg B/l‡ Midge larva, <i>Chironomus riparius</i> 28-day LC50- 278 mg B/kg dw‡ Sea waters: Dab, <i>Limanda limanda</i> 96-hr LC ₅₀ = 40 mg B/l† Fresh water ⁹ : Rainbow trout, <i>Oncorhynchus mykiss</i> (embryo-larval stage) 24-day LC ₅₀ = 150 mg B/l‡, 32-day LC ₅₀ = 100 mg B/l‡ Goldfish, <i>Carassius auratus</i> (embryo-larval stage) 7-day LC ₅₀ = 46 mg B/l‡, 3-days LC ₅₀ = 178 mg B/l‡. Test substance: † Sodium tetraborate ‡ Boric acid
FISH TOXICITY	: Biodegradation is not an applicable endpoint since the product is an inorganic substance.
PERSISTENCE & DEGRADABILITY	: This product will undergo hydrolysis in water to form undissociated boric acid. Boric acid will not biomagnify through the foodchain. Octanol/Water partition coefficient: Log Pow = -0.7570 @ 25°C (based on boric acid).
BIOACCUMULATIVE POTENTIAL	: No data available.
ECOLOGICAL INFORMATION	: Coconut Diethanolamide
ACUTE TOXICITY	: LC50 Algae: < 10 mg/l 72 hours, LC50 Daphnia: < 10 mg/l 48 hours, LC50 Fish: < 10 mg/l 96 hours
PERSISTENCE AND DEGRADABILITY	: Readily biodegradable
BIOACCUMULATIVE POTENTIAL	: No data available.
ECOLOGICAL INFORMATION	: Sodium Gluconate
ECOTOXICITY	: Not available
BOD5 AND COD	: Not available
PRODUCTS OF BIODEGRADATION	: Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.
TOXICITY OF PRODUCTS OF BIODEGRADATION	: The product and products of biodegradation are not toxic.
ECOLOGICAL INFORMATION	: Sodium Sulfate
ECOTOXICITY	: FISH TOXICITY: TLm Bluegill - 12,750 ppm/96 hr.; LC50 Mosquito fish - 17,500 mg/l/48 hr. In turbid water, LC50 Fathead minnow - 13,500 to 14,000 mg/l/24 to 96 hr in soft water; LC50 opossum shrimp - 11,300 ppm/48 hr; LC50 sheepshead minnows - >18,000 ppm/48 hr.
INVERTEBRATE TOXICITY	: LC50 Daphia Magna - 4547 mg/l/96 hr; LC50 Caddis fly - 320 mg/l/960 hr in soft water.
PERSISTENCE AND DEGRADABILITY	: No data available.
BIOACCUMULATIVE POTENTIAL	: No data available.

SECTION 13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL	: This product must be disposed of in accordance with Federal, state and local environmental regulations. Discarded materials may be considered hazardous waste due to pH/corrosivity. It is the responsibility of the product user to determine at the time of disposal whether a material containing, or derived from this product, should be classified as a hazardous waste.
-----------------------	--

SECTION 14 – TRANSPORTATION INFORMATION
--

SAFETY DATA SHEET

KAR KLEEN 103

DOT/IMDG/ IATA PROPER SHIPPING NAME : Not Hazardous
HAZARD CLASS AND LABEL : Not Applicable.
UN NUMBER : Not Applicable.
PACKAGING GROUP : Not Applicable.
EPA REPORTABLE QUANTITY (RQ) : Not Applicable.
MARINE POLLUTANT : Not listed.
EMERGENCY RESPONSE GUIDE : Not Applicable.

SECTION 15 – REGULATORY INFORMATION

U.N. GHS CLASSIFICATION & LABELING INFORMATION: See Section 2 for GHS Hazard Information

U.S. FEDERAL REGULATORY INFORMATION:

LISTED CARCINOGEN : Not listed.
TSCA STATUS : The ingredients of this product are listed in TSCA inventory (40CFR 710.)
SARA SECTION 302 : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA SECTION 312 : Chronic health hazard (Glycol Ether DPM).
SARA SECTION 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
NFPA HEALTH : 2
NFPA FLAMMABILITY : 0
NFPA REACTIVITY : 0

EUROPEAN UNION REGULATORY INFORMATION:

EC CLASSIFICATION : Non Hazardous
DSD/DPD RISK (R) PHRASES : R22: Harmful if swallowed.
R36/38: Irritating to eyes and skin.
DSD/DPD SAFETY (S) PHRASES : S1/2: Keep locked up and out of reach of children.
S24/25: Avoid contact with eyes and skin.
S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S36/S37/39: Wear suitable protective clothing, gloves and eye/face protection.
S45: In case of accidents or if you feel unwell, seek medical advice immediately. Show label where possible.
S61: Avoid release to the environment.
S62: If swallowed, do not induce vomiting.
S64: If swallowed, rinse mouth with water if victim is conscious.
DSD/DPD HAZARD SYMBOL : Xi: Irritant



CANADIAN REGULATORY INFORMATION:

WHMIS CATEGORY : D2B: Materials that cause other toxic effects (TOXIC).
DOMESTIC SUBSTANCES LIST (DSL) : Listed
INGREDIENT DISCLOSURE LIST : Listed



SECTION 16 – OTHER INFORMATION

DISCLAIMER : The information contained herein has been compiled from sources believed to be

SAFETY DATA SHEET

KAR KLEEN 103

reliable and accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Wesmar Co. assumes no responsibility for injury to any person or property resulting from any use of the material. Each user assumes the risk in their use of this product and should review the data and recommendations in the specific context of their intended use.

CERCLA	: Comprehensive Environmental Response, Compensation, and Liability Act.
EINECS	: European Inventory of Existing Commercial Chemical Substances
IMDG	: International Maritime Code for Dangerous Goods
IARC	: International Agency for Research on Cancer
IATA	: International Air Transportation Association
ACGIH	: American Conference of Governmental Industrial Hygienists
NFPA	: National Fire Protection Association (USA)
NTP	: National Toxicology Program
SARA	: Superfund Amendments and Reauthorization Act
TSCA	: Toxic Substances Control Act
HMIS	: Hazardous Materials Identification System (USA)
WHMIS	: Workplace Hazardous Materials Information System
LC50	: Lethal concentration, 50 percent
LD50	: Lethal dose, 50 percent
STOT	: Systemic Target Organ Toxicity
DATE PREPARED	: JAN 12, 2015
DATE REVISED	: OCT 12, 2018