SECTION 1- PRODUCT IDENTIFICATION

PRODUCT NAMEBRYTE WHITE PLUS

SYNONYMS Product is a mixture: No synonyms are available

PRODUCT USE Highly Alkaline Material SUPPLIER WESMAR CO. INC.

SUPPLIER'S ADDRESS 5720 204TH ST. SW, LYNNWOOD, WA 98036

(206) 783-5344

EMERGENCY RESPONSE PHONE PERS: 1-800-633-8253



SECTION 2 – HAZARD IDENTIFICATION

GHS – US CLASSIFICATION : H290 Metal corrosion Category 1

H302 Harmful if swallowed
H314 Skin Corrosion Category 1A
H318 Serious Eye Damage Category 1

HAZARD PICTOGRAMS :

SIGNAL WORD : DANGER

GHS LABEL ELEMENTS: The product is classified and labeled according to the Globally Harmonized System

(GHS).

GHS PHYSICAL HAZARDS : H290 May be corrosive to metals.

GHS HEALTH HAZARDS : H302 Harmful if swallowed

: H314 Causes severe skin burns and eye damage.

: H318 Causes serious eye damage.

: H370 Causes damage to respiratory system by inhalation.

GHS PRECAUTIONARY HAZARDS : P101 If medical advice is needed, have product container or label at hand.

: P102 Keep out of reach of children.

: P103 Read label before use.

: P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash skin and contaminated clothing thoroughly after handling.

: P270 Do not eat, drink or smoke when using this product.

: P280 Wear suitable protective gloves/protective clothing/eye

protection/face protection.

: P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or

doctor/physician.

: P303+P361 IF ON SKIN (or hair): Remove/Take off immediately all contaminated

+P353 clothing. Rinse skin with water/shower.

: P305+P351 IF IN EYES: Rinse cautiously with water for several minutes. Remove

+P338 contact lenses, if present and easy to do. Continue rinsing.

: P305+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position.

: P310 Immediately call a POISON CENTER or doctor/physician.

: P330 Rinse mouth if ingested.

: P405 Store locked up.

: P501 Dispose of contents/container in accordance with

local/regional/national/international regulations.

OSHA HAZARDS: Target Organ Effect (Glycol Ether DPM)TARGET ORGANS: Kidney, Liver, Nerves (Glycol Ether DPM).

CLASSIFICATION SYSTEM: : NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme.

NFPA ratings (scale 0-4): : Health = 3, Fire = 0, Reactivity = 1 HMIS ratings (scale 0-5): : Health = 3, Fire = 0, Reactivity = 1

SECTION 3 – COMPOSITON/INFORMATION ON INGREDIENTS

CHEMICAL CHARACTERIZATION: Mixtures

DESCRIPTION: Mixture of the substances listed below with nonhazardous additions.

COMPONENT	PERCENT	CAS#	EC#	GHS CLASS
Sodium Hydroxide	25-45	1310-73-2	215-185-5	Metal Corr Cat 1, Skin Corr. Cat. 1A Eye Dam. Cat. 1, Aquatic Acute Cat 3
Potassium Hydroxide	25-45	1310-58-3	215-181-3	Metal Corr Cat 1, Skin Corr Cat 1A Eye Dam Cat 1, Acute Tox Cat 4
Aminotrimethylene Phosphonic Acid	< 1	6419-19-8	229-146-5	Metal Corr Cat 1, Eye Irrit Cat 2A
Dipropylene glycol methyl ether	5-10	34590-94-8	252-104-2	Eye Irrit: Cat 2B
Cocoamidopropyle Betaine	1-5	61789-40-0	263-058-8	Eye Irrit Cat 2B
Coconut Diethanolamide	1-5	68603-42-9	271-657-0	Skin Irrit Cat 2, Eye Irrit Cat 2B

Corr. = Corrosion, Dam. = Damage, Cat = Category, Tox = Toxicity, Irrit = Irritant.

SECTION 4 - FIRST AID MEASURES

EYE CONTACT : Immediately flush eyes with water for at least 15 minutes. Hold eyelids open to

ensure adequate flushing. Get immediate medical attention.

SKIN CONTACT : Remove contaminated clothing and shoes. Wash affected skin area with soap and

water. Delayed skin damage is possible if product is not completely washed off. Get

immediate medical attention.

SWALLOWING (INGESTION): If ingested, dilute swallowed material by drinking water. DO NOT INDUCE

VOMITING. Never give anything by mouth to an unconscious person. Get

immediate medical attention.

INHALATION : Remove to fresh air. Get immediate medical attention.

GENERAL MEASURES : Never give anything by mouth to an unconscious person. Rescue personnel must

wear appropriate protective equipment during removal of victims from

contaminated areas. Treat symptomatically and supportively.

SECTION 5 – FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA : Water spray, fog, carbon dioxide, foam, dry chemical

SPECIAL HAZARDS (FIRE) : Not flammable. Contains sodium hypochlorite which may act as an oxidizer in some

cases intensifying a fire.

EXPLOSION HAZARDS: Product is not explosive.

REACTIVITY (FIRE) : Thermal decomposition generates: Corrosive vapors. If the product is involved in a

fire, it can release explosive hydrogen gas. When heated to decomposition, emits

toxic fumes. May be corrosive to metals.

SPECIAL INSTRUCTIONS TO FIRE FIGHTERS

PRECAUTIONARY MEASURES: Exercise caution when fighting any chemical fire.

FIREFIGHTING INSTRUCTIONS: Use water spray or fog for cooling exposed containers.

PROTECTION DURING : Do not enter fire area without proper protective equipment, including respiratory

FIREFIGHTING protection.

HAZARDOUS COMBUSTION: Potassium oxides. May liberate toxic gases. Sodium oxides. Phosphorous oxides.

PRODUCTS Nitrogen oxides. Carbon oxides (CO, CO₂). Explosive Hydrogen gas.

OTHER INFORMATION (FIRE): Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS,
PROTECTIVE EQUIPMENT AND
EMERGENCY PROCEDURES
ENVIRONMENTAL PRECAUTIONS

: Restrict access to keep out unauthorized or unprotected personnel. Wear protective equipment. Avoid inhalation and direct contact.

Keep spilled material away from sewage/drainage systems and waterways. This

product contains a U.S. EPA Reportable Quantity (RQ) substance. If amounts exceeding the Reportable Quantity are released, notification of the National Response Center (800) 424-8802 is required. See section15 for more information.

METHODS AND MATERIALS FOR : CONTAINMENT AND CLEAN UP

All clean-up personnel must be properly trained. Confine the spill and remove incompatible materials and ignition sources. Ensure adequate ventilation. Secure the source of the leak if conditions are safe. Neutralize spill and collect using an appropriate absorbent material such as clay or vermiculite. Place waste in an appropriate container for disposal. Use care during clean-up to avoid exposure to the material and injury from broken containers.

SECTION 7 – HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and again when leaving work. Do not eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling.

CONDITIONS FOR SAFE STORAGE

Store in a dry, cool and well ventilated place. Keep container closed when not in use. Keep/store away from extremely high or low temperatures, direct sunlight, heat and incompatible materials (Strong acid, Strong oxidizers).



VENTILATION







SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

TLV (THRESHOLD LIMIT VALUE)

The TLV in section in section III is the ACGIH/TLV-TWA (threshold limit value/time weighted average concentration for an eight hour work day). The STEL is the short term exposure limit and the (Ceil) is the ceiling limit.

COMPONENT	OSHA PEL – TWA	ACGIH TLV-Ceiling	ACGIH – STEL
Sodium Hydroxide	2 mg/m³ (Ceiling)	2mg/m ³	2mg/m ³ (Ceiling)
Potassium Hydroxide	2 mg/m³ (Ceiling)	2mg/m ³	2mg/m ³ (Ceiling)
Aminotrimethylene Phosphonic Acid	Not Established	Not Established	Not Established
Dipropylene glycol methyl ether	100 ppm, 600mg/m ³	100 ppm	150 ppm
Cocoamidopropyle Betaine	Not Established	Not Established	Not Established
Coconut Diethanolamide	Not Established	Not Established	Not Established

EYE PROTECTION : Wear chemical splash goggles or face shield.

SKIN PROTECTION : Minimize contact with product. Wear chemical resistant coveralls, boots, gloves,

apron and/or suitable long-sleeved clothing.

RESPIRATORY PROTECTION : In case of brief exposure use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.

: Ensure adequate ventilation.

ADDITIONAL MEASURES : Emergency eyewash and safety shower facilities should be available in the

immediate work area.

REQUIRED WORK/HYGIENE : Wash hands thoroughly after handling. Keep away from all food stuffs, beverages

and feed. Do not eat, drink or smoke in work area.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE : Clear light fluorescent yellow liquid.

ODOR : Mild odor
ODOR THRESHOLD : Not available
PH : > 13.5
MELTING POINT/FREEZING : Not available

POINT

BOILING POINT: Not availableFLASHPOINT: Not applicableEVAPORATION RATE: Not available

FLAMMABILITY : Non flammable, Non combustible

LOWER FLAMMABILITY LIMIT: Not applicableUPPER FLAMMABILITY LIMIT: Not applicableVAPOR PRESSURE: Not availableVAPOR DENSITY (AIR=1): Not available

RELATIVE DENSITY : 1.15

SOLUBILITY IN WATER : Soluble in water PARTITION COEFFICIENT n- : Not available

OCTANOL/WATER

AUTOIGNITION TEMPERATURE : Not available

DECOMPOSITION TEMPERATURE : Not available

SECTION 10 – STABILITY AND REACTIVITY

REACTIVITY: Thermal decomposition generates: Corrosive vapors. If the product is involved in a

fire, it can release explosion hydrogen gas. When heated to decomposition, emits

toxic fumes. May be corrosive to metals.

STABILITY : Stable under recommended storage conditions.

HAZARDOUS CONDITIONS TO

AVOID

Direct sunlight. Extremely high or low temperatures. Heat. Combustible materials.

Incompatible materials.

INCOMPATIBLE MATERIALS

HAZARDOUS DECOMPOSITION

PRODUCTS

Strong acids. Strong oxidizers. Soft metals. May be corrosive to metal.

Carbon oxides (CO, CO_2). Thermal decomposition generates: Corrosive vapors. Toxic

gases. Hydrogen gas. Nitrogen oxides. Phosphorous oxides. Sodium oxides.

Potassium oxides.

SECTION 11 – TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION : Sodium Hydroxide

ACUTE TOXICITY : Draize test, rabbit, eye: 400 ug Mild;

Draize test, rabbit, eye: 1% Severe; Draize test, rabbit, eye: 50 ug/24H Severe; Draize test, rabbit, eye: 1 mg/24H Severe; Draize test, rabbit, skin: 500 mg/24H Severe

EYE CONTACT: Causes severe eye damage.

SKIN CONTACT: Causes skin burns. Onset of symptoms may be delayed following exposure.

INHALATION : Corrosive to respiratory tract.
INGESTION : Corrosive to respiratory tract.

PAGE 4 of 8

CARCINOGENICITY: The components of this product are not classified as carcinogenic by OSHA, NTP

IARC or CA Prop 65

TOXICOLOGICAL INFORMATION

ACUTE TOXICITY

Potassium Hydroxide

Draize test, rabbit, skin: 50 mg/24H Severe; Oral, rat: LD50 = 273 mg/kg; <BR. LD50 values:

Potassium Hydroxide: Oral (rat): 214 mg/kg. LC50 dermal and inhalation: Not listed.

EYE CONTACT : Causes severe eye damage.

SKIN CONTACT: Causes skin burns. Onset of symptoms may be delayed following exposure.

INHALATION : Corrosive to respiratory tract.

INGESTION : May be harmful if swallowed. Ingestion may cause chemical burns, pain, vomiting,

difficulty breathing and other gastrointestinal effects.

CARCINOGENICITY: The components of this product are not classified as carcinogenic by OSHA, NTP

IARC or CA Prop 65.

MEDICAL CONDITIONS

AGGRAVATED BY EXPOSURE

Asthma and other respiratory conditions, skin disorders.

TOXICOLOGICAL INFORMATION : Aminotrimethylene Phosphonic acid (ATMP)

ACUTE TOXICITY : LD50 Oral (Rat): 2910mg/kg, LD50 Dermal (Rabbit): > 6310mg/kg.

CHRONIC EFFECTS ON HUMANS

OTHER TOXIC EFFECTS ON

HUMANCS

: Rat 24months: > 500 mg/kg. Conclusion: Practically non toxic.

: Skin and Eyes (Rabbit): Moderate Irritant.

TOXICOLOGICAL INFORMATION

ACUTE TOXICITY

Dipropylene Glycol Methyl Ether

: LD50 values: Oral LD50: 5152 mg/kg (rat). LC50 dermal and inhalation: Not listed.

Eyes: Rabbit: Mild Irritation: 25 hours.

CARCINOGENICITY : No component of this product present at levels greater than or equal to 0.1% is

identified as probable or confirmed human carcinogen by IARC, ACGIH, NTP, and

OSHA.

TOXICOLOGICAL INFORMATION : Cocoamidopropyl Betaine

ACUTE TOXICITY : LD50 Oral (rat): 5000-15,000 mg/kg.

INHALATION LC50 : No data available DERMAL LD50 : No data available

CARCINOGENICITY : This product is not considered to be a carcinogen by IARC, ACGIH, NTP or OSHA.

MUTAGENICITY : Not mutagenic in AMES test.

TOXICOLOGICAL INFORMATION : Coconut Diethanolamide

ACUTE TOXICITY : LD50 Oral (rat): > 5,000 mg/kg, LD50 Dermal (rabbit): > 2000 mg/kg.

ACUTE EFFECTS: May be harmful in contact with skin.

CHRONIC EFFECTS : Hazardous by OSHA criteria. Prolonged inhalation may be harmful. Prolonged

exposure may cause chronic effects. May cause damage to organs through

prolonged or repeated exposure.

SYMPTOMS AND TARGET

ORGANS

: Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin

irritation. May cause redness and pain

SECTION 12 - ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION : Sodium Hydroxide

ECOTOXICITY : Immobilization EC50/48h/Daphnia-40.38 mg/l. LC50 /96h/Mosquito fish-125 mg/l.

ENVIRONMENTAL : No information found. **PHYSICAL** : No information found.

OTHER : No relevant information available.

PERSISTENCE AND : No relevant information available.

DEGRADABILITY

BIOACCUMULATIVE POTENTIAL

NOTES

No relevant information available.

: Water hazard class 1 (Self assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of this product to reach ground water, water

course or sewage system. Must no reach bodies of water or drainage ditch undiluted or un-neutralized. Rinse off larger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic

organisms.

ECOLOGICAL INFORMATION : Potassium Hydroxide

ECOTOXICITY : Fish: Mosquito Fish: LC50 = 80.0 mg/L; 24 Hr.; Unspecified No data available.

ENVIRONMENTAL : No information found. **PHYSICAL** : No information found.

OTHER : No relevant information available.

PERSISTENCE AND : No relevant information available.

DEGRADABILITY

BIOACCUMULATIVE POTENTIAL

NOTES

No relevant information available.

Water hazard class 1 (Self assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of this product to reach ground water, water course or sewage system. Must no reach bodies of water or drainage ditch undiluted or un-neutralized. Rinse off larger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic

organisms.

ECOLOGICAL INFORMATION : Aminotrimethylene Phosphonic Acid (ATMP)

ECOTOXICITY : Acute LC50 fish (fresh water)14 days: 160mg/L, LC50 Daphnia-Daphnia Magna

(fresh water) 48hr: 297 mg/L, LC50 Daphnia (marine water) 48hr: 94mg/L

CHRONIC TOXICITY: Fish (fresh water) 60 days @ 23mg/L: No observable effect. Daphnia (fresh water)

28 days @ >25mg/L: No observable effect

BIODEGRADATION: Biodegradable.

TOXICITY OF PRODUCTS OF

BIODEGRADATION

The product and products of biodegradation are not toxic.

ECOLOGICAL INFORMATION : Dipropylene Glycol Methyl Ether

ECOTOXICITY (aquatic and terrestrial, where available):

ACUTE FISH TOXICITY : LC50 / 96 hours Fathead Minnow - >10,000 mg/L

TOXICITY TO DAPHNIA : EC50 / 48 hours Water flea - 1,919 mg/L

PERSISTENCE AND : No data available.

DEGRADABILITY

BIOACCUMULATIVE POTENTIAL: No data available.

ECOLOGICAL INFORMATION: Cocoamidopropyl Betaine

ECOTOXICITY : Not available **PERSISTENCE AND** : No data available

DEGRADABILITY

BIOACCUMULATIVE POTENTIAL: No data available

ECOLOGICAL INFORMATION: Coconut Diethanolamide

ACUTE TOXICITY : LC50 Algae: < 10 mg/l 72 hours, LC50 Daphnia: < 10 mg/l 48 hours, LC50 Fish: < 10

mg/I 96 hours

PERSISTENCE AND : Readily biodegradable

DEGRADABILITY

BIOACCUMULATIVE POTENTIAL: No data available.

SECTION 13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL RECOMMENDATIONS : This product must be disposed of in accordance with Federal, state and local environmental regulations. Discarded materials may be considered hazardous waste due to pH/corrosivity. It is the responsibility of the product user to determine at the time of disposal whether a material containing, or derived from this product, should be classified as a hazardous waste.

ECOLOGY-WASTE MATERIALS

This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14 – TRANSPORTATION INFORMATION

DOT/IMDG/ IATA PROPER

SHIPPING NAME

UN-3266, CORROSIVE LIQUID, BASIC, INORGANIC,

N.O.S. (SODIUM HYDROXIDE, POTASSIUM

HYDROXIDE) 8 PG-II ERG-154

HAZARD CLASS AND LABEL 8 (Corrosive) **UN NUMBER** UN-3266 PACKAGING GROUP PG-II

EPA REPORTABLE QUANTITY

(RQ)

1000 LBS. (454 KG) as Sodium or Potassium Hydroxide 100%.

Marine Pollutant

EMERGENCY RESPONSE

MARINE POLLUTANT

GUIDE

ERG-154

SECTION 15 - REGULATORY INFORMATION

U.S. FEDERAL REGULATORY INFORMATION:

LISTED CARCINOGEN

TSC STATUS The ingredients of this product are listed on TSCA (Toxic Substances Control Act)

inventory (40CFR 710.)

SARA SECTION 302 None

SARA SECTION 311/312

Immediate (acute) health hazard.

HAZARD CLASS

SARA SECTION 313

Not Listed

NFPA HEALTH 3 NFPA FLAMMABILITY : 0 NFPA REACTIVITY 1

EUROPEAN UNION REGULATORY INFORMATION:

EC CLASSIFICATION : C: Corrosive, Xn: Harmful. DSD/DPD RISK (R) PHRASES : R34: Causes severe burns.

R22: Harmful is swallowed.

DSD/DPD SAFETY (S) : S1/2: Keep locked up and out of reach of children.

PHRASES S18: Handle and open containers with care.

S26: In case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

S36/S37/39: Wear suitable protective clothing, gloves and

eve/face protection.

S45: In case of accidents or if you feel unwell, seek medical

advice immediately. Show label where possible.

S61: Avoid release to the environment.

S64: If swallowed, rinse mouth with water if victim is conscious.





DSD/DPD HAZARD SYMBOL : C: Corrosive, Xn: Harmful

CANADIAN REGULATORY INFORMATION

WHMIS CATEGORY : Class E: Corrosive: Sodium Hydroxide, Potassium

Hydroxide

Class D2B: Materials causing other toxic effects

(TOXIC): Sodium Carbonate

D1B: Poisonous and infectious material: Immediate and serious effects (TOXIC). Potassium Hydroxide



DOMESTIC SUBSTANCES LIST

(DSL)

INGREDIENT DISCLOSURE

LIST

: Listed

Listed, This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the sds contains all of the

information required by the CPR.

SECTION 16 – OTHER INFORMATION

DISCLAIMER : The information contained herein has been compiled from sources believed to be

realiable and accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Wesmar Co. assumes no responsibility for injury to any person or property resulting from any use of the material. Each user assumes the risk in their use of this product and should review the data and recommendations in the

specific context of their intended use.

CERCLA : Comprehensive Environmental Response, Compensation, and Liability Act.

EINECS: European Inventory of Existing Commercial Chemical Substances

IMDG
 International Maritime Code for Dangerous Goods
 IARC
 International Agency for Research on Cancer
 IATA
 International Air Transportation Association

ACGIH : American Conference of Governmental Industrial Hygienists

NFPA : National Fire Protection Association (USA)

NTP : National Toxicology Program

SARA : Superfund Amendments and Reauthorization Act

TSCA : Toxic Substances Control Act

HMIS : Hazardous Materials Identification System (USA)WHMIS : Workplace Hazardous Materials Information System

LC50 : Lethal concentration, 50 percent

LD50 : Lethal dose, 50 percent

STOT : Systemic Target Organ Toxicity

DATE PREPARED : MAR 1, 2006 **DATE REVISED** : MAR 1, 2014