SECTION 1- PRODUCT IDENTIFICATION

PRODUCT NAME : KLEEN IT

SYNONYMS: Product is a mixture: No synonyms are available.

PRODUCT USE : Moderately Alkaline Material

SUPPLIER: Wesmar Co. Inc.

SUPPLIER'S ADDRESS : 5720 204TH ST SW, Lynnwood, WA 98036

(206) 783-5344 : PERS: 1-800-633-8253

EMERGENCY RESPONSE PHONE

NUMBER



SECTION 2 – HAZARD IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS U.S. – CLASSIFICATION : H302 Harmful if swallowed.

H315 Causes skin irritation

H319 Causes serious eye irritation

LABEL ELEMENTS : GHS – US HAZARD PICTOGRAMS The product is classified and labeled according

to the Globally Harmonized System (GHS).

HAZARD PICTOGRAMS



SIGNAL WORD : WARNING

HAZARD STATEMENTS: H302 Harmful if swallowed.

P101

(GHS-US)

: H315 Causes skin irritation.

: H319 Causes serious eye irritation.

PRECAUTIONARY STATEMENTS

(GHS-US)

P102 Keep out of reach of children.

: P103 Read label before use.

P264 Wash skin and contaminated clothing thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
P280 Wear suitable protective gloves/protective clothing/eye

protection/face protection.

: P301+ IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel

If medical advice is needed, have product container or label at hand.

P312 unwell.

: P302+P352 : IF ON SKIN: Wash with plenty of soap and water.

P305+351+ IF IN EYES: Rinse cautiously with water for several minutes. Remove

P338 contact lenses, if present and easy to do. Continue rinsing.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P501 Dispose of contents/container in accordance with

local/regional/national/international regulations

OSHA HAZARDS : Target Organ Effect (Glycol Ether DPM)
TARGET ORGANS : Kidney, Liver, Nerves (Glycol Ether DPM).

CLASSIFICATION SYSTEM : NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme.

NFPA RATINGS (SCALE 0-4) : Health = 2, Fire = 0, Reactivity = 0

HMIS RATINGS (SCALE 0-5) : Health = 2, Fire = 0, Reactivity = 0

SECTION 3 – COMPOSITON/INFORMATION ON INGREDIENTS

CHEMICAL CHARACTERISTIC

Mixtures

DESCRIPTION

: Mixture of the substances listed below with nonhazardous additions.

COMPONENT	PERCENT	CAS#	EC#	GHS CLASS	
Dipropylene glycol methyl ether	1-5	34590-94-8	252-104-2	Eye Irrit: Cat 2B	
Propylene Glycol Butyl Ether	1-5	5131-66-8 & 18821-83-7	225-878-4	Skin Irrit. Cat 2, Eye Irrit. Cat 2A	
Ethylenediamine Tetraacetate Na salt	0.1-1.0	64-02-8	200-573-9	Skin Irrit Cat 2, Eye Dam Cat 2A	
Sodium Xylene Sulfonate	0.1-1.0	1300-72-7	215-090-9	Skin Irrit Cat 2, Eye Irrit Cat 2A	
Alkylether Hydroxypropyl Sultaine	1-5	108797-84-8 108797-85-9	Not Available	Skin Irrit Cat 2, Eye Irrit Cat 2A	
Coconut Diethanolamide	1-5	68603-42-9	271-657-0	Skin Irrit Cat 2, Eye Irrit Cat 2B	

Irrit = Irritation, Cor = Corrosive, Dam = Damage, Cat = Category, Tox = Toxic, STOT = Specific Target Organ Toxicity.

SECTION 4 – FIRST AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL

: Never give anything by mouth to an unconscious person. If you feel unwell, seek

medical advice. Show the label where possible.

EYE CONTACT

: Immediately flush eyes with water for at least 15 minutes. Hold eyelids open to ensure adequate flushing. Remove contact lenses, if present and easy to do so. Continue rinsing. If irritation persists, get immediate medical attention.

SKIN CONTACT

Remove contaminated clothing and shoes. Wash affected skin area with soap and water. If irritation persists, get immediate medical attention.

SWALLOWING (INGESTION)

If ingested, dilute swallowed material by drinking water. DO NOT INDUCE VOMITING. If vomiting occurs spontaneously, keep airway clear. Give more water when vomiting stops. Never give anything by mouth to an unconscious person. Get immediate medical attention.

INHALATION

: Remove to fresh air. Get immediate medical attention.

OTHER INSTRUCTIONS

: Rescue personnel must wear appropriate protective equipment during removal of victims from contaminated areas. Treat symptomatically and supportively.

SECTION 5 – FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA SPECIAL PROTECTIVE EQUIPMENT AND : Dry chemical, foam, water or carbon dioxide.

PRECAUTIONS FOR FIRE

: In the event of a fire, wear a NIOSH (USA) or CEN (EU) approved, positive pressure, self-contained breathing apparatus (SCUBA) and full protective clothing. Evacuate all

non-essential personnel from the danger area.

FIGHTERS

: No further relevant information is available.

UNUSUAL FIRE AND EXPLOSION HAZARDS

SECTION 6 – ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS,
PROTECTIVE EQUIPMENT &
EMERGENCY PROCEDURES

: Restrict access to keep out unauthorized or unprotected personnel. Wear protective equipment. Avoid inhalation and direct contact.

ENVIRONMENTAL PROCEDURES METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP

- : Keep spilled material away from sewage/drainage systems and waterways.
 - All clean-up personnel must be properly trained. Confine the spill and remove incompatible materials and ignition sources. Ensure adequate ventilation. Secure the source of the leak if conditions are safe. Neutralize spill and collect using an appropriate absorbent material such as clay or vermiculite. Place waste in an appropriate container for disposal. Use care during clean-up to avoid exposure to the material and injury from broken containers.

SECTION 7 - HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

: Use with adequate ventilation. Wear proper protective equipment. Do not mix with water or acids without proper dilution and agitation to prevent a potentially violent reaction.

CONDITIONS FOR SAFE STORAGE

: Store in closed, properly labeled containers. Protect containers from heat, physical damage, ignition sources and incompatible materials. Have emergency equipment for fires and spills readily available.





SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

TLV (THRESHOLD LIMIT VALUE)

: The TLV in section in section III is the ACGIH/TLV-TWA (threshold limit value/time weighted average concentration for an eight hour work day). The STEL is the short term exposure limit and the (Ceil) is the ceiling limit.

COMPONENT	OSHA PEL – TWA	ACGIH – TLV	ACGIH – STEL	
Dipropylene glycol methyl ether	100 ppm, 600mg/m ³	100 ppm	150 ppm	
Propylene Glycol Butyl Ether	Not Established	Not Established	Not Established	
Ethylenediamine Tetraacetate (EDTA)	Not Established	Not Established	Not Established	
Sodium Xylene Sulfonate	Not Established	Not Established	Not Established	
Alkylether Hydroxypropyl Sultaine (ASC)	Not Established	Not Established	Not Established	
Coconut Diethanolamide	Not Established	Not Established	Not Established	

EYE PROTECTION SKIN PROTECTION

: Wear chemical splash goggles or face shield.

Minimize contact with product. Wear chemical resistant coveralls, boots, gloves, apron and/or suitable long-sleeved clothing.

RESPIRATORY PROTECTION

In case of brief exposure use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.

VENTILATION

Ensure adequate ventilation.

ADDITIONAL MEASURES

: Emergency eyewash and safety shower facilities should be available in the

immediate work area.

REQUIRED WORK/HYGIENE

: Wash hands thoroughly after handling. Keep away from all food stuffs, beverages and feed. Do not eat, drink or smoke in work area.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE : Clear pink liquid with mild odor.

ODOR : Mild odor
ODOR THRESHOLD : Not available
PH : 9.0 - 10.0 AS IS

MELTING POINT/FREEZING

POINT

Not available

Approx. 212° F. **BOILING POINT**

Non flammable, non combustible **FLASH POINT**

EVAPORATION RATE Not available

FLAMMABILITY Non flammable-Non combustible

LOWER FLAMMABILITY LIMIT Not available **UPPER FLAMMABILITY LIMIT** Not available **VAPOR PRESSURE** Not available **VAPOR DENSITY (AIR=1)** Not available

RELATIVE DESNITY 1.01

SOLUBILITY IN WATER Soluble in water PARTITION COEFFICIENT n-Not available

OCTANOL/WATER

AUTOIGNITION TEMPERATURE : Not available **DECOMPOSITION** : Not available

TEMPERATURE

SECTION 10 – STABILITY AND REACTIVITY

STABILITY Stable under recommended storage conditions. No decomposition if used according to specifications

HAZARDOUS CONDITONS TO :

AVOID

INCOMPATIBLE MATERIALS Keep away from strong acids.

HAZARDOUS DECOMPOSITION

PRODUCTS

No dangerous decomposition products known.

SECTION 11 – TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION Dipropylene Glycol Methyl Ether

ACUTE TOXICITY LD50 values: Oral LD50: 5152 mg/kg (rat). LC50 dermal and inhalation: Not listed.

Eyes: Rabbit: Mild Irritation: 25 hours.

CARCINOGENICITY No component of this product present at levels greater than or equal to 0.1% is

identified as probable or confirmed human carcinogen by IARC, ACGIH, NTP, and

OSHA.

TOXICOLOGICAL INFORMATION Propylene Glycol Butyl Ether

ACUTE TOXICITY LD 50 Rat: 2,200 mg/kg **ACUTE INHALATION TOXICITY** No data available

ACUTE DERMAL TOXICITY : LD 50 Rabbit: 3,100 mg/kg

TOXICOLOGICAL INFORMATION **Ethylenediamine Tetraacetate ACUTE TOXICITY** LD50 Oral (rat): 630 - 1,260 mg/kg,

No data available **INHALATION LC50** No data available **DERMAL LD50** OTHER INFORMATION ON No data available

ACUTE TOXICITY

TOXICOLOGICAL INFORMATION Sodium Xylene Sulfonate

ROUTES OF ENTRY Absorbed through skin and/or eye contact.

ACUTE TOXICITY LD50 Oral (rat): 2500 mg/kg,

Contains material which may cause damage to the following organs: liver **CHRONIC EFFECTS ON HUMANS** :

SPECIAL REMARKS ON TOXICITY TDL (rat): Route: skin; Dose: 3380 mg/kg/17D intermittent; Toxic effects: changes in

TO ANIMALS liver weight TDL (rat): Route: skin; Dose: 35 gm/kg/14W intermittent; Toxic effects:

dermatitis, other (skin and appendages). (Sodium Xylene Sulfonate).

TOXICOLOGICAL INFORMATION

Alkylether Hydroxypropyl Sultaine

ACUTE TOXICITY

LD50 Oral (Rat): 13,800mg/kg, Skin (rabbit): Slightly irritating, Eyes (rabbit): Slightly

irritating. Acute Inhalation Toxicity: No data found

CARCINOGENICITY

This product is not considered to be probable or suspected human carcinogens by

IARC, ACGIH, NTP or OSHA.

TOXICOLOGICAL INFORMATION

Coconut Diethanolamide

ACUTE TOXICITY

LD50 Oral (rat): > 5,000 mg/kg, LD50 Dermal (rabbit): > 2000 mg/kg.

ACUTE EFFECTS

May be harmful in contact with skin.

CHRONIC EFFECTS

Hazardous by OSHA criteria. Prolonged inhalation may be harmful. Prolonged

exposure may cause chronic effects. May cause damage to organs through

prolonged or repeated exposure.

SYMPTOMS AND TARGET

ORGANS

Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin

irritation. May cause redness and pain

SECTION 12 – ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION : Dipropylene Glycol Methyl Ether

ECOTOXICITY (aquatic and terrestrial, where available):

: LC50 / 96 hours Fathead Minnow - >10,000 mg/L **ACUTE FISH TOXICITY**

: EC50 / 48 hours Water flea - 1,919 mg/L **TOXICITY TO DAPHNIA**

: No data available. PERSISTENCE AND

DEGRADABILITY

BIOACCUMULATIVE POTENTIAL : No data available.

ECOLOGICAL INFORMATION

Propylene Glycol Butyl Ether

ECOTOXICITY: TOXICITY TO FISH No data available : **TOXICITY TO DAPHNIA** No data available **TOXICITY TO ALGAE** No data available **TOXICITY TO BACTERIA** : No data available

ECOLOGICAL INFORMATION

: Ethylenediamine Tetraacetate

No data available. **ECOTOXICITY** : No data available. PERSISTENCE AND

DEGRADABILITY

BIOACCUMULATIVE POTENTIAL : No data available.

ECOLOGICAL INFORMATION

Sodium Xylene Sulfonate

ECOTOXICITY : Not available **BOD5 AND COD** Not available

PRODUCTS OF

BIODEGRADATION

Possibly hazardous short term degradation products are not likely. However, long

term degradation products may arise.

TOXICITY OF THE PRODUCTS OF

BIODEGRADATION

: The product itself and its products of degradation are not toxic.

ECOLOGICAL INFORMATION

Alkylether Hydroxypropyl Sultaine

ECOTOXICITY : Not available. PERSISTENCE AND

: No data available.

DEGRADABILITY

BIOACCUMULATIVE POTENTIAL : No data available.

ECOLOGICAL INFORMATION Coconut Diethanolamide

ACUTE TOXICITY LC50 Algae: < 10 mg/l 72 hours, LC50 Daphnia: < 10 mg/l 48 hours, LC50 Fish: < 10

mg/l 96 hours

PERSISTENCE AND

DEGRADABILITY

Readily biodegradable

BIOACCUMULATIVE POTENTIAL No data available.

SECTION 13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL This product must be disposed of in accordance with Federal, state and local

> environmental regulations. It is the responsibility of the product user to determine at the time of disposal whether a material containing, or derived from this product,

should be classified as a hazardous waste.

SECTION 14 – TRANSPORTATION INFORMATION

DOT/IMDG/IATA PROPER

SHIPPING NAME

: Not Hazardous

HAZARD CLASS AND LABEL

Not Applicable. **UN NUMBER** Not Applicable. **PACKAGING GROUP** Not Applicable. **EPA REPORTABLE QUANTITY** Not Applicable.

MARINE POLLUTANT Not listed. **EMERGENCY RESPONSE GUIDE** Not Applicable.

SECTION 15 - REGULATORY INFORMATION

U.N. GHS CLASSIFICATION & LABELING INFORMATION: See Section 2 for GHS Hazard Information.

U.S. FEDERAL REGULATORY INFORMATION:

LISTED CARCINOGEN : Not listed.

TSCA STATUS The ingredients of this product are listed in TSCA inventory (40CFR 710.)

SARA SECTION 302 No chemicals in this material are subject to the reporting requirements of SARA Title

III, Section 302.

SARA SECTION 312 Chronic health hazard (Glycol Ether DPM).

SARA SECTION 313 This material does not contain any chemical components with known CAS numbers

that exceed the threshold (De Minimis) reporting levels established by SARA Title III,

Section 313.

NFPA HEALTH 2 NFPA FLAMMABILITY 0 NFPA REACTIVITY 0

EUROPEAN UNION REGULATORY INFORMATION:

EC CLASSIFICATION : Xi: Irritant

DSD/DPD RISK (R) PHRASES R22: Harmful is swallowed.

R36/38: Irritating to eyes and skin.

DSD/DPD SAFETY (S) PHRASES S1/2: Keep locked up and out of reach of children.

S24/25: Avoid contact with eyes and skin.

S26: In case of contact with eyes, rinse immediately with

plenty of water and seek medical advice.

S36/S37/39: Wear suitable protective clothing, gloves and

eye/face protection.

S45: In case of accidents or if you feel unwell, seek medical

 $advice\ immediately.\ Show\ label\ where\ possible.$

S61: Avoid release to the environment. S62: If swallowed, do not induce vomiting.

S64: If swallowed, rinse mouth with water if victim is

conscious.

DSD/DPD HAZARD SYMBOL : Xi: Irritant

CANADIAN REGULATORY INFORMATION:

WHMIS CATEGORY : D2B: Materials that cause other toxic effects (TOXIC).

Listed

1

DOMESTIC SUBSTANCES LIST

(DSL)

INGREDIENT DISCLOSURE LIST : Listed

SECTION 16 - OTHER INFORMATION

DISCLAIMER : The information contained herein has been compiled from sources believed to be

realiable and accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Wesmar Co. assumes no responsibility for injury to any person or property resulting from any use of the material. Each user assumes the risk in their use of this product and should review the data and

recommendations in the specific context of their intended use.

CERCLA : Comprehensive Environmental Response, Compensation, and Liability Act.

EINECS : European Inventory of Existing Commercial Chemical Substances

IMDG : International Maritime Code for Dangerous Goods
 IARC : International Agency for Research on Cancer
 IATA : International Air Transportation Association

ACGIH : American Conference of Governmental Industrial Hygienists

NFPA : National Fire Protection Association (USA)

NTP : National Toxicology Program

SARA : Superfund Amendments and Reauthorization Act

TSCA : Toxic Substances Control Act

HMIS : Hazardous Materials Identification System (USA)WHMIS : Workplace Hazardous Materials Information System

LC50 : Lethal concentration, 50 percent

LD50 : Lethal dose, 50 percent

STOT : Systemic Target Organ Toxicity

DATE PREPARED : JAN 12, 2015 **DATE REVISED** : JAN 12, 2015