

**SAFETY DATA SHEET  
D-FOAM**

**WM 4501, WM 4502**

**SECTION 1- PRODUCT IDENTIFICATION**

**PRODUCT NAME** D-FOAM  
**SYNONYMS** Product is a mixture: No synonyms are available  
**PRODUCT USE** PH Neutral Material  
**SUPPLIER** WESMAR CO. INC.  
**SUPPLIER'S ADDRESS** 5720 204<sup>TH</sup> ST SW, LYNNWOOD, WA 98036  
(206) 783-5344  
**EMERGENCY RESPONSE PHONE** PERS: 1-800-633-8253



**SECTION 2 – HAZARD IDENTIFICATION**

**GHS – US CLASSIFICATION** : This product is not classified as defined by OSHA 29 CFR 1910.1200.

**HAZARD PICTOGRAMS** : Not applicable  
**SIGNAL WORD** : Not classified  
**GHS LABEL ELEMENTS** : The product is classified and labeled according to the Globally Harmonized System (GHS).  
**GHS PHYSICAL HAZARDS** : Not applicable.

**PRECAUTIONARY STATEMENTS (GHS-US)** :

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read label before use.
- P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
- P302+P352 IF ON SKIN: Wash with plenty of soap and water.
- P305+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations

**CLASSIFICATION SYSTEM** : NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme.  
**NFPA RATINGS (SCALE 0-4)** : Health = 1 Fire = 0, Reactivity = 0  
**HMIS RATINGS (SCALE 0-5)** : Health = 1, Fire = 0, Reactivity = 0

**SECTION 3 – COMPOSITON/INFORMATION ON INGREDIENTS**

**CHEMICAL CHARACTERISTIC DESCRIPTION** : Mixtures  
: Mixture of the substances listed below with nonhazardous additions.

COMPONENT	PERCENT	CAS #	EC #	GHS CLASS
Silica filled Polydimethylsiloxane	5-20	Trade Secret	N/A	Not Found

Irrit = Irritation, Corr = Corrosion, Cat = Category, Dam = Damage, Tox = Toxic, STOT SE = Specific Target Organ Toxicity Single Exposure,

**SECTION 4 – FIRST AID MEASURES**

**DESCRIPTION OF FIRST AID MEASURES**

**GENERAL** : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice. Show the label where possible.

# SAFETY DATA SHEET

## D-FOAM

- EYE CONTACT** : Immediately flush eyes with water for at least 15 minutes. Hold eyelids open to ensure adequate flushing. If irritation persists, get immediate medical attention.
- SKIN CONTACT** : Remove contaminated clothing and shoes. Wash affected skin area with soap and water. If irritation occurs, get medical attention.
- SWALLOWING (INGESTION)** : If ingested, dilute swallowed material by drinking water. **DO NOT INDUCE VOMITING.** If vomiting occurs spontaneously, keep airway clear. Give more water when vomiting stops.
- INHALATION** : Remove to fresh air. If symptoms persist, get medical attention.
- OTHER INSTRUCTIONS** : Rescue personnel must wear appropriate protective equipment during removal of victims from contaminated areas. Treat symptomatically and supportively.

### SECTION 5 – FIRE FIGHTING MEASURES


- EXTINGUISHING MEDIA** : Dry chemical, foam, water or carbon dioxide.
- SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE FIGHTERS** : In the event of a fire, wear a NIOSH (USA) or CEN (EU) approved, positive pressure, self-contained breathing apparatus (SCUBA) and full protective clothing. Evacuate all non-essential personnel from the danger area. Use water spray to cool nearby containers.
- UNUSUAL FIRE AND EXPLOSION HAZARDS** : No further relevant information is available.

### SECTION 6 – ACCIDENTAL RELEASE MEASURES

- PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT & EMERGENCY PROCEDURES** : Restrict access to keep out unauthorized or unprotected personnel. Wear protective equipment. Avoid inhalation and direct contact.
- ENVIRONMENTAL PROCEDURES** : Keep spilled material away from sewage/drainage systems and waterways.
- METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP** : All clean-up personnel must be properly trained. Confine the spill and remove incompatible materials and ignition sources. Ensure adequate ventilation. Secure the source of the leak if conditions are safe. Neutralize spill and collect using an appropriate absorbent material such as clay or vermiculite. Place waste in an appropriate container for disposal. Use care during clean-up to avoid exposure to the material and injury from broken containers.

### SECTION 7 – HANDLING AND STORAGE

- PRECAUTIONS FOR SAFE HANDLING** : Use with adequate ventilation. Wear proper protective equipment. Do not mix with water or acids without proper dilution and agitation to prevent a potentially violent reaction.
- CONDITIONS FOR SAFE STORAGE** : Store in closed, properly labeled containers. Protect containers from heat, physical damage, ignition sources and incompatible materials. Have emergency equipment for fires and spills readily available.



### SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

- TLV (THRESHOLD LIMIT VALUE)** : The TLV in section in section III is the ACGIH/TLV-TWA (threshold limit value/time weighted average concentration for an eight hour work day). The STEL is the short term exposure limit and the (Ceil) is the ceiling limit.

COMPONENT	OSHA PEL – TWA	ACGIH – TLV	ACGIH – STEL
-----------	----------------	-------------	--------------

## SAFETY DATA SHEET

### D-FOAM

Silica filled Polydimethylsiloxane	Not Established	Not Established	Not Established
------------------------------------	-----------------	-----------------	-----------------

- EYE PROTECTION** : Wear chemical safety glasses or goggles.
- SKIN PROTECTION** : Minimize contact with product. Wear chemical resistant clothing, protective gloves.
- RESPIRATORY PROTECTION** : In case of brief exposure use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.
- VENTILATION** : Ensure adequate ventilation.
- ADDITIONAL MEASURES** : Emergency eyewash and safety shower facilities should be available in the immediate work area.
- REQUIRED WORK/HYGIENE** : Wash hands thoroughly after handling. Keep away from all food stuffs, beverages and feed. Do not eat, drink or smoke in work area.

#### SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

- APPEARANCE** : White liquid with mild to no odor.
- ODOR** : Mild pleasant fragrance.
- ODOR THRESHOLD** : Not available
- PH** : 7.0 - 9.0 AS IS
- MELTING POINT/FREEZING POINT** : Not available
- BOILING POINT** : Approx. 212° F.
- FLASH POINT** : Non flammable, non combustible
- EVAPORATION RATE** : Not available
- FLAMMABILITY** : Non flammable-Non combustible
- LOWER FLAMMABILITY LIMIT** : Not available
- UPPER FLAMMABILITY LIMIT** : Not available
- VAPOR PRESSURE** : Not available
- VAPOR DENSITY (AIR=1)** : Not available
- RELATIVE DENSITY** : 1.0
- SOLUBILITY IN WATER** : Soluble in water
- PARTITION COEFFICIENT n-OCTANOL/WATER** : Not available
- AUTOIGNITION TEMPERATURE** : Not available
- DECOMPOSITION TEMPERATURE** : Not available

#### SECTION 10 – STABILITY AND REACTIVITY

- STABILITY** : Stable under recommended storage conditions.
- HAZARDOUS CONDITIONS TO AVOID** : No decomposition if used according to specifications
- INCOMPATIBLE MATERIALS** : Keep away from strong acids.
- HAZARDOUS DECOMPOSITION PRODUCTS** : No dangerous decomposition products known.

#### SECTION 11 – TOXICOLOGICAL INFORMATION

- TOXICOLOGICAL INFORMATION GENERAL** : **Silica filled Polydimethylsiloxane**
- ACUTE INHALATION** : No adverse effects are expected under normal conditions of use
- SENSITISATION** : No data available.
- OTHER EFFECTS OF OVEREXPOSURE** : No data available.
- OTHER EFFECTS OF OVEREXPOSURE** : No adverse effects anticipated from available information.

**SAFETY DATA SHEET  
D-FOAM**

**SECTION 12 – ECOLOGICAL INFORMATION**

**ECOLOGICAL INFORMATION** : Silica filled Polydimethylsiloxane  
**ECOTOXICOLOGY** : Ecotoxicological data for this product is not available.

**SECTION 13 – DISPOSAL CONSIDERATIONS**

**WASTE DISPOSAL** : This product must be disposed of in accordance with Federal, state and local environmental regulations. It is the responsibility of the product user to determine at the time of disposal whether a material containing, or derived from this product, should be classified as a hazardous waste.

**SECTION 14 – TRANSPORTATION INFORMATION**

**DOT/IMDG/ IATA PROPER SHIPPING NAME** : Not Hazardous  
**HAZARD CLASS AND LABEL** : Not Applicable.  
**UN NUMBER** : Not Applicable.  
**PACKAGING GROUP** : Not Applicable.  
**EPA REPORTABLE QUANTITY (RQ)** : Not Applicable.  
**MARINE POLLUTANT** : Not listed.  
**EMERGENCY RESPONSE GUIDE** : Not Applicable.

**SECTION 15 – REGULATORY INFORMATION**

**U.N. GHS CLASSIFICATION & LABELING INFORMATION:** See Section 2 for GHS Hazard Information

**U.S. FEDERAL REGULATORY INFORMATION:**

**LISTED CARCINOGEN** : Not listed.  
**TSCA STATUS** : The ingredients of this product are listed in TSCA inventory (40CFR 710.)  
**SARA SECTION 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.  
**SARA SECTION 312** : None listed.  
**SARA SECTION 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.  
**NFPA HEALTH** : 1  
**NFPA FLAMMABILITY** : 0  
**NFPA REACTIVITY** : 0

**EUROPEAN UNION REGULATORY INFORMATION:**

**EC CLASSIFICATION** : Non Hazardous  
**DSD/DPD RISK (R) PHRASES** : R22: Harmful if swallowed.  
R36/38: Irritating to eyes and skin.  
**DSD/DPD SAFETY (S) PHRASES** : S24/25: Avoid contact with eyes and skin.  
S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
S36/S37: Wear suitable protective clothing, gloves  
S45: In case of accidents or if you feel unwell, seek medical advice immediately. Show label where possible.  
S62: If swallowed, do not induce vomiting.  
S64: If swallowed, rinse mouth with water if victim is conscious.

## SAFETY DATA SHEET D-FOAM

**DSD/DPD HAZARD SYMBOL** : No symbol

**CANADIAN REGULATORY INFORMATION:**

**WHMIS CATEGORY** : Not classified by WHMIS.

**DOMESTIC SUBSTANCES LIST (DSL)** : Listed

**INGREDIENT DISCLOSURE LIST** : Listed

<b>SECTION 16 – OTHER INFORMATION</b>
---------------------------------------

**DISCLAIMER** : The information contained herein has been compiled from sources believed to be reliable and accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Wesmar Co. assumes no responsibility for injury to any person or property resulting from any use of the material. Each user assumes the risk in their use of this product and should review the data and recommendations in the specific context of their intended use.

**CERCLA** : Comprehensive Environmental Response, Compensation, and Liability Act.  
**EINECS** : European Inventory of Existing Commercial Chemical Substances  
**IMDG** : International Maritime Code for Dangerous Goods  
**IARC** : International Agency for Research on Cancer  
**IATA** : International Air Transportation Association  
**ACGIH** : American Conference of Governmental Industrial Hygienists  
**NFPA** : National Fire Protection Association (USA)  
**NTP** : National Toxicology Program  
**SARA** : Superfund Amendments and Reauthorization Act  
**TSCA** : Toxic Substances Control Act  
**HMIS** : Hazardous Materials Identification System (USA)  
**WHMIS** : Workplace Hazardous Materials Information System  
**LC50** : Lethal concentration, 50 percent  
**LD50** : Lethal dose, 50 percent  
**STOT** : Systemic Target Organ Toxicity  
**DATE PREPARED** : MAR 1, 2006  
**DATE REVISED** : MAR 1, 2014