### **SECTION 1- PRODUCT IDENTIFICATION**

**PRODUCT NAME** : FLOOR BRITE

**SYNONYMS**: Product is a mixture: No synonyms are available.

**PRODUCT USE** : Moderately Alkaline Material

**SUPPLIER**: WESMAR CO. INC.

**SUPPLIER'S ADDRESS**: 5720 204<sup>TH</sup> ST SW, LYNNWOOD, WA 98036

(206) 783-5344

**EMERGENCY RESPONSE PHONE**: PERS: 1-800-633-8253



## **SECTION 2 – HAZARD IDENTIFICATION**

**CLASSIFICATION OF THE SUBSTANCE OR MIXTURE** 

**GHS U.S. – CLASSIFICATION** : H302 Harmful if swallowed.

: H315 Causes skin irritation

: H319 Causes serious eye irritation

LABEL ELEMENTS : GHS – US HAZARD PICTOGRAMS The product is classified and labeled according

to the Globally Harmonized System (GHS).

HAZARD PICTOGRAMS

**(!**)

P101

SIGNAL WORD : WARNING

HAZARD STATEMENTS : H302

(GHS-US)

: H315 Causes skin irritation.

: H319 Causes serious eye irritation.

Harmful if swallowed.

PRECAUTIONARY STATEMENTS

(GHS-US)

P102 Keep out of reach of children.

P103 Read label before use.

: P264 Wash skin and contaminated clothing thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
P280 Wear suitable protective gloves/protective clothing/eye

protection/face protection.

P301+ IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel

If medical advice is needed, have product container or label at hand.

P312 unwell.

: P302+P352 : IF ON SKIN: Wash with plenty of soap and water.

: P305+351+ IF IN EYES: Rinse cautiously with water for several minutes. Remove

P338 contact lenses, if present and easy to do. Continue rinsing.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P501 Dispose of contents/container in accordance with

local/regional/national/international regulations

**CLASSIFICATION SYSTEM**: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme.

NFPA RATINGS (SCALE 0-4) : Health = 2, Fire = 0, Reactivity = 0 HMIS RATINGS (SCALE 0-5) : Health = 2, Fire = 0, Reactivity = 0

## SECTION 3 - COMPOSITON/INFORMATION ON INGREDIENTS

**CHEMICAL CHARACTERISTIC**: Mixtures

**DESCRIPTION**: Mixture of the substances listed below with nonhazardous additions.

COMPONENT	PERCENT	CAS#	EINECS #	GHS CLASSIFICATION	
Sodium Metasilicate	0.1-1.0	6834-92-0	229-912-9	Metal Corr Cat 1, Skin Corr Cat 1C, Eye	
				Corr Cat 1, Acute Toxic Oral Cat 4	
Tetrapotassium Pyrophosphate	1-5	7320-34-5	230-785-7	Not Established	
Ethylenediamine Tetraacetate Na salt	1-5	64-02-8	200-573-9	Skin Irrit Cat 2, Eye Dam Cat 2A	
Ammonium Methyl Sulfate &	5-10	Proprietary	N/A	Skin Irrit Cat 2, Eye Dam Cat 1	
Fatty Alcohol Ethoxylate Mixture				Acute Aquatic Tox Cat 1	

Irrit. = Irritation, Corr. = Corrosion, Cat. = Category, Dam = Damage, Tox = Toxic, STOT SE = Single Target Organ Toxicity Single exposure.

## **SECTION 4 – FIRST AID MEASURES**

#### **DESCRIPTION OF FIRST AID MEASURES**

GENERAL: Never give anything by mouth to an unconscious person. If you feel unwell, seek

medical advice. Show the label where possible.

**EYE CONTACT**: Immediately flush eyes with water for at least 15 minutes. Hold eyelids open to

ensure adequate flushing. Get immediate medical attention.

**SKIN CONTACT**: Remove contaminated clothing and shoes. Wash affected skin area with soap and

water. Delayed skin damage is possible if product is not completely washed off. Get

immediate medical attention.

**SWALLOWING (INGESTION)**: If ingested, dilute swallowed material by drinking water. DO NOT INDUCE VOMITING.

If vomiting occurs spontaneously, keep airway clear. Give more water when vomiting stops. Never give anything by mouth to an unconscious person. Get immediate

medical attention.

**INHALATION**: Remove to fresh air. Get immediate medical attention.

OTHER INSTRUCTIONS : Rescue personnel must wear appropriate protective equipment during removal of

victims from contaminated areas. Treat symptomatically and supportively.

## **SECTION 5 – FIRE FIGHTING MEASURES**

EXTINGUISHING MEDIA
SPECIAL PROTECTIVE
FOLIPMENT AND

: Dry chemical, foam, water or carbon dioxide.

EQUIPMENT AND
PRECAUTIONS FOR FIRE

In the event of a fire, wear a NIOSH (USA) or CEN (EU) approved, positive pressure, self-contained breathing apparatus (SCUBA) and full protective clothing. Evacuate all

non-essential personnel from the danger area.

**FIGHTERS** 

: No further relevant information is available.

UNUSUAL FIRE AND EXPLOSION HAZARDS

### **SECTION 6 – ACCIDENTAL RELEASE MEASURES**

PERSONAL PRECAUTIONS,
PROTECTIVE EQUIPMENT &
EMERGENCY PROCEDURES

: Restrict access to keep out unauthorized or unprotected personnel. Wear protective equipment. Avoid inhalation and direct contact.

ENVIRONMENTAL PROCEDURES METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP

Keep spilled material away from sewage/drainage systems and waterways.

All clean-up personnel must be properly trained. Confine the spill and remove incompatible materials and ignition sources. Ensure adequate ventilation. Secure the source of the leak if conditions are safe. Neutralize spill and collect using an appropriate absorbent material such as clay or vermiculite. Place waste in an appropriate container for disposal. Use care during clean-up to avoid exposure to the material and injury from broken containers.

### **SECTION 7 – HANDLING AND STORAGE**

PRECAUTIONS FOR SAFE

**HANDLING** 

: Use with adequate ventilation. Wear proper protective equipment. Do not mix with water or acids without proper dilution and agitation to prevent a potentially violent reaction.

**CONDITIONS FOR SAFE** 

**STORAGE** 

: Store in closed, properly labeled containers. Protect containers from heat, physical damage, ignition sources and incompatible materials. Have emergency equipment for fires and spills readily available.





## SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

TLV (THRESHOLD LIMIT VALUE)

The TLV in section in section III is the ACGIH/TLV-TWA (threshold limit value/time weighted average concentration for an eight hour work day). The STEL is the short term exposure limit and the (Ceil) is the ceiling limit.

COMPONENT	OSHA PEL – TWA	ACGIH – TLV	ACGIH – STEL
Sodium Metasilicate	8hr Recommended: 3mg/m <sup>3</sup>	Not Established	Not Established
Tetrapotassium Pyrophosphate	2.5mg/m <sup>3</sup>	2.5 mg/m <sup>3</sup>	7.6 mg/m <sup>3</sup>
Ethylenediamine Tetraacetate	Not Established	Not Established	Not Established
Ammonium Methyl Sulfate &	Not Established	Not Established	Not Established
Fatty Alcohol Ethoxylate Mixture			

**EYE PROTECTION** 

: Wear chemical splash goggles or face shield.

**SKIN PROTECTION** 

: Minimize contact with product. Wear chemical resistant coveralls, boots, gloves,

apron and/or suitable long-sleeved clothing.

RESPIRATORY PROTECTION

In case of brief exposure use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.

**VENTILATION** 

: Ensure adequate ventilation.

**ADDITIONAL MEASURES** 

: Emergency eyewash and safety shower facilities should be available in the

immediate work area.

REQUIRED WORK/HYGIENE

: Wash hands thoroughly after handling. Keep away from all food stuffs, beverages and feed. Do not eat, drink or smoke in work area.

### **SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES**

**APPEARANCE** : Clear blue liquid with mild odor.

ODOR : Mild odor.
ODOR THRESHOLD : Not available
PH : 11.3 - 11.9 AS IS
MELTING POINT/FREEZING : Not available

**POINT** 

**BOILING POINT** : Approx. 212° F.

FLASH POINT : Non flammable, non combustible

**EVAPORATION RATE** : Not available

**FLAMMABILITY** : Non flammable-Non combustible

LOWER FLAMMABILITY LIMIT: Not availableUPPER FLAMMABILITY LIMIT: Not availableVAPOR PRESSURE: Not availableVAPOR DENSITY (AIR=1): Not available

**RELATIVE DESNITY** : 1.05

**SOLUBILITY IN WATER** Soluble in water PARTITION COEFFICIENT n-Not available

**OCTANOL/WATER** 

**AUTOIGNITION TEMPERATURE** Not available **DECOMPOSITION** : Not available

**TEMPERATURE** 

## **SECTION 10 - STABILITY AND REACTIVITY**

: Stable under recommended storage conditions. **STABILITY** HAZARDOUS CONDITONS TO : No decomposition if used according to specifications

**AVOID** 

**INCOMPATIBLE MATERIALS** Keep away from strong acids.

HAZARDOUS DECOMPOSITION

**PRODUCTS** 

No dangerous decomposition products known.

### **SECTION 11 – TOXICOLOGICAL INFORMATION**

**TOXICOLOGICAL INFORMATION Sodium Metasilicate** 

**ACUTE TOXICITY** LD50 Oral: 1280mg/kg (Rat), 2400mg/kg (mouse)

**CHRONIC TOXICITY** No data were available regarding chronic exposure, reproductive or teratological

effects, or carcinogenicity for sodium metasilicate.

CARCINOGENICITY This product is not classified as a carcinogen by NTP, IARC or OSHA.

**TOXICOLOGICAL INFORMATION Tetrapotassium Pyrophosphate** 

**ACUTE TOXICITY** Oral - rat LD50: > 2980 mg/kg; slightly toxic

> Dermal - rabbit LD50: > 7940 mg/kg; practically nontoxic Eye Irritation - rabbit: 11.1/110.0; moderately irritating

Skin Irritation - rabbit: 0.5/8.0 (24-hr exposure); practically nonirritating.

**TOXICOLOGICAL INFORMATION Ethylenediamine Tetraacetate** 

**ACUTE TOXICITY** LD50 Oral (rat): 630 - 1,260 mg/kg,

**INHALATION LC50** No data available No data available **DERMAL LD50** OTHER INFORMATION ON No data available

**ACUTE TOXICITY** 

**TOXICOLOGICAL INFORMATION** Ammonium Methyl Sulfate & Fatty Alcohol Ethoxylate Mixture

**ROUTES OF EXPOSURE** Ingestion Expected to be a low ingestion hazard.

Inhalation Prolonged inhalation may be harmful.

Skin contact Causes skin irritation. Eve contact Causes serious eve damage.

Symptoms may include stinging, tearing, redness, swelling, and blurred vision. **TOXICOLOGICAL SYMPTOMS** 

Permanent eye damage including blindness could result. Skin irritation. May cause

redness and pain.

**ACUTE TOXICITY** May be harmful if swallowed. May be harmful in contact with skin.

LD50 Oral (Rat): 2500mg/kg, LD Dermal (Rabbit): >2000 mg/kg.

**CARCINOGENICITY** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

**PROLONGED EFFECTS** Prolonged inhalation may be harmful.

## **SECTION 12 - ECOLOGICAL INFORMATION**

: Sodium Metasilicate **ECOLOGICAL INFORMATION** 

**ECOTOXICITY (Aquatic Toxicity)** 

This material has exhibited moderate toxicity to aquatic organisms.

**BIODEGRADATION** 

This material is inorganic and not subject to biodegradation. This material is believed to persist in the environment.

**PERSISTENCE BIOCONCENTRATION** 

This material is not expected to bio-concentrate in organisms.

**ECOLOGICAL INFORMATION** 

**Tetrapotassium Pyrophosphate** 

**ECOTOXICITY** 

48-hr EC50 Daphnia magna: > 100 mg/l, Practically Nontoxic 96-hr LC50 Mysid Shrimp > 100 mg/l, Practically Nontoxic 96-hr LC50 Rainbow trout: > 100 mg/l, Practically Nontoxic.

**ENVIRONMENTAL FATE** 

Phosphates: Inorganic phosphates, including this product, at high concentrations in the environment have the potential to cause eutrophication in aquatic systems. This condition is characterized by excessive algal growth, and subsequent decreases in oxygen levels. In general, proper use and disposal of this product should pose no

adverse ecological risk.

**ECOLOGICAL INFORMATION** 

: Ethylenediamine Tetraacetate

**ECOTOXICITY** PERSISTENCE AND No data available. No data available.

**DEGRADABILITY** 

**BIOACCUMULATIVE POTENTIAL** 

No data available.

**ECOLOGICAL INFORMATION** 

**Ammonium Methyl Sulfate & Fatty Alcohol Ethoxylate Mixture** 

**ECOTOXICITY** 

Ammonium methyl sulfate (CAS Proprietary) Acute: Crustacea EC50 Daphnia 0.56

mg/l, 48 hours Fish LC50 Fish 1 - 10 mg/l, 96 hours.

**MOBILITY IN SOIL BIOACCUMULATIVE POTENTIAL** 

No data is available. No data is available. No data is available.

PERSISTENCE AND

**DEGRADABILITY** 

## **SECTION 13 – DISPOSAL CONSIDERATIONS**

WASTE DISPOSAL

: This product must be disposed of in accordance with Federal, state and local environmental regulations. Discarded materials may be considered hazardous waste due to pH/corrosivity. It is the responsibility of the product user to determine at the time of disposal whether a material containing, or derived from this product, should be classified as a hazardous waste.

## **SECTION 14 – TRANSPORTATION INFORMATION**

**DOT/IMDG/IATA PROPER** 

: Not Hazardous

**SHIPPING NAME** 

HAZARD CLASS AND LABEL

Not Applicable. Not Applicable.

**UN NUMBER** PACKAGING GROUP

Not Applicable.

**EPA REPORTABLE QUANTITY** 

Not Applicable.

(RQ)

MARINE POLLUTANT : Not listed.

**EMERGENCY RESPONSE GUIDE** : Not Applicable.

#### **SECTION 15 – REGULATORY INFORMATION**

U.N. GHS CLASSIFICATION & LABELING INFORMATION: See Section 2 for GHS Hazard Information

**U.S. FEDERAL REGULATORY INFORMATION:** 

**LISTED CARCINOGEN** : Not listed.

**TSCA STATUS**: The ingredients of this product are listed in TSCA inventory (40CFR 710.)

SARA SECTION 302 : No chemicals in this material are subject to the reporting requirements of SARA Title

III, Section 302.

**SARA SECTION 312** : This material does not contain any chemical components with known CAS numbers

that exceed the threshold (De Minimis) reporting levels established by SARA Title III,

Section 312.

**SARA SECTION 313** : This material does not contain any chemical components with known CAS numbers

that exceed the threshold (De Minimis) reporting levels established by SARA Title III,

Section 313.

**CERCLA**: No chemicals in this material with known CAS numbers are subject to the reporting

requirements of CERCLA.

NFPA HEALTH : 2 NFPA FLAMMABILITY : 0 NFPA REACTIVITY : 0

**EUROPEAN UNION REGULATORY INFORMATION:** 

**EC CLASSIFICATION** : Xi: Irritant

DSD/DPD RISK (R) PHRASES : R22: Harmful is swallowed.

R36/38: Irritating to eyes and skin.

**DSD/DPD SAFETY (S) PHRASES** : S1/2: Keep locked up and out of reach of children.

S24/25: Avoid contact with eyes and skin.

S26: In case of contact with eyes, rinse immediately with

plenty of water and seek medical advice.

S36/S37/39: Wear suitable protective clothing, gloves and

eye/face protection.

S45: In case of accidents or if you feel unwell, seek medical

advice immediately. Show label where possible.

S61: Avoid release to the environment. S62: If swallowed, do not induce vomiting.

S64: If swallowed, rinse mouth with water if victim is

conscious.

**DSD/DPD HAZARD SYMBOL** : Xi: Irritant

**CANADIAN REGULATORY INFORMATION:** 

**WHMIS CATEGORY** : D2B: Materials that cause other toxic effects (TOXIC).

Listed

DOMESTIC SUBSTANCES LIST

(DSL)

INGREDIENT DISCLOSURE LIST : Listed

# (T)

### **SECTION 16 – OTHER INFORMATION**

DISCLAIMER : The information contained herein has been compiled from sources believed to be

realiable and accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Wesmar Co. assumes no responsibility for injury to any person or property resulting from any use of the material. Each user assumes the risk in their use of this product and should review the data and

recommendations in the specific context of their intended use.

**CERCLA** : Comprehensive Environmental Response, Compensation, and Liability Act.

EINECS : European Inventory of Existing Commercial Chemical Substances

IMDGInternational Maritime Code for Dangerous GoodsIARCInternational Agency for Research on Cancer

IATA : International Air Transportation Association

ACGIH : American Conference of Governmental Industrial Hygienists

NFPA : National Fire Protection Association (USA)

NTP : National Toxicology Program

SARA : Superfund Amendments and Reauthorization Act

TSCA : Toxic Substances Control Act

HMIS : Hazardous Materials Identification System (USA)WHMIS : Workplace Hazardous Materials Information System

**LC50** : Lethal concentration, 50 percent

**LD50** : Lethal dose, 50 percent

**STOT** : Systemic Target Organ Toxicity

**DATE PREPARED** : JAN 12, 2015 **DATE REVISED** : JAN 12, 2015