

SAFETY DATA SHEET

Revision Date 29-Apr-2015

Version 1

1. IDENTIFICATION

<u>Product identifier</u> Product Name	Wynn's Spit Fire Limpiador de Inyectores y Ca	arburadores
<u>Other means of identification</u> Product Code Synonyms	WN 65265 None	
<u>Recommended use of the chemical</u> Recommended Use Uses advised against	and restrictions on use See directions provided with product All other applications	
Details of the supplier of the safety Supplier Address ITW Professional Automotive Products 3606 Craftsman Blvd. Lakeland, FL 33803	Manufacturer Address	<u>Distributor</u>
Company Phone Number 24 Hour Emergency Phone Number	863-665-3338 Chem-Tel: 800-255-3924 International Emergency: 00+1+ 813-248-0585 Contract Number: MIS0003583	
E-mail address	EHS@itwproap.com	

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)


Carcinogenicity	Category 1B
Aspiration toxicity	Category 1
Flammable liquids	Category 4

Label elements

Emergency Overview

Danger

May cause cancer May be fatal if swallowed and enters airways Combustible liquid



Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Keep away from heat/sparks/open flames/hot surfaces. — No smoking Wear protective gloves Wear eye/face protection

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

Causes mild skin irritation. Harmful to aquatic life with long lasting effects.

Unknown acute toxicity

3.921% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

substance(s)

Chemical Name	CAS No	Weight-%	Trade Secret
Fuels, diesel, no. 2	68476-34-6	60 - 100	*
1,2,4-Trimethylbenzene	95-63-6	1 - 5	*
Naphthalene	91-20-3	0.1 - 1	*
*The event nerroutene (cons	antration) of composition has	le a sue su de le a la la a la dura da	1

The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General advice If symptoms persist, call a physician.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.

Skin contact	Immediate medical attention is not required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.		
Inhalation	Immediate medical attention is not required. If symptoms persist, call a physician. Move to fresh air in case of accidental inhalation of vapors or decomposition products.		
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician. Do NOT induce vomiting.		
Self-protection of the first aider	Use personal protective equipment as required.		
Most important symptoms and effects, both acute and delayed			
Symptoms	See section 2 for more information.		
Indication of any immediate medical attention and special treatment needed			
Note to physicians	Treat symptomatically.		
	5. FIRE-FIGHTING MEASURES		

Suitable extinguishing media

Use, Dry chemical, Carbon dioxide (CO2), Water spray (fog), Alcohol resistant foam

Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Keep product and empty container away from heat and sources of ignition. Risk of ignition.

Explosion dataSensitivity to Mechanical ImpactNone.Sensitivity to Static DischargeNone.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Use personal protective equipment as required. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Pay attention to flashback. Take precautionary measures against static discharges.
Environmental precautions	
Environmental precautions	See Section 12 for additional ecological information. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.
Methods and material for containm	ent and cleaning up_
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Soak up with inert absorbent material. Dam up. Pick up and transfer to properly labeled containers. Take precautionary measures against static discharges.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handlingUse with local exhaust ventilation. All equipment used when handling the product must be
grounded. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Use
personal protective equipment as required. Do not breathe
dust/fume/gas/mist/vapors/spray. Take necessary action to avoid static electricity discharge
(which might cause ignition of organic vapors).Conditions for safe storage, including any incompatibilities
Storage ConditionsKeep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric

motors and static electricity). Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat. Keep in properly labeled containers.

Incompatible materials Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Fuels, diesel, no. 2 68476-34-6	TWA: 100 mg/m³ total hydrocarbons inhalable fraction and vapor S*	-	-
1,2,4-Trimethylbenzene 95-63-6	-	-	TWA: 25 ppm TWA: 125 mg/m ³
Naphthalene 91-20-3	TWA: 10 ppm S*	TWA: 10 ppm TWA: 50 mg/m ³ (vacated) TWA: 10 ppm (vacated) TWA: 50 mg/m ³ (vacated) STEL: 15 ppm (vacated) STEL: 75 mg/m ³	IDLH: 250 ppm TWA: 10 ppm TWA: 50 mg/m ³ STEL: 15 ppm STEL: 75 mg/m ³

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls

Showers Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection	Tight sealing safety goggles.
Skin and body protection	Wear protective gloves and protective clothing.
Respiratory protection	Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.
General Hygiene Considerations	When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state
Appearance
Odor
Color
Odor threshold

Liquid Clear liquid Solvent No information available Values No information available No information available > 35 °C / 95 °F 64 °C / 147 °F No information available 0.84 Insoluble in water No information available No information available

Remarks • Method

amber

Property pН Melting point / freezing point Boiling point / boiling range Flash point **Evaporation rate** Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density **Relative density** Water solubility Solubility in other solvents Partition coefficient Autoignition temperature **Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties**

Other Information

Softening point Molecular weight VOC Content (%) Density Bulk density No information available No information available 2.5 No information available No information available

No information available

No information available

No information available

No information available

No information available

2 mm2/s

10. STABILITY AND REACTIVITY

Reactivity No data available

<u>Chemical stability</u> Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

<u>Conditions to avoid</u> Heat, flames and sparks.

Incompatible materials

Strong oxidizing agents

Hazardous Decomposition Products Carbon oxides

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation

	may cauce m						
Eye contact	Contact with eyes may cause irritation. May cause redness and tearing of the eyes.						
Skin contact	May cause skin irritation and/or dermatitis.						
Ingestion	Ingestion may	Ingestion may cause irritation to mucous membranes.					
Chemical Name	Oral LD5	50	Dern	nal LD50	Inhala	tion LC50	
1,2,4-Trimethylbenzene 95-63-6	= 3280 mg/kg	(Rat)	> 3160 mỹ	g/kg (Rabbit)	= 18 g/m	ո³ (Rat)4 h	
Naphthalene 91-20-3	= 1110 mg/kg (Rat) Rat)	= 490 mg/kg (Rabbit) > 20 g/kg (abbit)	> 340 mg/	/m³(Rat)1 h	
Information on toxicologic	cal effects						
Symptoms	No informatio	on available.					
Delayed and immediate ef	facts as well as chronic	e offocts from	n short and lo	ng-term exposure			
					_		
				No information available.			
Sensitization	No informatio	on available.					
	No informatic No informatic						
Germ cell mutagenicity	No informatio	on available.	whether each a	agency has listed ar	ny ingredient a	as a carcinoger	
Germ cell mutagenicity Carcinogenicity	No informatio	on available. ow indicates	whether each a	agency has listed ar NTP	ny ingredient :	as a carcinoger OSHA	
Germ cell mutagenicity Carcinogenicity Chemical Name	No informatio The table bel	on available. ow indicates			ny ingredient a		
Germ cell mutagenicity Carcinogenicity Chemical Name	No informatic The table bel ACGIH	on available. ow indicates	RC		ny ingredient a		
Germ cell mutagenicity Carcinogenicity Chemical Name Fuels, diesel, no. 2 68476-34-6	No informatic The table bel ACGIH	on available. low indicates IAF Grou	RC				
Germ cell mutagenicity Carcinogenicity Chemical Name Fuels, diesel, no. 2 68476-34-6 Naphthalene 91-20-3	No informatic The table bel ACGIH A3 A3	on available. ow indicates IAI Grou	RC up 3 ip 2A	NTP		OSHA -	
Naphthalene 91-20-3 ACGIH (American Confer A3 - Animal Carcinogen IARC (International Agen Group 2A - Probably Carci Not classifiable as a humal NTP (National Toxicology Reasonably Anticipated - F	No informatic The table bel ACGIH A3 A3 rence of Governmental Ind cy for Research on Cance inogenic to Humans n carcinogen	on available. ow indicates IAF Grou dustrial Hygien er) e a Human Car	RC up 3 up 2A nists)	NTP - Reasonably Anticipa		OSHA -	
Germ cell mutagenicity Carcinogenicity Chemical Name Fuels, diesel, no. 2 68476-34-6 Naphthalene 91-20-3 ACGIH (American Confer A3 - Animal Carcinogen IARC (International Agen Group 2A - Probably Carcii Not classifiable as a huma NTP (National Toxicology Reasonably Anticipated - F OSHA (Occupational Safe X - Present Chronic toxicity	No informatic The table bel ACGIH A3 A3 rence of Governmental Ind acy for Research on Cance inogenic to Humans n carcinogen y Program) Reasonably Anticipated to be fety and Health Administration May cause ad	on available. ow indicates Grou Grou dustrial Hygien e a Human Car tion of the US dverse effects	RC up 3 up 2A hists) rcinogen Department of s on the bone r	NTP - Reasonably Anticipa <i>Labor)</i> narrow and blood-fo	ted	OSHA - X	
Germ cell mutagenicity Carcinogenicity Chemical Name Fuels, diesel, no. 2 68476-34-6 Naphthalene 91-20-3 ACGIH (American Confer A3 - Animal Carcinogen IARC (International Agen Group 2A - Probably Carci Not classifiable as a humal NTP (National Toxicology Reasonably Anticipated - F OSHA (Occupational Safe X - Present	No informatic The table bel ACGIH A3 A3 rence of Governmental Ind acy for Research on Cance inogenic to Humans n carcinogen y Program) Reasonably Anticipated to be fety and Health Administration May cause ad	on available. ow indicates Grou Grou dustrial Hygien e a Human Car tion of the US dverse effects	RC up 3 up 2A hists) rcinogen Department of s on the bone r	NTP - Reasonably Anticipa Labor)	ted	OSHA - X	
Germ cell mutagenicity Carcinogenicity Chemical Name Fuels, diesel, no. 2 68476-34-6 Naphthalene 91-20-3 ACGIH (American Confer A3 - Animal Carcinogen IARC (International Agen Group 2A - Probably Carcii Not classifiable as a huma NTP (National Toxicology Reasonably Anticipated - F OSHA (Occupational Safe X - Present Chronic toxicity Target Organ Effects	No informatic The table bel ACGIH A3 A3 rence of Governmental Ind acy for Research on Cance inogenic to Humans n carcinogen y Program) Reasonably Anticipated to be fety and Health Administra May cause ac Blood, Centra calculated based on cha	e a Human Car tion of the US dverse effects al nervous sys	RC up 3 up 2A hists) rcinogen Department of s on the bone r stem, Eyes, Re	NTP Reasonably Anticipa <i>Labor</i>) narrow and blood-fo espiratory system, S	ted	OSHA - X	
Germ cell mutagenicity Carcinogenicity Chemical Name Fuels, diesel, no. 2 68476-34-6 Naphthalene 91-20-3 ACGIH (American Confer A3 - Animal Carcinogen IARC (International Agen Group 2A - Probably Carcii Not classifiable as a humal NTP (National Toxicology Reasonably Anticipated - F OSHA (Occupational Safe X - Present Chronic toxicity Target Organ Effects The following values are c ATEmix (oral)	No informatic The table bel ACGIH A3 A3 rence of Governmental Ind acy for Research on Cance inogenic to Humans n carcinogen y Program) Reasonably Anticipated to be fety and Health Administra May cause ac Blood, Centra calculated based on cha 165657 mg/k	e a Human Car tion of the US dverse effects al nervous sys apter 3.1 of the kg	RC up 3 up 2A hists) rcinogen Department of s on the bone r stem, Eyes, Re	NTP Reasonably Anticipa <i>Labor</i>) narrow and blood-fo espiratory system, S	ted	OSHA - X	
Germ cell mutagenicity Carcinogenicity Chemical Name Fuels, diesel, no. 2 68476-34-6 Naphthalene 91-20-3 ACGIH (American Confer A3 - Animal Carcinogen IARC (International Agen Group 2A - Probably Carcii Not classifiable as a huma NTP (National Toxicology Reasonably Anticipated - F OSHA (Occupational Safe X - Present Chronic toxicity Target Organ Effects The following values are c	No informatic The table bel ACGIH A3 A3 rence of Governmental Ind acy for Research on Cance inogenic to Humans n carcinogen y Program) Reasonably Anticipated to be ety and Health Administra May cause ac Blood, Centra calculated based on cha 165657 mg/k 70722 mg/kg	e a Human Car tion of the US dverse effects al nervous sys apter 3.1 of the kg	RC up 3 up 2A hists) rcinogen Department of s on the bone r stem, Eyes, Re	NTP Reasonably Anticipa <i>Labor</i>) narrow and blood-fo espiratory system, S	ted	OSHA - X	

May cause irritation of respiratory tract.

12. ECOLOGICAL INFORMATION

Ecotoxicity

3.921% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Fuels, diesel, no. 2	-	35: 96 h Pimephales promelas mg/L	-
68476-34-6		LC50 flow-through	
1,2,4-Trimethylbenzene	-	7.19 - 8.28: 96 h Pimephales	6.14: 48 h Daphnia magna mg/L
95-63-6		promelas mg/L LC50 flow-through	EC50

Naphthalene	0.4: 72 h Skeletonema costatum	5.74 - 6.44: 96 h Pimephales	2.16: 48 h Daphnia magna mg/L
91-20-3	mg/L EC50	promelas mg/L LC50 flow-through	LC50 1.96: 48 h Daphnia magna
	_	1.6: 96 h Oncorhynchus mykiss	mg/L EC50 Flow through 1.09 - 3.4:
		mg/L LC50 flow-through 0.91 - 2.82:	48 h Daphnia magna mg/L EC50
		96 h Oncorhynchus mykiss mg/L	Static
		LC50 static 1.99: 96 h Pimephales	
		promelas mg/L LC50 static 31.0265:	
		96 h Lepomis macrochirus mg/L	
		LC50 static	

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Mobility

No information available.

Chemical Name	Partition coefficient
1,2,4-Trimethylbenzene 95-63-6	3.63
Naphthalene 91-20-3	3.3

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

US EPA Waste Number

U055 U165 U239

Do not reuse container.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Naphthalene 91-20-3	U165	Included in waste streams: F024, F025, F034, F039, K001, K035, K060, K087,	-	U165
		K145		

Chemical Name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
Naphthalene 91-20-3	-	-	Toxic waste waste number F025 Waste description: Condensed light ends, spent filters and filter aids, and spent desiccant wastes from the production of certain chlorinated aliphatic hydrocarbons, by free radical catalyzed processes. These chlorinated aliphatic hydrocarbons are those having carbon chain lengths ranging from one to and including five, with varying amounts and positions of chlorine substitution.	

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Naphthalene 91-20-3	Τοχίς

14. TRANSPORT INFORMATION

DOT

Proper shipping name:	Not regulated
IATA Proper shipping name:	Not regulated
IMDG Proper shipping name:	Not regulated

15. REGULATORY INFORMATION

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %	
1,2,4-Trimethylbenzene - 95-63-6	1.0	
Naphthalene - 91-20-3	0.1	
SARA 311/312 Hazard Categories		
Acute health hazard	Yes	
Chronic Health Hazard	No	
Fire hazard	Yes	
Sudden release of pressure hazard	No	
Reactive Hazard	No	

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Naphthalene 91-20-3	100 lb	Х	Х	Х

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Naphthalene	1 lb	-	RQ 1 lb final RQ
91-20-3			RQ 0.454 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
Naphthalene - 91-20-3	Carcinogen
Cumene - 98-82-8	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Fuels, diesel, no. 2 68476-34-6	Х	-	-
1,2,4-Trimethylbenzene 95-63-6	Х	Х	Х
Xylene 1330-20-7	Х	X	Х
Naphthalene 91-20-3	Х	X	Х
Cumene 98-82-8	Х	X	Х
N-Propylbenzene 103-65-1	Х	X	Х
2-Ethylhexanol 104-76-7	-	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

NFPA_	Flammability 2	Instability 0 -	HMIS
Flammability 2	Physical hazards 0	Personal protection B	

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

Revision Date 29-Apr-2015

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet