

# SAFETY DATA SHEET

Revision Date 30-Apr-2015 Version 1

1. IDENTIFICATION

Product identifier

Product Name Wynn's Combustion Chamber Cleaner

Other means of identification

**Product Code** WN 68902, 68917

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use See directions provided with product

Uses advised against All other applications

Details of the supplier of the safety data sheet

Supplier Address Manufacturer Address Distributor

ITW Professional Automotive Products

3606 Craftsman Blvd. Lakeland, FL 33803

Company Phone Number 863-665-3338

24 Hour Emergency Phone Number Chem-Tel: 800-255-3924

International Emergency: 00+1+ 813-248-0585

Contract Number: MIS0003583

E-mail address EHS@itwproap.com

# 2. HAZARDS IDENTIFICATION

# Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Acute toxicity - Inhalation (Gases)                | Category 4 |
|--|------------|
| Acute toxicity - Inhalation (Dusts/Mists)          | Category 4 |
| Skin corrosion/irritation                          | Category 2 |
| Serious eye damage/eye irritation                  | Category 2 |
| Specific target organ toxicity (single exposure)   | Category 3 |
| Specific target organ toxicity (repeated exposure) | Category 1 |
| Aspiration toxicity                                | Category 1 |
| Flammable liquids                                  | Category 1 |

# **Label elements**

| Danger |  |
|--------|--|
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |

# WN 68902, 68917 - Wynn's Combustion Chamber Cleaner

Harmful if inhaled

Causes skin irritation

Causes serious eye irritation

May cause drowsiness or dizziness

Causes damage to organs through prolonged or repeated exposure

May be fatal if swallowed and enters airways

Extremely flammable liquid and vapor



Appearance ClearPhysical state LiquidOdor Strong solvent odor.

## **Precautionary Statements - Prevention**

Use only outdoors or in a well-ventilated area

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Do not eat, drink or smoke when using this product

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Keep cool

# **Precautionary Statements - Response**

Get medical advice/attention if you feel unwell

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

If skin irritation occurs: Get medical advice/attention

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do NOT induce vomiting

In case of fire: Use CO2, dry chemical, or foam for extinction

#### **Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed

# **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Not applicable

#### Other Information

Toxic to aquatic life with long lasting effects.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

## substance(s)

| Chemical Name                              | CAS No     | Weight-% | Trade Secret |
|--|------------|----------|--------------|
| Isopropanol                                | 67-63-0    | 10 - 30  | *            |
| Xylene                                     | 1330-20-7  | 10 - 30  | *            |
| Solvent naphtha (petroleum), medium aliph. | 64742-88-7 | 10 - 30  | *            |
| Ethylbenzene                               | 100-41-4   | 7 - 13   | *            |
| Solvent naphtha (petroleum), light aliph.  | 64742-89-8 | 5 - 10   | *            |

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

## **Description of first aid measures**

**General advice** Get medical advice/attention if you feel unwell.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

**Skin contact** IF ON SKIN:. Wash skin with soap and water. If skin irritation persists, call a physician.

Wash contaminated clothing before reuse.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If symptoms persist, call a physician.

**Ingestion** IF SWALLOWED:. Do NOT induce vomiting. Never give anything by mouth to an

unconscious person. Call a physician.

**Self-protection of the first aider**Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

**Symptoms** See section 2 for more information.

Indication of any immediate medical attention and special treatment needed

## 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Flammable.

**Explosion data** 

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

## Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Remove all sources of ignition. Use personal protective equipment as required.

**Environmental precautions** 

**Environmental precautions** See Section 12 for additional ecological information. Do not flush into surface water or

sanitary sewer system.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

# 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid breathing

vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse. Use personal protective equipment as required.

Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric

motors and static electricity).

Incompatible materials Strong oxidizing agents

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Control parameters

**Exposure Guidelines** 

| Chemical Name | ACGIH TLV     | OSHA PEL                               | NIOSH IDLH                   |
|---------------|---------------|--|------------------------------|
| Isopropanol   | STEL: 400 ppm | TWA: 400 ppm                           | IDLH: 2000 ppm               |
| 67-63-0       | TWA: 200 ppm  | TWA: 980 mg/m <sup>3</sup>             | TWA: 400 ppm                 |
|               |               | (vacated) TWA: 400 ppm                 | TWA: 980 mg/m <sup>3</sup>   |
|               |               | (vacated) TWA: 980 mg/m <sup>3</sup>   | STEL: 500 ppm                |
|               |               | (vacated) STEL: 500 ppm                | STEL: 1225 mg/m <sup>3</sup> |
|               |               | (vacated) STEL: 1225 mg/m <sup>3</sup> | -                            |
| Xylene        | STEL: 150 ppm | TWA: 100 ppm                           | -                            |
| 1330-20-7     | TWA: 100 ppm  | TWA: 435 mg/m <sup>3</sup>             |                              |
|               |               | (vacated) TWA: 100 ppm                 |                              |
|               |               | (vacated) TWA: 435 mg/m <sup>3</sup>   |                              |
|               |               | (vacated) STEL: 150 ppm                |                              |
|               |               | (vacated) STEL: 655 mg/m <sup>3</sup>  |                              |

| Ethylbenzene | TWA: 20 ppm | TWA: 100 ppm                          | IDLH: 800 ppm               |
|--------------|-------------|---------------------------------------|-----------------------------|
| 100-41-4     |             | TWA: 435 mg/m <sup>3</sup>            | TWA: 100 ppm                |
|              |             | (vacated) TWA: 100 ppm                | TWA: 435 mg/m <sup>3</sup>  |
|              |             | (vacated) TWA: 435 mg/m <sup>3</sup>  | STEL: 125 ppm               |
|              |             | (vacated) STEL: 125 ppm               | STEL: 545 mg/m <sup>3</sup> |
|              |             | (vacated) STEL: 545 mg/m <sup>3</sup> | _                           |

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin and body protection** Wear protective gloves and protective clothing.

appropriate.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of

equipment, work area and clothing is recommended.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Remarks • Method

#### Information on basic physical and chemical properties

Physical state Liquid Appearance Clear

Odor Strong solvent odor.

**Color** amber

Odor threshold No information available

<u>Property</u> <u>Values</u>

pH No information available
Melting point / freezing point
Boiling point / boiling range No information available
> 35 °C / 95 °F

Flash point 9.5 °C / 49 °F
Evaporation rate No information available

Flammability (solid, gas)

No information available
No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No information available
No information available
No information available

Relative density 0.83

Water solubility
Solubility in other solvents
Partition coefficient
Autoignition temperature
Decomposition temperature
No information available
No information available
No information available

Kinematic viscosity 2 mm2/s

**Dynamic viscosity**No information available **Explosive properties**No information available

# WN 68902, 68917 - Wynn's Combustion Chamber Cleaner

Oxidizing properties No information available

**Other Information** 

Softening pointNo information availableMolecular weightNo information available

VOC Content (%) 62

DensityNo information availableBulk densityNo information available

# 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

## **Chemical stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

## **Conditions to avoid**

Excessive heat.

# **Incompatible materials**

Strong oxidizing agents

## **Hazardous Decomposition Products**

Carbon oxides

# 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

**Inhalation** May cause irritation of respiratory tract.

Eye contact Contact with eyes may cause irritation. May cause redness and tearing of the eyes.

**Skin contact** May cause skin irritation and/or dermatitis.

**Ingestion** Ingestion may cause irritation to mucous membranes.

| Chemical Name   | Oral LD50            | Dermal LD50                                    | Inhalation LC50                                |
|---|----------------------|--|--|
| Isopropanol<br>67-63-0                                      | = 1870 mg/kg (Rat)   | = 4059 mg/kg ( Rabbit )                        | = 72600 mg/m³ ( Rat ) 4 h                      |
| Xylene<br>1330-20-7   | = 3500 mg/kg ( Rat ) | > 4350 mg/kg (Rabbit) > 1700<br>mg/kg (Rabbit) | = 29.08 mg/L (Rat) 4 h = 5000<br>ppm (Rat) 4 h |
| Solvent naphtha (petroleum),<br>medium aliph.<br>64742-88-7 | > 5000 mg/kg(Rat)    | = 3000 mg/kg ( Rabbit )                        | > 5.28 mg/L (Rat)4 h                           |
| Ethylbenzene<br>100-41-4                                    | = 3500 mg/kg (Rat)   | = 15400 mg/kg ( Rabbit )                       | = 17.2 mg/L (Rat) 4 h                          |
| Solvent naphtha (petroleum), light aliph. 64742-89-8        | -                    | = 3000 mg/kg ( Rabbit )                        | -  |

# Information on toxicological effects

**Symptoms** No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization**No information available. **Germ cell mutagenicity**No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name            | ACGIH | IARC     | NTP | OSHA |
|--------------------------|-------|----------|-----|------|
| Isopropanol<br>67-63-0   | -     | Group 1  | -   | Х    |
| Xylene<br>1330-20-7      | -     | Group 3  | -   | -    |
| Ethylbenzene<br>100-41-4 | A3    | Group 2B | -   | Х    |

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

Not classifiable as a human carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Target Organ Effects Central nervous system, Eyes, Respiratory system, Skin.

#### The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 6685 mg/kg
ATEmix (dermal) 2650 mg/kg
ATEmix (inhalation-gas) 5556 mg/l
ATEmix (inhalation-dust/mist) 4.1 mg/l

# 12. ECOLOGICAL INFORMATION

This product contains a chemical which is listed as a marine pollutant according to DOT.

## **Ecotoxicity**

0.7% of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Chemical Name Algae/aquatic plants                          |  | Fish  | Crustacea  |
|---|--|---|--|
| Isopropanol<br>67-63-0                                      |  |   | 13299: 48 h Daphnia magna mg/L<br>EC50                                       |
| Xylene<br>1330-20-7   | -  | 13.4: 96 h Pimephales promelas mg/L LC50 flow-through 2.661 - 4.093: 96 h Oncorhynchus mykiss mg/L LC50 static 13.5 - 17.3: 96 h Oncorhynchus mykiss mg/L LC50 13.1 - 16.5: 96 h Lepomis macrochirus mg/L LC50 flow-through 19: 96 h Lepomis macrochirus mg/L LC50 7.711 - 9.591: 96 h Lepomis macrochirus mg/L LC50 static 23.53 - 29.97: 96 h Pimephales promelas mg/L LC50 static 780: 96 h Cyprinus carpio mg/L LC50 semi-static 780: 96 h Cyprinus carpio mg/L LC50 30.26 - 40.75: 96 h Poecilia reticulata mg/L LC50 static | 3.82: 48 h water flea mg/L EC50<br>0.6: 48 h Gammarus lacustris mg/L<br>LC50 |
| Solvent naphtha (petroleum),<br>medium aliph.<br>64742-88-7 | 450: 96 h Pseudokirchneriella<br>subcapitata mg/L EC50 | 800: 96 h Pimephales promelas<br>mg/L LC50 static   | 100: 48 h Daphnia magna mg/L<br>EC50   |

| Ethylbenzene                                 | 4.6: 72 h Pseudokirchneriella    | 11.0 - 18.0: 96 h Oncorhynchus       | 1.8 - 2.4: 48 h Daphnia magna mg/L |
|--|----------------------------------|--------------------------------------|------------------------------------|
| 100-41-4 subcapitata mg/L EC50 438: 96 h   r |                                  | mykiss mg/L LC50 static 9.6: 96 h    | EC50                               |
|  | Pseudokirchneriella subcapitata  | Poecilia reticulata mg/L LC50 static |                                    |
|  | mg/L EC50 2.6 - 11.3: 72 h       | 4.2: 96 h Oncorhynchus mykiss        |                                    |
|  | Pseudokirchneriella subcapitata  | mg/L LC50 semi-static 7.55 - 11: 96  |                                    |
|  | mg/L EC50 static 1.7 - 7.6: 96 h | h Pimephales promelas mg/L LC50      |                                    |
|  | Pseudokirchneriella subcapitata  | flow-through 32: 96 h Lepomis        |                                    |
|  | mg/L EC50 static                 | macrochirus mg/L LC50 static 9.1 -   |                                    |
|  |                                  | 15.6: 96 h Pimephales promelas       |                                    |
|  |                                  | mg/L LC50 static                     |                                    |
| Solvent naphtha (petroleum), light           | 4700: 72 h Pseudokirchneriella   | -                                    | -                                  |
| aliph.                                       | subcapitata mg/L EC50            |                                      |                                    |
| 64742-89-8                                   | _                                |                                      |                                    |

# Persistence and degradability

No information available.

#### Bioaccumulation

No information available.

## **Mobility**

No information available.

| Chemical Name            | Partition coefficient |
|--------------------------|-----------------------|
| Isopropanol<br>67-63-0   | 0.05                  |
| Xylene<br>1330-20-7      | 2.77 - 3.15           |
| Ethylbenzene<br>100-41-4 | 3.118                 |

#### Other adverse effects

No information available

# 13. DISPOSAL CONSIDERATIONS

## Waste treatment methods

**Disposal of wastes**This material, as supplied, is a hazardous waste according to federal regulations (40 CFR

261).

**Contaminated packaging** Do not reuse container.

US EPA Waste Number D001, U239

| Chemical Name            | RCRA | RCRA - Basis for Listing          | RCRA - D Series Wastes | RCRA - U Series Wastes |
|--------------------------|------|-----------------------------------|------------------------|------------------------|
| Xylene<br>1330-20-7      | -    | Included in waste stream:<br>F039 | -                      | U239                   |
| Ethylbenzene<br>100-41-4 | -    | Included in waste stream:<br>F039 | -                      | -                      |

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name | California Hazardous Waste Status |  |
|---------------|-----------------------------------|--|
| Isopropanol   | Toxic                             |  |
| 67-63-0       | Ignitable                         |  |
| Xylene        | Toxic                             |  |
| 1330-20-7     | Ignitable                         |  |
| Ethylbenzene  | Toxic                             |  |
| 100-41-4      | Ignitable                         |  |

## 14. TRANSPORT INFORMATION

DOT

UN/ID no UN1993

Proper shipping name: Flammable liquids, n.o.s, (contains xylene and isopropanol), Limited Quantity (LQ)

Hazard Class 3
Packing Group ||

Marine pollutant This product contains a chemical which is listed as a marine pollutant according to DOT.

IATA

UN/ID no UN1993

Proper shipping name: Flammable liquid, n.o.s, (Contains, Isopropyl alcohol, Xylene, ), Limited Quantity (LQ)

Hazard Class 3
Packing Group ||

**IMDG** 

UN/ID no UN1993

Proper shipping name: Flammable liquids, n.o.s, (Contains, Isopropyl alcohol, Xylene, ), Limited Quantity (LQ)

Hazard Class 3 Packing Group II

## 15. REGULATORY INFORMATION

**International Inventories** 

**TSCA** Complies Complies DSL/NDSL Complies **EINECS/ELINCS** Complies **ENCS IECSC** Complies **KECL** Complies **PICCS** Complies AICS Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## **US Federal Regulations**

## **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name           | SARA 313 - Threshold Values % |  |
|-------------------------|-------------------------------|--|
| Isopropanol - 67-63-0   | 1.0                           |  |
| Xylene - 1330-20-7      | 1.0                           |  |
| Ethylbenzene - 100-41-4 | 0.1                           |  |

# SARA 311/312 Hazard Categories

Acute health hazard No
Chronic Health Hazard No
Fire hazard Yes
Sudden release of pressure hazard No
Reactive Hazard No

#### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical Name            | CWA - Reportable<br>Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous<br>Substances |
|--------------------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| Xylene<br>1330-20-7      | 100 lb                         | -                      | -                         | Х                             |
| Ethylbenzene<br>100-41-4 | 1000 lb                        | X                      | X                         | Х                             |

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical Name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|---------------|--------------------------|----------------|--------------------------|
| Xylene        | 100 lb                   | -              | RQ 100 lb final RQ       |
| 1330-20-7     |                          |                | RQ 45.4 kg final RQ      |
| Ethylbenzene  | 1000 lb                  | -              | RQ 1000 lb final RQ      |
| 100-41-4      |                          |                | RQ 454 kg final RQ       |

## **US State Regulations**

## California Proposition 65

This product contains the following Proposition 65 chemicals

| Chemical Name           |            |  |
|-------------------------|------------|--|
| Ethylbenzene - 100-41-4 | Carcinogen |  |

# U.S. State Right-to-Know Regulations

| Chemical Name   | New Jersey | Massachusetts | Pennsylvania |
|---|------------|---------------|--------------|
| Isopropanol<br>67-63-0                                      | X          | Х             | Х            |
| Xylene<br>1330-20-7   | Х          | Х             | Х            |
| Solvent naphtha (petroleum),<br>medium aliph.<br>64742-88-7 | Х          | -             | -            |
| Deionized Water<br>7732-18-5                                | -          | -             | Х            |
| Ammonium Hydroxide<br>1336-21-6                             | Х          | Х             | Х            |

## U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

NFPA<br/>HMISHealth hazards 2<br/>Health hazards 2Flammability 4<br/>Flammability 4Instability 0<br/>Physical hazards 0-Physical hazards 0Personal protection B

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

Revision Date 30-Apr-2015

# Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**