

# SAFETY DATA SHEET

Revision Date 07-Aug-2019

Version 1

1. IDENTIFICATION				
<u>Product identifier</u> Product Name	Wynn's Premium Oil System Cleaner			
Other means of identification Product Code	WN 81610			
<u>Recommended use of the chemica</u> Recommended Use Uses advised against	I and restrictions on use See directions provided with product All other applications			
Details of the supplier of the safety Supplier Address ITW Professional Automotive Product 3606 Craftsman Blvd. Lakeland, FL 33803 Distributor	Manufacturer Address	Manufactured and Distributed by: May Also Be Distributed by: Logistic Distribution 550 Industrial Drive Mitter, ON Consider 107 546		
Company Phone Number 24-hour emergency phone number Chem-Tel: 800-255-3924 International Emergency: 00+1+ 813-248-0585 Contract Number: MIS0003583	863-665-3338	Milton, ON, Canada L9T 5A6		

E-mail address: EHS@itwproap.com

## 2. HAZARDS IDENTIFICATION

**Classification** 

## OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Specific target organ toxicity (repeated exposure)	Category 1
Aspiration toxicity	Category 1
Flammable liquids	Category 4

## Label elements

**Emergency Overview** 

<u>Signal word</u> Danger	
Causes damage to organs through prolonged or repeated exposure May be fatal if swallowed and enters airways Combustible liquid	



## **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Wear protective gloves/protective clothing/eye protection/face protection Use only outdoors or in a well-ventilated area Do not breathe dust/fume/gas/mist/vapors/spray Keep away from heat/sparks/open flames/hot surfaces. - No smoking

## **Precautionary Statements - Response**

Get medical advice/attention if you feel unwell

IF ON SKIN: Wash with plenty of soap and water Call a POISON CENTER or doctor/physician if you feel unwell Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting Rinse mouth In case of fire: Use CO2, dry chemical, or foam to extinguish.

## Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep cool

## **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

Not applicable

#### Other Information

May be harmful if swallowed. May be harmful in contact with skin. Causes mild skin irritation. Harmful to aquatic life with long lasting effects.

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	Weight-%
Distillates (petroleum),	Distillates (petroleum), 64742-65-0	
solvent-dewaxed heavy paraffinic		
Mineral Spirits	8052-41-3	1 - 5
Ethylene Glycol Monobutyl Ether	111-76-2	1 - 5

## **4. FIRST AID MEASURES**

## Description of first aid measures

General advice	If symptoms persist, call a physician.		
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.		
Skin contact	Immediate medical attention is not required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.		
Inhalation	Immediate medical attention is not required. If symptoms persist, call a physician. Move to fresh air in case of accidental inhalation of vapors or decomposition products.		
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician. Do NOT induce vomiting.		
Self-protection of the first aider	Use personal protective equipment as required.		
Most important symptoms and effe	cts, both acute and delayed		
Symptoms	See section 2 for more information.		
Indication of any immediate medical attention and special treatment needed			
Note to physicians	Treat symptomatically.		
5. FIRE-FIGHTING MEASURES			

## Suitable extinguishing media

Use, Dry chemical, Carbon dioxide (CO2), Water spray (fog), Alcohol resistant foam

#### Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire

#### Specific hazards arising from the chemical

Keep product and empty container away from heat and sources of ignition. Risk of ignition.

#### Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

## Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

Personal precautions	Use personal protective equipment as required. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Pay attention to flashback. Take precautionary measures against static discharges.	
Environmental precautions		
Environmental precautions	See section 12 for additional ecological information. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.	
Methods and material for containment and cleaning up		

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up	Soak up with inert absorbent material. Dam up. Pick up and transfer to properly labeled containers. Take precautionary measures against static discharges.	
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.	
	7. HANDLING AND STORAGE	
Precautions for safe handling		
Advice on safe handling	Use with local exhaust ventilation. All equipment used when handling the product must be grounded. Keep away from heat/sparks/open flames/hot surfaces No smoking. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).	
Conditions for safe storage, including	ng any incompatibilities	
Storage Conditions	Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat. Keep in properly labeled containers.	
Incompatible materials	Strong oxidizing agents	

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Control parameters

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Mineral Spirits	TWA: 100 ppm	TWA: 500 ppm	IDLH: 20000 mg/m <sup>3</sup>
8052-41-3		TWA: 2900 mg/m <sup>3</sup>	Ceiling: 1800 mg/m <sup>3</sup> 15 min
		(vacated) TWA: 100 ppm	TWA: 350 mg/m <sup>3</sup>
		(vacated) TWA: 525 mg/m <sup>3</sup>	_
Ethylene Glycol Monobutyl Ether	TWA: 20 ppm	TWA: 50 ppm	IDLH: 700 ppm
111-76-2		TWA: 240 mg/m <sup>3</sup>	TWA: 5 ppm
		(vacated) TWA: 25 ppm	TWA: 24 mg/m <sup>3</sup>
		(vacated) TWA: 120 mg/m <sup>3</sup>	_
		(vacated) S*	
		S*	

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

## Appropriate engineering controls

Engineering Controls Showers Eyewash stations Ventilation systems

## Individual protection measures, such as personal protective equipment

Eye/face protection	Tight sealing safety goggles.
Skin and body protection	Wear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves.
Respiratory protection	Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.
General Hygiene Considerations	When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties				
Physical state	Product Specific			
Appearance	Clear liquid			
Odor	Slight hydrocarbon			
Color	light yellow			
Odor threshold	No information available			
Property_	Values			
pH	No information available			
Melting point / freezing point	No information available			
Boiling point / boiling range	> 35 °C / > 95 °F			
Flash point	79 °C / 174 °F			
Evaporation rate	No information available			
Flammability (solid, gas)	No information available			
Flammability Limit in Air				
Upper flammability limit:	No information available			
Lower flammability limit:	No information available			
Vapor pressure	No information available			
Vapor density	No information available			
Relative density	0.85			
Water solubility	Insoluble in water			
Solubility(ies)	No information available			
Partition coefficient	No information available			
Autoignition temperature	No information available			
Decomposition temperature	No information available			
Kinematic viscosity	20.5 mm2/s			
Dynamic viscosity	No information available			
Explosive properties	No information available			
Oxidizing properties	No information available			
Other Information				
Softening point	No information available			
Molecular weight	No information available			
VOC Content (%)	1.25			
Density	No information available			
Bulk density	No information available			
SADT (self-accelerating	No information available			

## Remarks • Method

## **10. STABILITY AND REACTIVITY**

## Reactivity

No information available

## <u>Chemical stability</u> Stable under normal conditions

decomposition temperature)

## Possibility of Hazardous Reactions None under normal processing.

Conditions to avoid Heat, flames and sparks.

Incompatible materials Strong oxidizing agents

<u>Hazardous Decomposition Products</u> Carbon oxides

## **11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Inhalation	May cause irritation of respiratory tract.
Eye contact	Contact with eyes may cause irritation. May cause redness and tearing of the eyes.
Skin contact	May cause skin irritation and/or dermatitis.
Ingestion	Ingestion may cause irritation to mucous membranes.

Chemical Name Oral LD50 Dermal LD50 Inhalation LC50 Distillates (petroleum), > 15000 mg/kg (Rat) > 5000 mg/kg (Rabbit) > 2400 mg/m<sup>3</sup> (Rat) 4 h solvent-dewaxed heavy paraffinic 64742-65-0 Ethylene Glycol Monobutyl Ether = 470 mg/kg (Rat) = 435 mg/kg (Rabbit) = 486 ppm (Rat) 4 h = 450 ppm ( 111-76-2 Rat)4h

#### Information on toxicological effects

Symptoms

No information available.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No inf	ormation available.					
Germ cell mutagenicity	No information available.						
Carcinogenicity	The ta	able below indicates whether eac	h agency has listed any ing	gredient as a carcinogen.			
Chemical Name	ACGIH	ACGIH IARC NTP OSHA					
Distillates (petroleum), solvent-dewaxed heavy paraffinic 64742-65-0	A2	Group 1	Known	Х			
Ethylene Glycol Monobutyl Ether 111-76-2	A3	Group 3	-	-			
A2 - Suspected Human C A3 - Animal Carcinogen IARC (International Age Group 1 - Carcinogenic to Not classifiable as a hum NTP (National Toxicolog Known - Known Carcinog OSHA (Occupational Sa X - Present	Carcinogen ncy for Research or o Humans an carcinogen gy Program) gen lfety and Health Adr	ninistration of the US Department of					
Chronic toxicity Target Organ Effects	adverse liver effects.						
The following values are calculated based on chapter 3.1 of the GHS document       .         ATEmix (oral)       4482 mg/kg         ATEmix (dermal)       4663 mg/kg         ATEmix (inhalation-dust/mist)       120 mg/l         ATEmix (inhalation-vapor)       36000 mg/l							

## **12. ECOLOGICAL INFORMATION**

## Ecotoxicity

5.334 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

#### Persistence and degradability

No information available.

## Bioaccumulation

No information available.

#### Mobility

No information available.

Chemical Name	Partition coefficient
Ethylene Glycol Monobutyl Ether	0.81
111-76-2	

## Other adverse effects

No information available

## **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.
US EPA Waste Number	Not applicable

This product contains one or more substances that are listed with the State of California as a hazardous waste.

## 14. TRANSPORT INFORMATION

Note: <u>DOT</u> Proper shipping name:	Not regulated
IATA Proper shipping name:	Not regulated
IMDG Proper shipping name:	Not regulated

#### **15. REGULATORY INFORMATION** International Inventories TSCA Complies Complies DSL/NDSL **EINECS/ELINCS** Complies Complies ENCS Complies IECSC Complies KECL Complies PICCS Complies AICS

#### Legend:

 TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

 ENCS - Japan Existing and New Chemical Substances

 IECSC - China Inventory of Existing Chemical Substances

 KECL - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances **AICS** - Australian Inventory of Chemical Substances

## US Federal Regulations

#### <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Ethylene Glycol Monobutyl Ether - 111-76-2	1.0
SARA 311/312 Hazard Categories	
Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

## CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

## US State Regulations

#### California Proposition 65

This product contains the following Proposition 65 chemicals U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Mineral Spirits 8052-41-3	Х	X	Х
Ethylene Glycol Monobutyl Ether 111-76-2	Х	X	Х
Zinc alkyldithiophosphate 84605-29-8	Х	-	Х

## U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

## WHMIS Hazard Class

B3 - Combustible liquid, D2A - Very toxic materials, D2B - Toxic materials

## **16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION**

NFPA	Health hazards	2
HMIS	Health hazards	2

2 Flammability 2 2 Flammability 2 Instability 0

Physical hazards 0

Personal protection B

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

#### **Revision Date**

07-Aug-2019

## <u>Disclaimer</u>

Illinois Tool Works Inc. believes the information contained in this data sheet is accurate as of the date compiled. However, Illinois Tool Works Inc. makes no warranty, express or implied, as to the accuracy, reliability or completeness of the information. User is responsible for evaluating whether such information or this product is fit for a particular purpose and suitable for a particular use or application. The information in this data sheet may not be valid if this product is used in combination with other products or in processes for which it was not designed. Illinois Tool Works Inc. disclaims any liability for consequential or incidental damages of any kind, including lost profits, arising from the sale or use of this product. Ensure you have the most current version of this data sheet by contacting us or reviewing our web site.

End of Safety Data Sheet